

INSTALLATION RESTORATION PROGRAM

REMEDIAL INVESTIGATION REPORT ADDENDUM FOR IRP SITE NO. 6


VOLUME II APPENDIX A-I

161st AIR REFUELING GROUP
ARIZONA AIR NATIONAL GUARD
SKY HARBOR INTERNATIONAL AIRPORT
PHOENIX, ARIZONA

MAY 1996

DISTRIBUTION STATEMENT A

Approved for public release
Distribution Unlimited



DTIC QUALITY INSPECTED 2

19960610 171

HQ ANG/CEVR
ANDREWS AFB, MARYLAND

DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.

1. AGENCY USE ONLY (Leave blank)		2. REPORT DATE MAY 1996	3. REPORT TYPE AND DATES COVERED Remedial Investigation Report
4. TITLE AND SUBTITLE Remedial Investigation Report Addendum for IRP Site No. 6, Volume II Arizona National Guard, 161st Air Refueling Group, Sky Harbor International Airport, Phoenix, Arizona			5. FUNDING NUMBERS
6. AUTHOR(S) NA			8. PERFORMING ORGANIZATION REPORT NUMBER
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Operational Technologies Corp. 4100 N.W. Loop 410, Suite 230 San Antonio, TX 78229-4253			
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) ANG/CEVR 3500 Fetchet Avenue Andrews AFB MD 20762-5157			10. SPONSORING/MONITORING AGENCY REPORT NUMBER
11. SUPPLEMENTARY NOTES			
12a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited			12b. DISTRIBUTION CODE
13. ABSTRACT (Maximum 200 words) Remedial Investigation Report Addendum for IRP Site No. 6, Arizona National Guard, 161st Air Refueling Group, Sky Harbor International Airport, Phoenix, Arizona. This is the second volume of a two volume addendum to the Remedial Investigation Report, May 1996. Site 6 - POL Facility was investigated under the Installation Restoration Program. Soil and groundwater samples were collected and analyzed. Remedial Action was recommended for both groundwater and soil associated with the site. This volume contains the analytical data, field notes, and QA/QC documentation.			
14. SUBJECT TERMS Installation Restoration Program; Comprehensive Environmental Response, Compensation and Liability Act (CERCLA); Air National Guard; Remedial Investigation, Arizona Air National Guard, Phoenix, AZ			15. NUMBER OF PAGES 167
			16. PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT None

**INSTALLATION RESTORATION
PROGRAM**

**REMEDIAL INVESTIGATION
REPORT ADDENDUM
FOR IRP SITE NO. 6**

**VOLUME II
APPENDICES A-I**

**161st AIR REFUELING GROUP
ARIZONA AIR NATIONAL GUARD
SKY HARBOR INTERNATIONAL AIRPORT
PHOENIX, ARIZONA**

MAY 1996

Prepared For
**HQ ANG/CEVR
ANDREWS AFB, MARYLAND**

Prepared By
**Operational Technologies Corporation
4100 N.W. Loop 410, Suite 230
San Antonio, Texas 78229-4253
(210) 731-0000**

APPENDIX A
BORING LOGS

SECTION A INTRODUCTION

Boring log diagrams have been compiled for each borehole and monitoring well location drilled during this study. Diagrams are presented in numerical order. The borehole identification is keyed to the borehole (BH) or monitoring well designation (MW) and number (i.e., 06-016BH or 06-018MW). The diagrams combine in one page both a verbal and graphical illustration of the lithology encountered during drilling, water level data encountered during drilling and surveyed elevation of the ground surface at the borehole location.

The sample description includes the color, texture, mineralogy, moisture and consistency for each sample collected. The proportions of sand, gravel, and fines are visually estimated and described using the following semi-quantitative adjectives:

<u>Adjective</u>	<u>Estimated Percent of Total Sample</u>
Trace	0 - 5
Few	5 - 10
Little	15 - 25
Some	30 - 45
Mostly	50 - 100

Proportional adjectives precede the lithology, such as little gravel (15 - 25% gravel) and trace of silt (0 - 5% silt).

Lithologic symbols are derived and generalized from the Unified Soil Classification System shown in Figure A.1.

In the boring logs that follow, the column headings have the following meanings:

Depth:	Depth in feet below land surface.
Blows/6 in.:	The number of blow required to drive a split-spoon sampler each of the 6-inch intervals.
Field Screening:	The reading of photoionization compounds detected in soil sample by a photoionization detector.

Sampled: The interval of sample cored below land surface.

Percent Recovery: The percentage of sample recovered in the split-spoon sampler per sampling run.

SKY HARBOR RI ADDENDUM

161st ARG, PHOENIX, ARIZONA

O P T E C H

OPERATIONAL TECHNOLOGIES
CORPORATION

LOG OF BORING 06-016BH

Project No.:	1315-227	Sampling Method:	Split Spoon
Logged By:	Michael A. Giles	Depth Drilled:	55 ft.
Drilling Co.:	North American	Depth To Water:	NA
Driller:	Gabby Rodriguez	Date Measured:	NA
Date Drilled:	06/27/95	Surface Elevation:	1,115.08 ft.
Drilling Method:	Dual Wall Percussion		

Depth (ft.)	Blows/6"	% Recovery	Samples	Graphic	DESCRIPTION OF MATERIALS	FIELD SCREENING			
						PID (ppm)	ATHA (ppm)	-	-
5					Gravel, sandy; gravel (65%) is 1/2" to 6", loose, dry, gray to reddish-brown; sand (35%) is fine-grained to coarse-grained, poorly sorted, brown.				
10									
15									
20									
25									
30									
35									
40									
45									
50									
55	100	100			Wet at 54 ft.				
60	100	100			Boring Terminated at 55 ft. Note: Grouted with bentonite cement				

161st ARG, PHOENIX, ARIZONA

O P T E C H

OPERATIONAL TECHNOLOGIES CORPORATION

LOG OF BORING 06-018MW

Project No.:	1315-227
Logged By:	Michael A. Giles
Drilling Co.:	North American
Driller:	Gabby Rodriguez
Date Drilled:	06/28/95
Drilling Method:	Dual Wall Percussion

Sampling Method:	N/A
Depth Drilled:	92 ft.
Depth To Water:	56.02 ft. BTOC
Date Measured:	07/13/95
Surface Elevation:	1109.04 ft.
TOC Elevation:	1108.78 ft.

Depth (ft.)	Blows/6"	% Recovery	Samples	Graphic	DESCRIPTION OF MATERIALS	FIELD SCREENING				Monitoring Well
						PID (ppm)	ATHA (ppm)	BTEX (ppb)	Benzene (ppb)	
0					Gravel, sandy; gravel (70%) is 1/2" to 6", loose, poorly sorted, gray, reddish brown, and off white, dry; sand (30%) is fine-grained to coarse-grained, poorly sorted, brown.	-	-	-	-	
5										
10										
15										
20										
25										
30										
35										
40										
45										
50										

161st ARG, PHOENIX, ARIZONA

OPERATIONAL TECHNOLOGIES CORPORATION

Project No.:	1315-227
Logged By:	Michael A. Giles
Drilling Co.:	North American
Driller:	Gabby Rodriguez
Date Drilled:	06/28/95
Drilling Method:	Dual Wall Percussion

Sampling Method:	N/A
Depth Drilled:	92 ft.
Depth To Water:	56.02 ft. BTOC
Date Measured:	07/13/95
Surface Elevation:	1109.04 ft.
TOC Elevation:	1108.78 ft.

Depth (ft.)	Blows/6"	% Recovery	Samples	Graphic	DESCRIPTION OF MATERIALS	FIELD SCREENING				Monitoring Well
						PID (ppm)	ATHA (ppm)	BTEX (ppb)	Benzene (ppb)	
55					- wet at 54 ft.					
65					Sand, gravelly; sand (60%) is medium-grained to very coarse-grained, poorly sorted, brown; gravel (40%) is 1/2" to 2", gray, loose.	-	-	-	-	
70					Gravel, sandy; gravel (70%) is 1/2" to 6", loose, gray, off-white, poorly sorted; sand (30%) is fine-grained to coarse-grained, poorly sorted, loose, brown.	-	-	-	-	
92					Boring Terminated at 92 ft.					

161st ARG, PHOENIX, ARIZONA












OPTECH

OPERATIONAL TECHNOLOGIES CORPORATION

LOG OF BORING 06-019MW

Project No.:	1315-227
Logged By:	Michael A. Giles
Drilling Co.:	North American
Driller:	Gabby Rodriguez
Date Drilled:	06/28/95
Drilling Method:	Dual Wall Percussion

Sampling Method:	N/A
Depth Drilled:	92 ft.
Depth To Water:	59.41 ft. BTOC
Date Measured:	07/13/95
Surface Elevation:	1110.01 ft.
TOC Elevation:	1111.94 ft.

Depth (ft.)	Blows/6"	% Recovery	Samples	Graphic	DESCRIPTION OF MATERIALS	FIELD SCREENING				Monitoring Well
						PID (ppm)	ATHA (ppm)	BTEX (ppb)	Benzene (ppb)	
5					Gravel, sandy; gravel (70%) is 1/2" to 6", loose, poorly sorted, gray, off-white, and reddish-brown, dry; sand (30%) is medium-grained to coarse-grained, moderately sorted, loose, brown, dry.	-	-	-	-	
10										
15										
20					Sand, slightly gravelly; sand (70%) is very coarse-grained to fine-grained, poorly sorted, loose, gray; gravel (30) is 1/2" to 2", loose, poorly sorted, subangular, gray to reddish-brown, dry.	-	-	-	-	
25					Gravel, sandy; gravel (70%) is 1/2" to 6", loose, poorly sorted, gray, off-white, and reddish-brown; sand (30%) is fine-grained to very coarse-grained, loose, brown, dry.	-	-	-	-	
30										
35										
40										
45										
50										

161st ARG, PHOENIX, ARIZONA

O P T E C H

**OPERATIONAL TECHNOLOGIES
CORPORATION**

LOG OF BORING 06-019MW

Project No.:	1315-227
Logged By:	Michael A. Giles
Drilling Co.:	North American
Driller:	Gabby Rodriguez
Date Drilled:	06/28/95
Drilling Method:	Dual Wall Percussion

Sampling Method:	N/A
Depth Drilled:	92 ft.
Depth To Water:	59.41 ft. BTOC
Date Measured:	07/13/95
Surface Elevation:	1110.01 ft.
TOC Elevation:	1111.94 ft.

[illegible]

161st ARG, PHOENIX, ARIZONA





O P T E C H

**OPERATIONAL TECHNOLOGIES
CORPORATION**

LOG OF BORING 06-020MW

Project No.:	1315-227
Logged By:	Michael A. Giles
Drilling Co.:	North American
Driller:	Gabby Rodriguez
Date Drilled:	06/26/95
Drilling Method:	Dual Wall Percussion

Sampling Method:	N/A
Depth Drilled:	92 ft.
Depth To Water:	55.50 ft. BTOC
Date Measured:	07/13/95
Surface Elevation:	1114.09 ft.
TOC Elevation:	1,116.57 ft.

Depth (ft.)	Blows/6"	% Recovery	Samples	Graphic	DESCRIPTION OF MATERIALS	FIELD SCREENING				Monitoring Well
						PID (ppm)	ATHA (ppm)	BTEX (ppb)	Benzene (ppb)	
5					Gravel, sandy; gravel (70%) is 1/2" to 4", loose, dry, reddish-brown to gray, subrounded to subangular; sand (30%) is fine-grained to coarse-grained, poorly sorted, brown.	-	-	-	-	
10					Sand, gravelly; sand (60%) is coarse-grained, well sorted, loose, brown, dry; gravel (40%) is 1/2" to 4", subrounded to subangular, gray, reddish-brown, or white.	-	-	-	-	
20					Gravel, sandy; gravel (70%) is 1/2" to 4", poorly sorted, loose, gray, off-white, and reddish-brown, dry; sand (30%) is fine-grained to coarse-grained, poorly sorted, brown, dry.	-	-	-	-	

SKY HARBOR RI ADDENDUM

161st ARG, PHOENIX, ARIZONA

O P T E C H

OPERATIONAL TECHNOLOGIES
CORPORATION

LOG OF BORING 06-021MW

Project No.: 1315-227
Logged By: Michael A. Giles
Drilling Co.: North American
Driller: Gabby Rodriguez
Date Drilled: 06/23/95
Drilling Method: Dual Wall Percussion

Sampling Method: N/A
Depth Drilled: 92 ft.
Depth To Water: 56.10 ft. BTOC
Date Measured: 07/13/95
Surface Elevation: 1114.52 ft.
TOC Elevation: 1114.31 ft.

Depth (ft.)	Blows/6"	% Recovery	Samples	Graphic	DESCRIPTION OF MATERIALS	FIELD SCREENING				Monitoring Well
						PID (ppm)	ATHA (ppm)	BTEX (ppb)	Benzene (ppb)	
5					Gravel, sandy; gravel (80%) is 1/4" to 6", poorly sorted, large gravel more rounded, reddish-brown to gray, to off-white, dry; sand (20%) is medium-grained to coarse-grained, poorly sorted, brown.	-	-	-	-	
10										
15										
20										
25										
30										
35										
40										
45										
50										

OPERATIONAL TECHNOLOGIES CORPORATION

LOG OF BORING 06-021MW

Project No.:	1315-227
Logged By:	Michael A. Giles
Drilling Co.:	North American
Driller:	Gabby Rodriguez
Date Drilled:	06/23/95
Drilling Method:	Dual Wall Percussion

Sampling Method:	N/A
Depth Drilled:	92 ft.
Depth To Water:	56.10 ft. BTOC
Date Measured:	07/13/95
Surface Elevation:	1114.52 ft.
TOC Elevation:	1114.31 ft.

[illegible]

SKY HARBOR RI ADDENDUM

161st ARG, PHOENIX, ARIZONA













O P T E C H

OPERATIONAL TECHNOLOGIES
CORPORATION

LOG OF BORING 06-022MW

Project No.: 1315-227
Logged By: Michael A. Giles
Drilling Co.: North American
Driller: Gabby Rodriguez
Date Drilled: 06/25/95
Drilling Method: Dual Wall Percussion

Sampling Method: N/A
Depth Drilled: 92 ft.
Depth To Water: 54.06 ft. BTOC
Date Measured: 07/13/95
Surface Elevation: 1114.93 ft.
TOC Elevation: 1114.21 ft.

Depth (ft.)	Blows/6"	% Recovery	Samples	Graphic	DESCRIPTION OF MATERIALS	FIELD SCREENING				Monitoring Well
						PID (ppm)	ATHA (ppm)	BTEX (ppb)	Benzene (ppb)	
5					Sand, gravelly; sand (50%) is fine-grained to coarse-grained, loose, poorly sorted, brown, dry; gravel (50%) is 1/2" to 6", loose, gray to reddish-brown, subrounded.	-	-	-	-	
10					Gravel, sandy; gravel (70%) is 1/2" to 6", loose, reddish-brown to gray, subrounded.	-	-	-	-	
15										
20										
25										
30										
35										
40										
45										
50										

161st ARG, PHOENIX, ARIZONA

O P T E C H

LOG OF BORING 06-022MW

SKY HARBOR RI ADDENDUM

161st ARG, PHOENIX, ARIZONA














O P T E C H

OPERATIONAL TECHNOLOGIES
CORPORATION

LOG OF BORING 06-023MW

Project No.: 1315-227
Logged By: Michael A. Giles
Drilling Co.: North American
Driller: Gabby Rodriguez
Date Drilled: 06/20/95
Drilling Method: Dual Wall Percussion

Sampling Method: N/A
Depth Drilled: 92 ft.
Depth To Water: 55.73 ft. BTOC
Date Measured: 07/13/95
Surface Elevation: 1114.79 ft.
TOC Elevation: 1114.42 ft.





Depth (ft.)	Blows/6"	% Recovery	Samples	Graphic	DESCRIPTION OF MATERIALS	FIELD SCREENING				Monitoring Well
						PID (ppm)	ATHA (ppm)	BTEX (ppb)	Benzene (ppb)	
5					Sand, gravelly; sand (90%) is fine-grained to medium-grained, poorly sorted, loose, light brown, dry; gravel (10%) is 1/2" to 6", subangular to subrounded.	-	-	-	-	
10										
15					Sand, gravelly; sand (80%) is fine-grained to medium-grained, moderately sorted, loose, reddish-brown; gravel (20%) is 1/2" to 3", subangular to subrounded.	-	-	-	-	
20					Sand, gravelly; sand (90%) is fine-grained to coarse-grained, poorly sorted, loose, light brown; gravel is 1/2" to 3", subangular to subrounded.	-	-	-	-	
25					Gravel, sand; gravel (70%) is 1/2" to 6", loose, gray and reddish-brown, fragmented, subangular; sand is coarse-grained to fine-grained, poorly sorted, brown.					
30										
35										
40										
45										
50										

161st ARG, PHOENIX, ARIZONA

OPERATIONAL TECHNOLOGIES CORPORATION

Project No.:	1315-227
Logged By:	Michael A. Giles
Drilling Co.:	North American
Driller:	Gabby Rodriguez
Date Drilled:	06/20/95
Drilling Method:	Dual Wall Percussion

Sampling Method:	N/A
Depth Drilled:	92 ft.
Depth To Water:	55.73 ft. BTOC
Date Measured:	07/13/95
Surface Elevation:	1114.79 ft.
TOC Elevation:	1114.42 ft.

Depth (ft.)	Blows/6"	% Recovery	Samples	Graphic	DESCRIPTION OF MATERIALS	FIELD SCREENING				Monitoring Well
						PID (ppm)	ATHA (ppm)	BTEX (ppb)	Benzene (ppb)	
55					- wet at 56 ft.					
75					Sand, coarse-grained, well-sorted, wet, subangular to subrounded.	-	-	-	-	
80					Gravel, sandy; gravel (60%) is 1/2" to 6", loose, gray to reddish-brown, fragmented; sand (40%) is fine-grained to coarse-grained, poorly sorted, brown.	-	-	-	-	
92					Boring Terminated at 92 ft.					

161st ARG, PHOENIX, ARIZONA

O P T E C H

OPERATIONAL TECHNOLOGIES CORPORATION

LOG OF BORING 06-024MW

Project No.:	1315-227
Logged By:	Michael A. Giles
Drilling Co.:	North American
Driller:	Gabby Rodriguez
Date Drilled:	06/24/95
Drilling Method:	Dual Wall Percussion

Sampling Method:	Split-spoon Sampler
Depth Drilled:	92 ft.
Depth To Water:	55.39 ft. BTOC
Date Measured:	07/13/95
Surface Elevation:	1115.62 ft.
TOC Elevation:	1115.12 ft.

[illegible]

161st ARG, PHOENIX, ARIZONA

О Р Т Е С Н

OPERATIONAL TECHNOLOGIES CORPORATION

LOG OF BORING 06-024MW

Project No.:	1315-227
Logged By:	Michael A. Giles
Drilling Co.:	North American
Driller:	Gabby Rodriguez
Date Drilled:	06/24/95
Drilling Method:	Dual Wall Percussion

Sampling Method:	Split-spoon Sampler
Depth Drilled:	92 ft.
Depth To Water:	55.39 ft. BTOC
Date Measured:	07/13/95
Surface Elevation:	1115.62 ft.
TOC Elevation:	1115.12 ft.

[illegible]

161st ARG, PHOENIX, ARIZONA











OPTECH

OPERATIONAL TECHNOLOGIES CORPORATION

LOG OF BORING 06-025MW

Project No.:	1315-227
Logged By:	Michael A. Giles
Drilling Co.:	North American
Driller:	Gabby Rodriguez
Date Drilled:	06/21/95
Drilling Method:	Dual Wall Percussion

Sampling Method:	N/A
Depth Drilled:	92 ft.
Depth To Water:	55.07 ft. BTOC
Date Measured:	07/13/95
Surface Elevation:	1115.94 ft.
TOC Elevation:	1115.56 ft.

Depth (ft.)	Blows/6"	% Recovery	Samples	Graphic	DESCRIPTION OF MATERIALS	FIELD SCREENING				Monitoring Well
						PID (ppm)	ATHA (ppm)	BTEX (ppb)	Benzene (ppb)	
5					Gravel, sandy; gravel (60%) is 1/2" to 4", loose, dry, reddish-brown to gray, subangular; sand (40%) is fine-grained to coarse-grained, poorly sorted, brown.	-	-	-	-	
10					Sand, gravelly; sand (80%) is coarse-grained, well sorted, subangular, loose, reddish-brown, dry; gravel (20%) is 1/2" to 2", subrounded to subangular, white, reddish-brown, gray. - medium-grained sand 20 ft. to 22 ft., moderately sorted.	-	-	-	-	
15					Gravel, sandy; gravel (70%) is 1/2" to 4", poorly sorted, loose, off-white to brown, subrounded to subangular; sand (30%) is fine-grained to medium-grained, moderately sorted, brown.	-	-	-	-	
20										
25										
30										
35										
40										
45										
50										

SKY HARBOR RI ADDENDUM

161st ARG, PHOENIX, ARIZONA












O P T E C H

OPERATIONAL TECHNOLOGIES
CORPORATION

LOG OF BORING 06-025MW

Project No.: 1315-227
Logged By: Michael A. Giles
Drilling Co.: North American
Driller: Gabby Rodriguez
Date Drilled: 06/21/95
Drilling Method: Dual Wall Percussion

Sampling Method: N/A
Depth Drilled: 92 ft.
Depth To Water: 55.07 ft. BTOC
Date Measured: 07/13/95
Surface Elevation: 1115.94 ft.
TOC Elevation: 1115.56 ft.

Depth (ft.)	Blows/6"	% Recovery	Samples	Graphic	DESCRIPTION OF MATERIALS	FIELD SCREENING				Monitoring Well
						PID (ppm)	ATHA (ppm)	BTEX (ppb)	Benzene (ppb)	
55					Sand, gravelly; sand (60%) is medium-grained to coarse-grained, moderately sorted, brown, subrounded; gravel (40%) is 1/2" to 2", poorly sorted, wet. - water at 55 ft. to 60 ft.	-	-	-	-	
60						-	-	-	-	
65					Gravel, sandy; gravel (60%) is 1/2" to 3", poorly sorted, subangular, brown; sand (40%) is medium-grained to coarse-grained, moderately sorted, brown.					
70										
75										
80										
85										
90										
95										
100										
					Boring Terminated at 92 ft.					

SKY HARBOR RI ADDENDUM

161st ARG, PHOENIX, ARIZONA

O P T E C H

OPERATIONAL TECHNOLOGIES
CORPORATION

LOG OF BORING 06-026MW

Project No.:	1315-227	Sampling Method:	Split-spoon Sampler
Logged By:	Michael A. Giles	Depth Drilled:	92 ft.
Drilling Co.:	North American	Depth To Water:	55.50 ft. BTOC
Driller:	Gabby Rodriguez	Date Measured:	07/13/95
Date Drilled:	06/22/95	Surface Elevation:	1116.14 ft.
Drilling Method:	Dual Wall Percussion	TOC Elevation:	1115.55 ft.

Depth (ft.)	Blows/6"	% Recovery	Samples	Graphic	DESCRIPTION OF MATERIALS	FIELD SCREENING				Monitoring Well
						PID (ppm)	ATHA (ppm)	BTEX (ppb)	Benzene (ppb)	
5	60+	0			Fill, concrete pieces, clay, some sand.	n/a	n/a	-	-	
10	60+	0			Gravel, sandy; gravel (75%) is 1/2" to 4", loose, poorly sorted, small size is subangular. large size is subrounded, off-white, gray, red. some green; sand (25%) is medium-grained to coarse-grained, poorly sorted, loose, brown, dry.					
15	70+	0								
20	70+	0								
25	70+	0								
30	70+	0								
35	80+	0								
40	70+	0								
45	60+	0								
50	60+	0								

161st ARG, PHOENIX, ARIZONA

OPTECH

**OPERATIONAL TECHNOLOGIES
CORPORATION**

LOG OF BORING 06-026MW

Project No.:	1315-227
Logged By:	Michael A. Giles
Drilling Co.:	North American
Driller:	Gabby Rodriguez
Date Drilled:	06/22/95
Drilling Method:	Dual Wall Percussion

Sampling Method:	Split-spoon Sampler
Depth Drilled:	92 ft.
Depth To Water:	55.50 ft. BTOC
Date Measured:	07/13/95
Surface Elevation:	1116.14 ft.
TOC Elevation:	1115.55 ft.

[illegible]

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX B

WELL CONSTRUCTION LOGS


THIS PAGE INTENTIONALLY LEFT BLANK

SECTION B INTRODUCTION

Well construction logs have been completed for each monitoring well installed as part of the Remedial Investigation Addendum. Diagrams are presented in numerical order. The diagrams include water level data and well construction information for each individual well. Well construction information includes an outline of the wellbore, depth of the borehole, the screened interval, and the sand packed and bentonite seal interval.

THIS PAGE INTENTIONALLY LEFT BLANK

Project: <u>Sky Harbor RI Addendum</u>	Date Installed: <u>June 28, 1995</u>
Town/City: <u>Phoenix</u>	Drilling Contractor: <u>North American</u>
County: <u>Maricopa</u> State: <u>Arizona</u>	Drilling Method: <u>AP-1000 Percussion</u>
TOC Elev: <u>1108.78'</u>	Borehole Diameter: <u>9"</u>
Ground Elev.: <u>1109.04'</u>	Development Technique: <u>Pumping</u>
Water Level: <u>56.02 feet below</u> TOC	
Total Well Depth: <u>92'</u>	Not To Scale



MONITORING WELL CONSTRUCTION LOG
Well No. 06-018MW

OPTECH
OPERATIONAL TECHNOLOGIES
CORPORATION

AUGUST 1995

SKYHARBO\FMON-LOG

Project: Sky Harbor RI Addendum

Town/City: Phoenix

County: Maricopa State: Arizona

TOC Elev: 1111.94'

Ground Elev.: 1110.01'

Water Level: 59.41 feet below TOC

Total Well Depth: 92'

Date Installed: June 28-29, 1995


Drilling Contractor: North American

Drilling Method: AP-1000 Percussion

Borehole Diameter: 9"

Development Technique: Pumping

Not To Scale




MONITORING WELL CONSTRUCTION LOG
Well No. 06-019MW

OPTTECH
OPERATIONAL TECHNOLOGIES
CORPORATION

AUGUST 1995

SKYHARBOR/MON-LOG

Project: <u>Sky Harbor RI Addendum</u>	Date Installed: <u>June 26, 1995</u>
Town/City: <u>Phoenix</u>	Drilling Contractor: <u>North American</u>
County: <u>Maricopa</u> State: <u>Arizona</u>	Drilling Method: <u>AP-1000 Percussion</u>
TOC Elev: <u>1116.57'</u>	Borehole Diameter: <u>9"</u>
Ground Elev.: <u>1114.09'</u>	Development Technique: <u>Pumping</u>
Water Level: <u>55.5 feet below TOC</u>	
Total Well Depth: <u>92'</u>	Not To Scale




MONITORING WELL CONSTRUCTION LOG
Well No. 06-020MW

OPTECH
OPERATIONAL TECHNOLOGIES
CORPORATION

AUGUST 1995 SKYHARBOR/MON-LOG

Project: <u>Sky Harbor RI Addendum</u>	Date Installed: <u>June 23, 1995</u>
Town/City: <u>Phoenix</u>	Drilling Contractor: <u>North American</u>
County: <u>Maricopa</u> State: <u>Arizona</u>	Drilling Method: <u>AP-1000 Percussion</u>
TOC Elev: <u>1114.31'</u>	Borehole Diameter: <u>9"</u>
Ground Elev.: <u>1114.52'</u>	Development Technique: <u>Pumping</u>
Water Level: <u>56.1 feet below TOC</u>	
Total Well Depth: <u>92'</u>	Not To Scale



MONITORING WELL CONSTRUCTION LOG
Well No. 06-021MW

OPTTECH
OPERATIONAL TECHNOLOGIES
CORPORATION

AUGUST 1995

SKYHARBO/FMON-LOG

Project: Sky Harbor RI Addendum

Town/City: Phoenix

County: Maricopa State: Arizona

TOC Elev: 1114.21'

Ground Elev.: 1114.93'

Water Level: 54.06 feet below TOC

Total Well Depth: 92'

Date Installed: June 25-26, 1995


Drilling Contractor: North American

Drilling Method: AP-1000 Percussion

Borehole Diameter: 9"

Development Technique: Pumping

Not To Scale




MONITORING WELL CONSTRUCTION LOG
Well No. 06-022MW

OPTTECH
OPERATIONAL TECHNOLOGIES
CORPORATION

AUGUST 1995

SKYHARBOR/FMON-LOG

Project: <u>Sky Harbor RI Addendum</u>	Date Installed: <u>June 20, 1995</u>
Town/City: <u>Phoenix</u>	Drilling Contractor: <u>North American</u>
County: <u>Maricopa</u> State: <u>Arizona</u>	Drilling Method: <u>AP-1000 Percussion</u>
TOC Elev: <u>1114.42'</u>	Borehole Diameter: <u>9"</u>
Ground Elev.: <u>1114.79'</u>	Development Technique: <u>Pumping</u>
Water Level: <u>55.73 feet below</u> TOC	
Total Well Depth: <u>92'</u>	Not To Scale




MONITORING WELL CONSTRUCTION LOG
Well No. 06-023MW

OPTTECH
OPERATIONAL TECHNOLOGIES
CORPORATION

AUGUST 1995

SKYHARBOR/FMON-LOG

Project: <u>Sky Harbor RI Addendum</u>	Date Installed: <u>June 24, 1995</u>
Town/City: <u>Phoenix</u>	Drilling Contractor: <u>North American</u>
County: <u>Maricopa</u> State: <u>Arizona</u>	Drilling Method: <u>AP-1000 Percussion</u>
TOC Elev: <u>1115.12'</u>	Borehole Diameter: <u>9"</u>
Ground Elev.: <u>1115.62'</u>	Development Technique: <u>Pumping</u>
Water Level: <u>55.39 feet below TOC</u>	
Total Well Depth: <u>92'</u>	Not To Scale




MONITORING WELL CONSTRUCTION LOG
Well No. 06-024MW

OPTECH
OPERATIONAL TECHNOLOGIES
CORPORATION

AUGUST 1995

SKYHARBOR\FMON-LOG

Project: <u>Sky Harbor RI Addendum</u>	Date Installed: <u>June 21, 1995</u>
Town/City: <u>Phoenix</u>	Drilling Contractor: <u>North American</u>
County: <u>Maricopa</u> State: <u>Arizona</u>	Drilling Method: <u>AP-1000 Percussion</u>
TOC Elev: <u>1115.56'</u>	Borehole Diameter: <u>9"</u>
Ground Elev.: <u>1115.94'</u>	Development Technique: <u>Pumping</u>
Water Level: <u>55.07 feet below</u> TOC	
Total Well Depth: <u>92'</u>	Not To Scale



MONITORING WELL CONSTRUCTION LOG
Well No. 06-025MW

OPTTECH
OPERATIONAL TECHNOLOGIES
CORPORATION


AUGUST 1995

SKYHARBO\FMON-LOG

Project: Sky Harbor RI Addendum
Town/City: Phoenix
County: Maricopa State: Arizona
TOC Elev: 1115.55'
Ground Elev.: 1116.14'
Water Level: 55.5 feet below TOC
Total Well Depth: 92'

Date Installed: June 22, 1995
Drilling Contractor: North American
Drilling Method: AP-1000 Percussion
Borehole Diameter: 9"
Development Technique: Pumping

Not To Scale



MONITORING WELL CONSTRUCTION LOG
Well No. 06-026MW

OPTTECH
OPERATIONAL TECHNOLOGIES
CORPORATION

AUGUST 1995

SKYHARBO\FMON-LOG

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX C

RESULTS OF MICROBIOLOGICAL STUDIES

THIS PAGE INTENTIONALLY LEFT BLANK



Bolin Laboratories Inc.

17631 N. 25th Avenue, • Phoenix, Arizona 85023
(602) 942 8220 • FAX (602) 942 1050

24 July 1995

Mr. John Morris
Operational Technologies Inc.
4100 NW Loop 410, Suite 230
San Antonio, TX 78229

Re: Deliverables for Sky Harbor Project #1315-227


Dear John:

On June 27 1995, Bolin Laboratories received 2 soil samples to be analyzed for Heterotrophic Plate Count, Hydrocarbon Plate Count, Nitrate, Nitrite, pH, Total Kjeldahl Nitrogen, Total Phosphorous, and Moisture. The samples were analyzed on a standard turn around time of 10 working days.

Attached, please find analytical reports, quality control results, raw data from our laboratory notebooks, and a carbon copy of the original chain of custody form. No difficulties were encountered during sample analysis. All Quality Control data was within the acceptable limits. There are 12 pages in the package.

If I can be of further assistance or if you have any questions, please call me at (602) 942-8220.

Sincerely,
BOLIN LABORATORIES INC.


Jennifer MacSweeney
Director of Client Services



Bolin Laboratories Inc.

17631 N. 25th Avenue. • Phoenix, Arizona 85023
(602) 942 8220 • FAX (602) 942 1050

Operational Technologies Corp.
4100 NW Loop 410, Suite 230
San Antonio, TX 78229

Received: 6/27/95
Reported: 7/13/95
Invoice No: 011819

Attn: John H. Morris

Project Name: Sky Harbor
Project No.: 1315-227

PARAMETER	METHOD	RESULTS	UNITS	PQL	DATE ANALYZED
-----------	--------	---------	-------	-----	---------------

Sample No:	9506-06109-1	Date Sampled:	6/27/95
Sample ID:	06-016 BH 50-51	Time Sampled:	14:00
Matrix:	Soil		

Heterotrophic Plate Count	SM 9215 B	30.	CFU/g	10	6/29/95
Hydrocarbon plate count		<10.	CFU/g		6/29/95
Nitrate in Soil	EPA 353.3	0.44	mg/kg	1	6/28/95
Nitrite in Soil	EPA 345.1	<1.	mg/kg	1.	6/28/95
pH	EPA 150.1	9.0	Std Unit	1	6/28/95
Nitrogen, Total Kjeldahl	EPA 351.3	43.1	mg/L	0.1	7/06/95
Phosphorus, Total	EPA 365.3	0.95	mg/kg	0.05	6/09/95
Moisture	EPA 160.3	1.7	%	0.5	6/29/95

NOTES:

TKN analyzed by Aerotech Labs, Phoenix, AZ. #AZ0477.

Laboratory Director
ADHS License No.: AZ0004



Bolin Laboratories Inc.

17631 N. 25th Avenue. • Phoenix, Arizona 85023
(602) 942 8220 • FAX (602) 942 1050

Operational Technologies Corp.
4100 NW Loop 410, Suite 230
San Antonio, TX 78229

Received: 6/27/95
Reported: 7/13/95
Invoice No: 011819

Attn: John H. Morris

Project Name: Sky Harbor
Project No.: 1315-227


PARAMETER	METHOD	RESULTS	UNITS	PQL	DATE ANALYZED
-----------	--------	---------	-------	-----	---------------

Sample No:	9506-06109-2				Date Sampled: 6/27/95
Sample ID:	06-016 BH 46-47.5				Time Sampled: 14:00
Matrix:	Soil				

Heterotrophic Plate Count	SM 9215 B	< 10.	CFU/g	10	6/29/95
Hydrocarbon plate count		< 10.	CFU/g		6/29/95
Nitrate in Soil	EPA 353.3	0.77	mg/kg	1	6/28/95
Nitrite in Soil	EPA 345.1	< 1.	mg/kg	1.	6/28/95
pH	EPA 150.1	9.7	Std Unit	1	6/28/95
Nitrogen, Total Kjeldahl	EPA 351.3	73.0	mg/L	0.1	7/06/95
Phosphorus, Total	EPA 365.3	0.39	mg/kg	0.05	6/09/95
Moisture	EPA 160.3	4.9	%	0.5	6/29/95

NOTES:

TKN analyzed by Aerotech Labs, Phoenix, AZ. #AZ0477.


Laboratory Director
ADHS License No.: AZ0004



Bolin Laboratories Inc.

17631 N. 25th Avenue. • Phoenix, Arizona 85023
(602) 942 8220 • FAX (602) 942 1050

QUALITY CONTROL DATA REPORT

Client
Bolin Sample ID

Operational Technologies Corp.
9506-6109-1&2

ANALYTE	EPA	DATE	CONC. SPK	MS	MSD	RPD	BLK	CVS 1	CVS 2
	METHOD	ANALYZED	mg/kg	% REC	% REC			% REC	% REC
Nitrite in Soil	345.1	6/28/95	0.05	92	89	3.31	<0.01	92	89
Nitrate in Soil	353.3	6/28/95	0.33	84	84	0	<0.05	114	114
Moisture	160.3	6/29/95							
pH	150.1	6/28/95						101	101
Phosphorus, Total	365.3	6/29/95	0.5	97	94	3.14	<0.05	91	84

CVS is a Calibration Verification Standard.

MS is Matrix Spike

MSD is a Matrix Spike Duplicate.

RPD is Relative Percent Difference

BLK is a Blank

DATE: 6/29/95

Agar Temp: 42. °C

WEIGHT OF PETRI DISH	BEFORE INCUBATION		AFTER INCUBATION		% Moisture Loss
	WT. DISH + MEDIA	WT. MEDIA	WT. DISH + MEDIA	WT. MEDIA	
15.8	28.4	12.4	27.0	11.2	11.1%

1. % Moisture Loss = wt. media before incubation - wt. media after incubation	2. Cell % = $\frac{\text{Cell wt.}}{\text{Cell wt.} + \text{Media wt.}} \times 100$

DATE: 6/29/95

Hydrocarbon

[illegible]

Agar Temp: 43 °C

PERCENT MOISTURE LOSS

WEIGHT OF PETRI DISH	BEFORE INCUBATION		AFTER INCUBATION		% Moisture Loss
	WT. DISH + MEDIA	WT. MEDIA	WT. DISH + MEDIA	WT. MEDIA	
15.7	25.7	9.5	23.4	7.7	18.9

1. % Moisture Loss = $\frac{\text{wt. media before incubation} - \text{wt. media after incubation}}{\text{wt. media before incubation}} \times 100$

wt. contents before incubation

25g
mL

forms\hpcs.suz

NITRATE (EPA 353.3)

Analyst:

Date: 6/13/05

Calibration Correlation: 0.908

SAMPLE NUMBER	QC ID/TARGET	DILUTION FACTOR	ABS READING	SAMPLE CONC. (mg/L)	QC RECOVERY
0			0.025		
0.0452			0.054		
0.113			0.071		
0.226			0.103		
0.452			0.216		
0.904			0.401		
QC	0.2		0.119	0.23/0.2	114%
60100-1			0.043	0.044 = 0.44 mg/kg	
60100-2			0.058	0.060 = 0.77 mg/kg	
6037-1			0.221	0.225	
6037-2			0.325	0.724	
6075-1		1.5	0.169	0.342 x 5 = 1.71	
6053-1		1.10	0.331	0.739 x 1.1 = 0.813	
6076-1			0.074	0.119	
6050-1		1:10	0.331	0.739 x 10 = 7.39	
6057-1		1.5	0.164	0.336 x 5 = 1.68	
6077-1			0.146	0.292	
6077-1S	0.33		0.140	0.28/0.33	84%
6077-1SD	0.33		0.140	0.28/0.33	84%
QC	0.2		0.119	0.23/0.2	114%

Checked by:

Date:

NO3.suz

Page No. 98

$$\frac{2.11 \times 0.26}{110} + \frac{9.61 \times 0.292}{100} = 0.0287$$

$$0.0452 + 0.572 = 0.618 = 0.33$$

MLKEL
10/100
10/11

607
6079
1914Z
PRESERVE
D.

NITRITE (EPA 345.1)

Analyst:

Date:

Calibration Correlation:

[illegible]

Checked by:

Date:

NO2.suz

Page No.

$$\frac{45 \text{ m/s} \times 0.5}{50} + \frac{5 \text{ m/s} \times 0.5}{50} = 0.95$$

Date: 1/27/95

Analyst:

slope:

[illegible]

Checked by:

Date: _____

Page No. 89

TOTAL KJELDAHL NITROGEN

ANALYST: <i>SB</i>	REVIEWED: <i>[Signature]</i>
DATE: <i>7/6/95</i>	DATE:
INITIAL RESULT: <i>2554-1A = 44.4</i>	SPIKE RESULT: <i>4.8</i>
DUPLICATE RESULT: <i>2554-1B = 41.8</i>	SPIKE CONC.: <i>4.4</i>
RPD: <i>6</i>	% RECOVERY: <i>92</i>
CONTROL RESULT: <i>11.8</i>	CONTROL RESULT: <i>11.6</i>
TRUE VALUE: <i>11.6</i>	TRUE VALUE: <i>11.6</i>
% RECOVERY: <i>101</i>	% RECOVERY: <i>100</i>

SAMPLE ID	mls SAMPLE	mls 0.02 N H ₂ SO ₄	INITIAL (mg/L)	TKN (mg/L)
Blank	300	0		0
Control	100	4.2		11.8
95-2414	150	25.3		47.2
2553-1	250	1.45		1.6
2554-1A	5.04g	0.8		44.4
2554-1B	5.03g	0.75		41.8
2554-2	5.18	1.35		73.0
2565-1	250	22.65		25.4
2589-1	50g	5.35		299.6
2590-1	250	1.75		2.0
2591-1	1	1.50		1.7
2592-1	1	0.65		0.7
2607-1	1	1.20		1.3
2606-1	1	19.50		21.8
Control 2	100	4.15		11.6
2553-1 + 100c	250	6.05		4.84

OOC EVENTS / COMMENTS / CALCULATIONS

PHOSPHORUS, TOTAL (EPA 365.3)

Analyst:

Date:

Calibration Correlation:

0.997 (6/8/95)

[illegible]

Checked by:

Date:

$$\text{phos.suz} \quad 610^{9-2} \frac{1\text{m} \times 50}{100} + \frac{5\text{m} \times 0.039}{100} \quad 10.$$

Page No. 55

Date:

1230

9.6944

Checked by:

Date:

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX D

RESULTS OF GEOTECHNICAL AND PERCOLATION STUDIES

THIS PAGE INTENTIONALLY LEFT BLANK



CORE LABORATORIES

SOIL ANALYSIS TEST PROGRAM

FINAL REPORT

Performed for:
OPERATIONAL TECHNOLOGIES CORPORATION
677 EMORY VALLEY ROAD, SUITE C
OAK RIDGE, TN 37830

August 7, 1995

Performed by:
CORE LABORATORIES, INC.
Rock Properties Laboratory
Dallas Advanced Technology Center
1875 Monetary Drive
Carrollton, Texas 75006

File: DAL-95163



PETROLEUM SERVICES

August 7, 1995

Operational Technologies Corporation
677 Emory Valley Road, Suite C
Oak Ridge, TN 37830

Attention: Mr. Michael A. Giles

Subject: Final Report
Soil Analysis Test Program
06-023MW 39.0-40.0, 06-024MW 50.0-50.5
File: DAL-95163

Dear Mr. Giles:

A testing program to determine particle size distribution, intrinsic permeability (hydraulic conductivity), and effective porosity of the subject samples has been completed for Operational Technologies Corporation (OPTECH). This study was authorized by Mr. Michael Giles of OPTECH in a letter to Core Laboratories dated July 21, 1995. Final results of all testing are presented herein.

Two canisters identified as 06-023MW 39.0-40.0 and one canister identified as 06-024MW were received on July 24. For each sample, the soil was removed from the canister(s) and dried to a stable weight in a vacuum oven. Particle size distribution then was determined on each sample by the dry sieve method, see Page ii. Following the particle size analyses, a core plug sample was formed by placing representative portions of the supplied samples (excluding cobble-sized particles) into a metal sleeve fitted with steel end screens. Permeability to liquid measurements and effective porosity measurements were performed on the plug samples as described on Pages iii and iv.

Particle size distribution data are provided in tabular and graphic form on Pages 1 through 3. A summary of test results is presented on Page 4. Permeability to liquid and hydraulic conductivity calculations follow on Pages 5 and 6, respectively. Thank you for this opportunity to be of service. Please contact us if you have any questions concerning the enclosed information.

Very truly yours,


Brian E. Stevens
Rock Properties Laboratory
Dallas Advanced Technical Center

3 copies: Addressee


Operational Technologies Corporation
File: DAL-95163

PROJECT PARTICIPANTS


Particle Size Analyses
Permeability to Liquid


Stephen M. Hoff

Project Coordinator
Report Preparation


Brian E. Stevens

Final Review


Melanie F. Dunn

Core Laboratories

EXPERIMENTAL PROCEDURES

Particle Size Analyses

1. Total weights of the dry samples ($Wt_{initial}$) were recorded.
2. Cobble-sized particles were removed from each sample by visual inspection and their weights recorded.
3. Each sample then was successively sieved through a series of U.S. standard mesh screens corresponding to classifications of the Wentworth size scale and the weight of sample retained on each screen ($Wt_{fraction}$) recorded.
4. The final classification (silt/clay) was determined based on the weight of sample which passed through the smallest (400 mesh) screen.
5. For each sample, the weight of each fraction was summed to obtain a final dry weight (Wt_{final}).
6. Weight percentages of each classification were determined as follows:

$$(Wt_{fraction}/Wt_{final}) * 100$$

7. Analysis yield was calculated as follows:

$$(Wt_{final}/Wt_{initial}) * 100$$

Permeability to Liquid Measurement

1. The length and diameter of each sample was measured to the nearest 0.01 cm using digital calipers. Corrected length and cross-sectional area were calculated as follows:

$$L = (I - C_1)$$
$$A = ((D - C_2)/2)^2 * \pi$$

where:

- I = Gross sample length, cm
- L = Corrected sample length, cm
- A = Cross-sectional area, cm²
- D = Gross sample diameter, cm
- π = 3.14159
- C₁ = Metal sleeve and screen length correction, cm
- C₂ = Metal sleeve diameter correction, cm

2. The samples were briefly evacuated of air and saturated with tap water. The plugs were then installed in hydrostatic coreholders and 100 psi net confining stress was applied.
3. Tap water, which had been previously evacuated of air, was injected at a constant upstream pressure. Flow pressure was monitored using a calibrated differential pressure transducer. Tap water viscosity was measured with a calibrated Canon-Fenske glass capillary viscometer. Tap water density was determined using a pycnometer.
4. The produced rate was monitored as a function of time using calibrated glassware until the relative percent difference in incremental produced rate (measured over a one minute period) was less than 10 percent over a 8 hour period.
- 5a. Permeability to liquid in millidarcys was calculated from the observed data using the following equation (Darcy's law):

$$K = (C_1 * C_2 * \mu * V L) / (P * A * T)$$

where:

- K = permeability to liquid, millidarcys
- C₁ = constant, psi/atm = 14.7
- C₂ = constant, millidarcys/darcy = 1000
- μ = viscosity of liquid, centipoise
- V = incremental produced volume, ml
- L = length, cm
- P = differential pressure, psi
- A = cross-sectional area, cm²
- T = incremental time, sec

- 5b. Permeability in cm² was calculated from this value using the conversion factor:

$$\text{cm}^2 = \text{millidarcys} \times 9.869\text{E-}12$$

- 6a. Hydraulic conductivity in meters per second was calculated from the observed data using the following equation:

$$k = (V * L) / (A * T * P)$$

where: k = Hydraulic conductivity, m/sec
V = Incremental produced volume, m³
L = Length, m
P = Differential pressure, m H₂O
A = Cross-sectional area, m²
T = Incremental time, sec

- 6b. Hydraulic conductivity in meters per year was calculated from this value using the conversion factor:

$$\text{meters per year} = \text{meters per sec} * 31,536,600$$

Effective Porosity Determination

1. Effective porosity was measured on each sample following the permeability to liquid determination.
2. Effective porosity is defined to be the fluid saturated pore volume divided by the bulk volume of the sample and is presented as percent bulk volume.
3. Bulk volume was calculated from the measured length and area of the sample as follows:

$$BV = L * A$$

where: BV = Bulk Volume, cc
L = Length, cm
A = Area, cm²

4. The fluid saturated pore volume was determined gravimetrically as follows. After permeability testing the sample was weighed and the weight recorded. The sample was dried to a constant weight in a vacuum oven at 220°F. The weight difference was used to calculate the saturated pore volume as follows:

$$PV = (W_{\text{saturated}} - W_{\text{dry}}) / \rho_{\text{fluid}}$$

where: PV = Pore volume, cc
W_{saturated} = Saturated weight, grams
W_{dry} = Dry weight, grams
ρ_{fluid} = Saturant fluid density, grams/cc

5. Effective porosity (Ø) was calculated by the following equation:

$$\text{Ø} = PV / BV * 100$$

where: Ø = Effective porosity, percent
PV = Pore volume, cc
BV = Bulk volume, cc

SUMMARY OF PARTICLE SIZE ANALYSES

Dry Sieve Method

Operational Technologies Corporation

File: DAL-95163

Size Class Size, mm U.S. Sieve	Particle Size Distribution, weight percent										
	Cobble 256-64	Pebble 64-4.0	Granule 4.0-2.0	V Crs Sand 2.0-1.0	Crs Sand 1.0-0.50	Med Sand 0.50-0.25	Fn Sand 0.25-0.125	V Fn Sand 0.125-0.062	Crs Silt 0.062-0.031	Silt/Clay <0.031	Yield, percent
			8	16	35	60	120	230	400		

06-024MW 50.0-50.5

Incremental	46.6	46.7	2.0	1.1	0.9	0.6	0.9	0.7	0.2	0.3	99.7
Cumulative	46.6	93.3	95.3	96.4	97.3	97.9	98.8	99.5	99.7	100.0	-

06-023MW 39.0-40.0


Incremental	-	86.0	2.9	7.1	2.6	0.8	0.5	0.1	0.0	0.0	99.9
Cumulative	-	86.0	88.9	96.0	98.6	99.4	99.9	100.0	100.0	100.0	-

Core Laboratories

PARTICLE SIZE DISTRIBUTION

Dry Sieve Method

06-024MW 50.0-50.5




File: DAL-95163

Core Laboratories

PARTICLE SIZE DISTRIBUTION

Dry Sieve Method

06-023MW 39.0-40.0



SUMMARY OF SOILS TEST PROGRAM RESULTS

Operational Technologies Corporation

File: DAL-95163

Sample I.D.	Permeability to Liquid,		Hydraulic Conductivity,		Effective Porosity, percent	Moisture Content, cc/cc	Bulk Density, g/cc	Total Organic Carbon, g/g
	millidarcys	cm ²	m/sec	m/year				
06-024MW 50.0-50.5	4.43E+00	4.37E-11	4.42E-08	1.39E+00	31.5	-	-	-
06-023MW 39.0-40.0	9.76E+00	9.63E-11	9.73E-08	3.07E+00	21.2	-	-	-

Core Laboratories

SUMMARY OF PERMEABILITY TO LIQUID TEST RESULTS

Fluid: Tap Water

Operational Technologies Corporation

File: DAL-95163

Sample I.D.	Length, cm	Area, cm ²	Viscosity, cp	Differential Pressure, psi	Incremental Volume, ml	Incremental Time, sec	Permeability to Liquid,	
							millidarcys	cm ²
06-024MW 50.0-50.5	3.43	4.08	0.97	6.0	0.133	60.	4.43E+00	4.37E-11
06-023MW 39.0-40.0	3.24	4.57	0.97	5.7	0.330	60.	9.76E+00	9.63E-11

Core Laboratories

SUMMARY OF HYDRAULIC CONDUCTIVITY CALCULATIONS

Fluid: Tap Water

Operational Technologies Corporation

File: DAL-95163

Sample I.D.	Length, m	Area, m ²	Viscosity, cp	Differential Pressure, m H ₂ O	Quantity of Flow, m ³	Incremental Time, sec	Hydraulic Conductivity,	
							m/sec	m/year
06-024MW 50.0-50.5	3.43E-02	4.08E-04	9.70E-01	4.22E+00	1.33E-07	6.00E+01	4.42E-08	1.39E+00
06-023MW 39.0-40.0	3.24E-02	4.57E-04	9.70E-01	4.01E+00	3.30E-07	6.00E+01	9.73E-08	3.07E+00

Core Laboratories

SE1000C
Environmental Logger
06/25 07:44

Unit# 00000 Test 0

INPUT 1: Level (F) TOC

Reference 100.000
Linearity 0.050
Scale factor 10.020
Offset 0.030
Delay mSEC 50.000

Step 0 06/24 17:41:57

Elapsed Time INPUT 1

0.0000	82.041
0.0033	82.045
0.0066	82.045
0.0100	82.045
0.0133	82.045
0.0166	82.045
0.0200	82.045
0.0233	82.048
0.0266	82.048
0.0300	82.048
0.0333	82.048
0.0366	82.048
0.0400	82.048
0.0433	82.048
0.0466	82.051
0.0500	82.051
0.0533	82.051
0.0566	82.051
0.0600	82.051
0.0633	82.051
0.0666	82.051
0.0700	82.051
0.0733	82.051
0.0766	82.051
0.0800	82.051
0.0833	82.051
0.0866	82.051
0.0900	82.051
0.0933	82.051
0.0966	82.051
0.1000	82.048
0.1033	82.051
0.1066	82.051
0.1100	82.051
0.1133	82.051
0.1166	82.051
0.1200	82.051
0.1233	82.051
0.1266	82.051
0.1300	82.054
0.1333	82.054
0.1366	82.054
0.1400	82.054
0.1433	82.054
0.1466	82.054
0.1500	82.054
0.1533	82.054
0.1566	82.054
0.1600	82.057
0.1633	82.057
0.1666	82.057
0.1700	82.057
0.1733	82.057
0.1766	82.057
0.1800	82.057
0.1833	82.057
0.1866	82.057
0.1900	82.057
0.1933	82.057
0.1966	82.057
0.2000	82.057

0.2033	82.057
0.2066	82.057
0.2100	82.057
0.2133	82.057
0.2166	82.057
0.2200	82.057
0.2233	82.057
0.2266	82.057
0.2300	82.057
0.2333	82.057
0.2366	82.057
0.2400	82.060
0.2433	82.060
0.2466	82.060
0.2500	82.060
0.2533	82.060
0.2566	82.060
0.2600	82.060
0.2633	82.060
0.2666	82.060
0.2700	82.060
0.2733	82.060
0.2766	82.064
0.2800	82.060
0.2833	82.064
0.2866	82.064
0.2900	82.064
0.2933	82.064
0.2966	82.064
0.3000	82.064
0.3033	82.064
0.3066	82.064
0.3100	82.064
0.3133	82.064
0.3166	82.064
0.3200	82.064
0.3233	82.064
0.3266	82.064
0.3300	82.064
0.3333	82.064
0.3366	82.064
0.3400	82.067
0.3433	82.067
0.3466	82.067
0.3500	82.064
0.3533	82.064
0.3566	82.064
0.3600	82.064
0.3633	82.067
0.3666	82.067
0.3700	82.067
0.3733	82.067
0.3766	82.067
0.3800	82.067
0.3833	82.067
0.3866	82.067
0.3900	82.067
0.3933	82.067
0.3966	82.067
0.4000	82.067
0.4033	82.067
0.4066	82.067
0.4100	82.067
0.4133	82.067
0.4166	82.067
0.4200	82.067
0.4233	82.067
0.4266	82.067
0.4300	82.067
0.4333	82.067
0.4366	82.067
0.4400	82.067
0.4433	82.067
0.4466	82.067
0.4500	82.067
0.4533	82.067
0.4566	82.067
0.4600	82.067
0.4633	82.067
0.4666	82.067
0.4700	82.067
0.4733	82.067
0.4766	82.067
0.4800	82.067
0.4833	82.067
0.4866	82.067
0.4900	82.067
0.4933	82.067
0.4966	82.067
0.5000	82.067
0.5033	82.067
0.5066	82.067
0.5100	82.067
0.5133	82.067
0.5166	82.067
0.5200	82.067
0.5233	82.067
0.5266	82.067
0.5300	82.067
0.5333	82.067
0.5366	82.067
0.5400	82.067
0.5433	82.067
0.5466	82.067
0.5500	82.067
0.5533	82.067
0.5566	82.067
0.5600	82.067
0.5633	82.067
0.5666	82.067
0.5700	82.067
0.5733	82.067
0.5766	82.067
0.5800	82.067
0.5833	82.067
0.5866	82.067
0.5900	82.067
0.5933	82.067
0.5966	82.067
0.6000	82.067
0.6033	82.067
0.6066	82.067
0.6100	82.067
0.6133	82.067
0.6166	82.067
0.6200	82.067
0.6233	82.067
0.6266	82.067
0.6300	82.067
0.6333	82.067
0.6366	82.067
0.6400	82.067
0.6433	82.067
0.6466	82.067
0.6500	82.067
0.6533	82.067
0.6566	82.067
0.6600	82.067
0.6633	82.067
0.6666	82.067
0.6700	82.067
0.6733	82.067
0.6766	82.067
0.6800	82.067
0.6833	82.067
0.6866	82.067
0.6900	82.067
0.6933	82.067
0.6966	82.067
0.7000	82.067
0.7033	82.067
0.7066	82.067
0.7100	82.067
0.7133	82.067
0.7166	82.067
0.7200	82.067
0.7233	82.067
0.7266	82.067
0.7300	82.067
0.7333	82.067
0.7366	82.067
0.7400	82.067
0.7433	82.067
0.7466	82.067
0.7500	82.067
0.7533	82.067
0.7566	82.067
0.7600	82.067
0.7633	82.067
0.7666	82.067
0.7700	82.067
0.7733	82.067
0.7766	82.067
0.7800	82.067
0.7833	82.067
0.7866	82.067
0.7900	82.067
0.7933	82.067
0.7966	82.067
0.8000	82.067
0.8033	82.067
0.8066	82.067
0.8100	82.067
0.8133	82.067
0.8166	82.067
0.8200	82.067
0.8233	82.067
0.8266	82.067
0.8300	82.067
0.8333	82.067
0.8366	82.067
0.8400	82.067
0.8433	82.067
0.8466	82.067
0.8500	82.067
0.8533	82.067
0.8566	82.067
0.8600	82.067
0.8633	82.067
0.8666	82.067
0.8700	82.067
0.8733	82.067
0.8766	82.067
0.8800	82.067
0.8833	82.067
0.8866	82.067
0.8900	82.067
0.8933	82.067
0.8966	82.067
0.9000	82.067
0.9033	82.067
0.9066	82.067
0.9100	82.067
0.9133	82.067
0.9166	82.067
0.9200	82.067
0.9233	82.067
0.9266	82.067
0.9300	82.067
0.9333	82.067
0.9366	82.067
0.9400	82.067
0.9433	82.067
0.9466	82.067
0.9500	82.067
0.9533	82.067
0.9566	82.067
0.9600	82.067
0.9633	82.067
0.9666	82.067
0.9700	82.067
0.9733	82.067
0.9766	82.067
0.9800	82.067
0.9833	82.067
0.9866	82.067
0.9900	82.067
0.9933	82.067
0.9966	82.067
1.0000	82.067

1.0000	82.105
1.2000	82.115
1.4000	82.127
1.6000	82.137
1.8000	82.150
2.0000	82.162
2.2000	82.172
2.4000	82.185
2.6000	82.194
2.8000	82.207
3.0000	82.216
3.2000	82.229
3.4000	82.242
3.6000	82.255
3.8000	82.264
4.0000	82.277
4.2000	82.287
4.4000	82.299
4.6000	82.312
4.8000	82.322
5.0000	82.334
5.2000	82.347
5.4000	82.357
5.6000	82.369
5.8000	82.379
6.0000	82.392
6.2000	82.404
6.4000	82.414
6.6000	82.427
6.8000	82.436
7.0000	82.449
7.2000	82.459
7.4000	82.471
7.6000	82.481
7.8000	82.494
8.0000	82.506
8.2000	82.519
8.4000	82.529
8.6000	82.541
8.8000	82.551
9.0000	82.564
9.2000	82.576
9.4000	82.586
9.6000	82.596
9.8000	82.608
10.0000	82.621
12.0000	82.732
14.0000	82.850
16.0000	82.959
18.0000	83.070
20.0000	83.178
22.0000	83.287
24.0000	83.392
26.0000	83.497
28.0000	83.602
30.0000	83.707
32.0000	83.812
34.0000	83.917
36.0000	84.019
38.0000	84.121
40.0000	84.222
42.0000	84.324
44.0000	84.426
46.0000	84.525
48.0000	84.627
50.0000	84.725
52.0000	84.824
54.0000	84.922
56.0000	85.021
58.0000	85.117
60.0000	85.215
62.0000	85.314
64.0000	85.409
66.0000	85.508
68.0000	85.603
70.0000	85.699
72.0000	85.794
74.0000	85.889
76.0000	85.985
78.0000	86.077

80.0000	86.173
82.0000	86.265
84.0000	86.360
86.0000	86.452
88.0000	86.545
90.0000	86.637
92.0000	86.732
94.0000	86.821
96.0000	86.917
98.0000	87.015
100.000	87.114
120.000	88.089
140.000	89.026
160.000	89.970
180.000	91.027
200.000	91.909
220.000	92.721
240.000	93.501
260.000	94.255
280.000	94.980
300.000	95.690
320.000	96.374
340.000	97.032
360.000	97.672
380.000	98.048
400.000	98.915
420.000	99.513
440.000	99.943
460.000	99.943
480.000	99.946
500.000	99.949
520.000	99.950
540.000	99.962
560.000	99.943
580.000	99.943
600.000	99.943
620.000	99.943
640.000	99.943
660.000	99.943
680.000	99.943
700.000	99.943
720.000	99.943
740.000	99.943
760.000	99.946
780.000	99.946
800.000	99.946

END
Ready

APPENDIX E

**ANALYTICAL RESULTS FOR GROUNDWATER AND
COMPOSITE SOIL SAMPLES
AND
ANALYTICAL RESULTS FOR QUALITY ASSURANCE/
QUALITY CONTROL SAMPLES**

THIS PAGE INTENTIONALLY LEFT BLANK

Table E.1
Primary List of VOCs Detected in Groundwater Samples at IRP Site No. 6
161st ARG, Arizona ANG, Phoenix, Arizona

Sample ID Number	Sample Round	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	M,P-Xylenes (µg/L)	O-Xylene (µg/L)	TCE (µg/L)	DCE (µg/L)	PCE (µg/L)	Chloroform (µg/L)	THM (µg/L)	TCA (µg/L)	Dibromochloromethane (µg/L)	Styrene (µg/L)
MWS-01	1	2.3	1.6	0.7	2.3	2.4	<0.2	<0.2	<0.2	0.9	<0.2	<0.2	<0.2	<0.5
	2	91	<0.5	21J	1.4	<0.5	<0.4	<0.4	0.4	<0.4	<0.4	<0.4	<0.4	<0.5
	3	<0.5	1.0	<0.5	2.0	<0.5	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5
	4	0.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	5	<0.03	<0.06	<0.03	<0.06	<0.03	<0.32	<0.27	<0.33	<0.15	<0.11	<0.15	<0.08	<0.23
	6	4	0.4B	8	4B	4B	<0.32	<0.27	<0.33	<0.15	<0.11	<0.15	<0.08	<0.23
MWS-02	1	<0.5	<0.5	<0.5	<0.5	<0.5	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5
	2	2.0	1.8	0.8	1.7	0.7	0.8	<0.2	1.8	<0.2	<0.2	<0.2	<0.2	<0.5
	3	21	0.5	50	3.7	1C	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	1C
	4	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	5	<0.03	<0.06	<0.03	<0.06	<0.03	<0.32	<0.27	<0.33	<0.15	<0.11	<0.15	<0.08	<0.23
	5	<0.03	<0.06	<0.03	<0.09	<0.09	<0.32	<0.27	<0.33	<0.15	<0.11	<0.15	<0.08	<0.23
MWS-02 (QA)	6	<0.03	<0.06	<0.03	<0.09	<0.09	<0.32	<0.27	<0.33	<0.15	<0.11	<0.15	<0.08	<0.23
MWS-02	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
MWS-03	2	0.4J	1.0	0.7	1.6	1.5J	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<1
	3	1.6	<0.5	<0.5	0.5	<0.5	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5
	4	1.7	<0.5	2.3	0.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	4	2.8	<0.5	3.8	1.2	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MWS-03 Dup	5	<0.03	<0.06	<0.03	<0.06	<0.03	<0.32	<0.27	<0.33	<0.15	<0.11	<0.15	<0.08	<0.23
MWS-03	6	8	0.2B	12	2B	2B	<0.32	<0.27	<0.33	0.15	<0.11	<0.15	<0.08	<0.23
MWS-04	1	15,000	<125	2,100	200	<125	<50	<50	<50	<50	<50	<50	<50	<125
06-001FD	1	21,000D	<125	2,600	260	<125	<50	<50	<50	<50	<50	<50	<50	<125
	2	17,000	<50	2,900J	200	<50	<40	<40	<40	<40	<40	<40	<40	<50
	3	7,000	<50	2,800	<50	95C	<20	<20	<20	<20	<20	<20	<20	95C
MWS-04	4	15,000	<250	2,600	400	<250	<250	<250	<250	<250	<250	300	<250	<250

Table E.1 (Continued)
Primary List of VOCs Detected in Groundwater Samples at IRP Site No. 6
161st ARG, Arizona ANG, Phoenix, Arizona

[illegible]

Table E.1 (Continued)

[illegible]

Table E.1 (Continued)

[illegible]

Table E.1 (Continued)

[illegible]

Table E.1 (Continued)
Primary List of VOCs Detected in Groundwater Samples at IRP Site No. 6
161st ARG, Arizona ANG, Phoenix, Arizona

Sample ID Number	Sample Round	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	M,P-Xylenes (µg/L)	O-Xylene (µg/L)	TCE (µg/L)	DCE (µg/L)	PCE (µg/L)	Chloroform (µg/L)	THM (µg/L)	TCA (µg/L)	Dibromochloromethane (µg/L)	Styrene (µg/L)
06-009MW	6	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	<1	<1	<1	<1	<1	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<0.4	<1
	3	2.0	<0.5	<0.5	0.6	<0.5	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5
	4	0.7	<0.5	0.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.9	<0.5	<0.5
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
06-010MW	6	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	3.7	2.3	1.7	1.7	1.1J	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<1
	3	1.0	<0.5	5.3	1.7	<0.5	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.5
	4	28	<5	69	24	<5	<5	<5	<5	<5	<5	<5	<5	<5
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
06-011MW	6	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	1.3	2.7	3.1	5.0	3.9J	<0.2	<0.2	0.5	<0.2	<0.2	<0.2	<0.2	<1
	3	3100	<25	51	10	<25	<10	<10	<10	<10	<10	<10	<10	<25
	4	980D	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25	<25
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
06-012MW	6	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	<0.5	<0.5	1.2	4.9	3.7	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	3	23	0.4	1.0	0.7	1.0C	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	1.0C
	4	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	5	<0.03	<0.06	<0.03	<0.06	<0.03	<0.32	<0.27	<0.33	<0.15	<0.11	<0.15	<0.08	<0.23

Table E.1 (Continued)

[illegible]

Table E.1 (Continued)
Primary List of VOCs Detected in Groundwater Samples at IRP Site No. 6
161st ARG, Arizona ANG, Phoenix, Arizona

Sample ID Number	Sample Round	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	M,P-Xylenes (µg/L)	O-Xylene (µg/L)	TCE (µg/L)	DCE (µg/L)	PCE (µg/L)	Chloroform (µg/L)	THM (µg/L)	TCA (µg/L)	Dibromochloromethane (µg/L)	Styrene (µg/L)
	4	<0.5	0.7	<0.5	0.7	<0.5	2.9	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	5	<0.03	<0.06	<0.03	<0.06	<0.03	<0.32	<0.27	<0.33	<0.15	<0.11	<0.15	<0.08	<0.23
	6	<0.03	<0.06	0.4	0.4	0.4	7	<0.27	<0.33	<0.15	<0.11	<0.15	<0.08	<0.23
06-017MW	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	<1	<0.5	1.2	4.4	4.3	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<1
	3	19	0.9	2.0	1.0	3C	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	3C
06-031FD	3	19	0.8	2.0	1.0	1.0C	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	1C
	4	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	5	<0.03	<0.06	<0.03	<0.06	<0.03	<0.32	<0.27	<0.33	<0.15	<0.11	<0.15	<0.08	<0.23
06-017MW	6	0.2	<0.06	0.8	0.8B	0.8B	<0.32	<0.27	<0.33	<0.15	<0.11	<0.15	<0.08	<0.23
	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
06-018MW	3	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	4	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	5	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
06-018MW	6	6	1	6	3	3	<0.32	0.4	<0.33	0.2	<0.11	<0.15	<0.08	<0.23
	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
06-019MW	3	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	4	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	5	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
06-019MW	6	5	1	4	3	3	<0.32	<0.27	<0.33	<0.15	<0.11	<0.15	<0.08	0.6

Table E.1 (Continued)
Primary List of VOCs Detected in Groundwater Samples at IRP Site No. 6
161st ARG, Arizona ANG, Phoenix, Arizona

Sample ID Number	Sample Round	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	M,P-Xylenes (µg/L)	O-Xylene (µg/L)	TCE (µg/L)	DCE (µg/L)	PCE (µg/L)	Chloroform (µg/L)	THM (µg/L)	TCA (µg/L)	Dibromochloromethane (µg/L)	Styrene (µg/L)
06-020MW	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	3	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	4	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	5	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	6	36	4	29	29	29	0.5	0.4	<0.33	0.3	<0.11	<0.15	<0.08	<0.23
06-021MW	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	3	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	4	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	5	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	6	1,800	<3	750	150	150	<16	<13.5	<16.5	<7.5	<5.5	<7.5	<4	20
06-022MW	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	3	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	4	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	5	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	6	1,400	13	120	33	33	<0.32	<0.27	<0.33	<0.15	<0.11	<0.15	<0.08	2
06-023MW	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	3	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	4	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	5	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	6	1,200	2	150	23	23	<0.32	<0.27	<0.33	<0.15	<0.11	<0.15	<0.08	3

Table E.1 (Concluded)
Primary List of VOCs Detected in Groundwater Samples at IRP Site No. 6
161st ARG, Arizona ANG, Phoenix, Arizona

Sample ID Number	Sample Round	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	M,P-Xylenes (µg/L)	O-Xylene (µg/L)	TCE (µg/L)	DCE (µg/L)	PCE (µg/L)	Chloroform (µg/L)	THM (µg/L)	TCA (µg/L)	Dibromochloromethane (µg/L)	Styrene (µg/L)
06-024MW	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	3	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	4	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	5	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
06-024MW Dup	6	960	64	220	200	200	<0.32	<0.27	<0.33	<0.15	<0.11	<0.15	<0.08	<0.33
	6	890	63	200	180	180	<0.32	<0.27	<0.33	<0.15	<0.11	<0.15	<0.08	<0.33
06-025MW	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	3	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	4	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	5	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	6	15	1	7	4	4	<0.32	<0.27	<0.33	<0.15	<0.11	<0.15	<0.08	<0.33
06-026MW	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	3	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	4	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	5	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	6	24	1	38	13	13	<0.32	<0.27	<0.33	<0.15	<0.11	<0.15	<0.08	<0.33
ADEQ Cleanup Levels		5	1,000	700	10,000		5	70	5	100	100	200	100	100

µg/L – micrograms per liter.

M,P-Xylenes – Meta, Para-Xylene (Total).

O-Xylene – Ortho-Xylene.

TCE – Trichloroethylene.

TCA – 1,1,1-Trichloroethane.

Shaded rows delineate audited data.

Dup – Duplicate.

C – Two Compounds Coelute.

J – Value is estimated and below reporting limits.

DCE – Cis-1,2-Dichloroethylene.

PCE – Tetrachloroethylene.

D – Diluted Due to High Concentrations.

THM – Bromodichloromethane.

VOCs – Volatile Organic Compounds.

IRP – Installation Restoration Program.

MWS and MW – Monitoring Well.

FD – Field Duplicate.

NS – Not Sampled.

NE – Not Existing During First Round of Sampling.

ADEQ – Arizona Department of Environmental

Quality.

Table E.2
Secondary List of VOCs Detected in Groundwater Samples at IRP Site No. 6
161st ARG, Arizona ANG, Phoenix, Arizona

Sample ID Number	Sample Round	2,2-Dichloro propane (µg/L)	Methylene Chloride (µg/L)	Isopropyl-benzene (µg/L)	N-Propyl-benzene (µg/L)	1,3,5-Trimethyl-benzene (µg/L)	1,2,4-Trimethyl-benzene (µg/L)	Tert-butyl-benzene (µg/L)	Sec-butyl benzene (µg/L)	P-Isopropyl-toluene (µg/L)	N-Butyl-benzene (µg/L)	Naphthalene (µg/L)	1,2,3-Trichloro-benzene (µg/L)
MWS-01	1	<0.2	<2	<2	<1	<1	<0.5	2.4	<0.5	<0.5	<0.5	<1	<0.5
	2	<0.4	<4	<2	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<1
	3	<0.2	<2	<2	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5
	4	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	5	<0.18	<1.0	<0.1	<0.04	<0.03	<0.05	<0.14	<0.06	<0.1	<0.12	<0.12	<0.35
	6 ¹	<0.18	<1.0	0.9	1	0.5	<0.05	<0.14	<0.06	<0.1	<0.12	2B	<0.35
MWS-02	1	<0.2	<2	<2	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5
	2	<0.2	<2	<2	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5
	3	<0.2	<2	<2	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5
	4	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	5	<0.18	<1.0	<0.1	<0.04	<0.03	<0.05	<0.14	<0.06	<0.1	<0.12	<0.12	<0.35
	5	<0.18	<1.0	<0.1	<0.04	<0.03	<0.05	<0.14	<0.06	<0.1	<0.12	<0.12	<0.35
MWS-03	1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	2	<0.2	<4	<2	<1	0.2	1.6	0.7	<0.5	<0.5	1.4	0.4J	<1
	3	<0.2	<2	<2	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5
	4	<0.5	<0.5	<0.5	<0.5	<0.5	0.4J	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	4	<0.5	<0.5	<0.5	<0.5	<0.5	0.8	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	5	<0.18	<1.0	<0.1	<0.04	<0.03	<0.05	<0.14	<0.06	<0.1	<0.12	<0.12	<0.35
MWS-04	6	<0.18	<1.0	1	1	<0.03	2	<0.14	<0.06	<0.1	0.3	5B	<0.35
	1	<50	<500	<500	<250	<250	<125	<125	<125	<125	<125	<250	<125
	1	<50	<500	<500	<250	<250	<125	<125	<125	<125	<125	<250	<125
	2	<40	<400	<200	<100	<100	<50	<50	<50	<50	<50	<100	<100
	3	<20	<200	<200	<100	<100	<50	<50	<50	<50	<50	<100	<50
	4	<250	<250	<250	300	400	600	<250	1,200	<250	2,600	2,100	<250

Table E.2 (Continued)

[illegible]

Table E.2 (Continued)
 Secondary List of VOCs Detected in Groundwater Samples at IRP Site No. 6
 161st ARG, Arizona ANG, Phoenix, Arizona

Sample ID Number	Sample Round	2,2-Dichloro propane (µg/L)	Methylene Chloride (µg/L)	Isopropyl-benzene (µg/L)	N-Propyl-benzene (µg/L)	1,3,5-Trimethyl-benzene (µg/L)	1,2,4-Trimethyl-benzene (µg/L)	Tert-butyl-benzene (µg/L)	Sec-butyl-benzene (µg/L)	P-Isopropyl-toluene (µg/L)	N-Butyl-benzene (µg/L)	Naphthalene (µg/L)	1,2,3-Trichloro-benzene (µg/L)
06-002MW	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	<0.2	<4	2.9	<1	<1	7.1	3.4	1.7	0.7	1.8	2.5	<1
	3	<4	<40	<40	<20	<20	<10	<10	<10	<10	<10	<20	<10
	4	<2.5	<2.5	10.0	8.5	<2.5	15.0	<2.5	3.0	<2.5	4.0	<2.5	<2.5
	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	6	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
06-003MW	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	<4	<4	<4	<2	<2	<1	<1	<1	<1	<1	<2	<1
	3	<0.2	<2	<2	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5
	4	<0.5	<0.5	<0.5	<0.5	<0.5	1.2	<0.5	<0.5	<0.5	<0.5	0.6	<0.5
	5	<0.18	<1.0	<0.1	<0.04	<0.03	<0.05	<0.14	<0.06	<0.1	<0.12	<0.12	<0.35
	6	<0.18	<1.0	2	2	0.3	<0.05	<0.14	0.2	<0.1	0.4	3B	<0.35
06-004MW	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	<200	<2000	<1000	<500	<500	<250	<250	<250	<250	<250	<500	<500
06-011FD	2	<4	<40	<20	<10	<10	<5	<5	<5	12	27	<10	<10
	3	<10	<100	<100	<50	<50	<25	<25	<25	<25	<25	<50	<25
06-004MW	4	<250	<250	<250	220J	<250	450	<250	<250	<250	220J	<250	<250
	4	<250	<250	<250	250	<250	550	<250	<250	<250	<250	250	<250
06-004MW Dup	5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	6	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
06-005MW	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	<0.2	<2	<2	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5
	3	<0.2	<2	<2	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	7	<0.5
	4	<0.5	<0.5	<0.5	<0.5	<0.5	1.6	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table E.2 (Continued)

[illegible]

Table E.2 (Continued)
Secondary List of VOCs Detected in Groundwater Samples at IRP Site No. 6
161st ARG, Arizona ANG, Phoenix, Arizona

[illegible]

Table E.2 (Continued)

[illegible]

Table E.2 (Continued)
Secondary List of VOCs Detected in Groundwater Samples at IRP Site No. 6
161st ARG, Arizona ANG, Phoenix, Arizona

Sample ID Number	Sample Round	2,2-Dichloro propane (µg/L)	Methylene Chloride (µg/L)	Isopropyl-benzene (µg/L)	N-Propyl-benzene (µg/L)	1,3,5-Trimethyl-benzene (µg/L)	1,2,4-Trimethyl-benzene (µg/L)	Tert-butyl-benzene (µg/L)	Sec-butyl-benzene (µg/L)	P-Isopropyl-toluene (µg/L)	N-Butyl-benzene (µg/L)	Naphthalene (µg/L)	1,2,3-Trichloro-benzene (µg/L)
06-031FD	2	<0.2	<2	<2	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5
	3	<0.2	<2	<2	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5
	3	<0.2	<2	<2	<1	<1	<0.5	<0.5	<0.5	<0.5	<0.5	<1	<0.5
	4	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	5	<0.18	<1.0	<0.1	<0.04	<0.03	<0.05	<0.14	<0.06	<0.1	<0.12	<0.12	<0.35
	6	<0.18	<1.0	<0.1	<0.04	<0.03	<0.05	<0.14	<0.06	<0.1	<0.12	<0.12	<0.35
06-018MW	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	3	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	4	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	5	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	6	<0.18	<1.0	0.7	0.7	0.4	1	0.14	<0.06	<0.1	0.5	2	<0.35
06-019MW	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	3	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	4	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	5	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	6	<0.18	<1.0	0.7	0.7	0.4	1	<0.14	<0.06	<0.1	0.4	4	<0.35
06-020MW	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	3	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	4	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	5	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	6	<0.18	<1.0	2	1	2	<0.05	<0.14	0.2	0.2	1	4	<0.35

Table E.2 (Continued)
Secondary List of VOCs Detected in Groundwater Samples at IRP Site No. 6
161st ARG, Arizona ANG, Phoenix, Arizona

Sample ID Number	Sample Round	2,2-Dichloro propane (µg/L)	Methylene Chloride (µg/L)	Isopropyl-benzene (µg/L)	N-Propyl-benzene (µg/L)	1,3,5-Trimethyl-benzene (µg/L)	1,2,4-Trimethyl-benzene (µg/L)	Tert-butyl-benzene (µg/L)	Sec-butyl-benzene (µg/L)	P-Isopropyl-toluene (µg/L)	N-Butyl-benzene (µg/L)	Naphthalene (µg/L)	1,2,3-Trichloro-benzene (µg/L)
06-021MW	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	3	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	4	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	5	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	6	<9	<25	51	56	15	110	<7	<3	<5	21	120	<17.5
06-022MW	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	3	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	4	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	5	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	6	<0.18	<1.0	18	21	6	<0.05	<0.14	3	2	9	58	<0.35
06-023MW	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	3	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	4	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	5	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	6	<0.18	<1.0	30	27	3	<0.05	<0.14	4	0.4	4	17	<0.35
06-024MW	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	3	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	4	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	5	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	6	<0.18	<1.0	22	18	15	61	<0.14	3	1	7	30	<0.35

Table E.2 (Concluded)
Secondary List of VOCs Detected in Groundwater Samples at IRP Site No. 6
161st ARG, Arizona ANG, Phoenix, Arizona

Sample ID Number	Sample Round	2,2-Dichloro propane (µg/L)	Methylene Chloride (µg/L)	Isopropyl-benzene (µg/L)	N-Propyl-benzene (µg/L)	1,3,5-Trimethyl-benzene (µg/L)	1,2,4-Trimethyl-benzene (µg/L)	Tert-butyl-benzene (µg/L)	Sec-butyl-benzene (µg/L)	P-Isopropyl-toluene (µg/L)	N-Butyl-benzene (µg/L)	Naphthalene (µg/L)	1,2,3-Trichloro-benzene (µg/L)
06-024MW Dup	6	<0.18	<1.0	21	18	16	61	<0.14	3	1	17	27	<0.35
	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	3	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	4	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	5	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
06-025MW	6	<0.18	<1.0	1	1	0.5	2	<0.14	2	0.3	6	2	<0.35
	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	3	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	4	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	5	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
06-026MW	6	<0.18	<1.0	3	4	2	<0.05	<0.14	0.4	0.4	<0.12	6	<0.35
	1	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	2	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	3	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	4	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE
	5	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE	NE

µg/L – micrograms per liter.

MWS and MW – Monitoring Well.

Shaded rows delineate audited data.

VOCs – Volatile Organic Compounds.

IRP – Installation Restoration Program.

FD – Field Duplicate.

NS – Not Sampled.

NE – Not Existing During First Round of Sampling.

C – Two Compounds Coelute.

J – Value is estimated and below reporting limits.

Dup – Duplicate.



Certificate of Analysis No. H9-9507438-05

HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/07/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: MWS-01PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/13/95 17:00:00
DATE RECEIVED: 07/14/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	0.5	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	4	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	B 0.4	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	8	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	B 4	0.09	µg/L
Styrene	ND	0.23	µg/L
Isopropylbenzene	0.9	0.10	µg/L
Bromoform	ND	0.12	µg/L
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507438-05

Operational Tech

SAMPLE ID: MWS-01

ANALYTICAL DATA (continued)			
PARAMETER	RESULTS	PQL*	UNITS
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	1	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	0.5	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	ND	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	B 2	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

% RECOVERY

1-Chloro-2-Fluorobenzene

87

ANALYZED BY: JZL

DATE/TIME: 07/23/95 12:16:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



Certificate of Analysis No. H9-9507438-05

HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/07/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: MWS-01

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/13/95 17:00:00
DATE RECEIVED: 07/14/95

ANALYTICAL DATA

PARAMETER	RESULTS	DETECTION LIMIT	UNITS
Petroleum extractables METHOD 418.1*	ND	0.5	mg/L
Analyzed by: SW Date: 07/25/95 12:00:00			

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY

8880 INTERCHANGE DRIVE

HOUSTON, TEXAS 77054

PHONE (713) 660-0901

Certificate of Analysis No. H9-9507438-06

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/07/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: MWS-02

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/13/95 17:30:00
DATE RECEIVED: 07/14/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	ND	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	ND	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	ND	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	ND	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	ND	0.09	µg/L
Styrene	ND	0.23	µg/L
Isopropylbenzene	ND	0.10	µg/L
Bromoform	ND	0.12	µg/L
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507438-06

Operational Tech

SAMPLE ID: MWS-02

PARAMETER	ANALYTICAL DATA (continued)		UNITS
	RESULTS	PQL*	
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	ND	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	ND	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	ND	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	ND	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

1-Chloro-2-Fluorobenzene

% RECOVERY

86

ANALYZED BY: JZL

DATE/TIME: 07/23/95 01:28:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY

8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507438-06

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/07/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: MWS-02PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/13/95 17:30:00
DATE RECEIVED: 07/14/95

ANALYTICAL DATA

PARAMETER	RESULTS	DETECTION LIMIT	UNITS
Petroleum extractables	ND	0.5	mg/L
METHOD 418.1*			
Analyzed by: SW			
Date: 07/25/95 12:00:00			

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507479-01

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/14/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: MW5-03

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 18:30:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	2	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	8	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	0.2	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	12	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	2	0.09	µg/L
Styrene	0.8	0.23	µg/L
Isopropylbenzene	1	0.10	µg/L
Bromoform	ND	0.12	µg/L
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507479-01

Operational Tech

SAMPLE ID: MW5-03

PARAMETER	ANALYTICAL DATA (continued)		UNITS
	RESULTS	PQL*	
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	1	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	ND	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	2	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	0.3	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	5	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

% RECOVERY

1-Chloro-2-Fluorobenzene

94

ANALYZED BY: JZL

DATE/TIME: 07/24/95 12:50:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.

SPL Arizona License # AZ0050

**HOUSTON LABORATORY**8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507479-01

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/14/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: MW5-03PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 18:30:00
DATE RECEIVED: 07/15/95**ANALYTICAL DATA**

PARAMETER	RESULTS	DETECTION LIMIT	UNITS
Petroleum extractables METHOD 418.1*	ND	0.5	mg/L
Analyzed by: BV Date: 07/26/95 14:00:00			

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



Certificate of Analysis No. H9-9507478-01

HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/10/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: MWS-04PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 08:30:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	3	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	4200	0.60	µg/L
1,2-Dichloroethane	0.4	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	B 2	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	500	0.60	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	B 19	0.09	µg/L
Styrene	3	0.23	µg/L
Isopropylbenzene	25	0.10	µg/L
Bromoform	ND	0.12	µg/L
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-01

Operational Tech

SAMPLE ID: MWS-04

PARAMETER	ANALYTICAL DATA (continued)		UNITS
	RESULTS	PQL*	
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	28	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	1	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	3	0.06	µg/L
p-Isopropyltoluene	0.9	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	6	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	ND	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

1-Chloro-2-Fluorobenzene

% RECOVERY

96

ANALYZED BY: JZL

DATE/TIME: 07/25/95 04:23:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS: B - Compound detected in associated method blank

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-01

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/10/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: MWS-04

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 08:30:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA			
PARAMETER	RESULTS	DETECTION LIMIT	UNITS
Petroleum extractables	5	0.5	mg/L
METHOD 418.1*			
Analyzed by: BV			
Date: 07/26/95 14:00:00			

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY

8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-02

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/10/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: MWS-04 DuplicatePROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 08:30:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	3	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	4000	0.60	µg/L
1,2-Dichloroethane	0.5	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	B 3	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	480	0.60	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	B 20	0.09	µg/L
Styrene	ND	4.60	µg/L
Isopropylbenzene	25	0.10	µg/L
Bromoform	ND	0.12	µg/L
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY

8880 INTERCHANGE DRIVE

HOUSTON, TEXAS 77054

PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-02

Operational Tech

SAMPLE ID: MWS-04 Duplicate

ANALYTICAL DATA (continued)			
PARAMETER	RESULTS	PQL*	UNITS
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	28	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	2	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	3	0.06	µg/L
p-Isopropyltoluene	0.9	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	6	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	B 58	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

1-Chloro-2-Fluorobenzene

% RECOVERY

91

ANALYZED BY: JZL

DATE/TIME: 07/25/95 05:34:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

B - Compound detected in associated method blank

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.

SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-02

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/10/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: MWS-04 Duplicate

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 08:30:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA

PARAMETER	RESULTS	DETECTION LIMIT	UNITS
Petroleum extractables METHOD 418.1*	2	0.5	mg/L
Analyzed by: BV Date: 07/26/95 14:00:00			

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-09

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/10/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: MW3-02

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 15:50:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	1	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	0.3	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	15	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	B 0.4	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	16	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	B 3	0.09	µg/L
Styrene	0.7	0.23	µg/L
Isopropylbenzene	2	0.10	µg/L
Bromoform	ND	0.12	µg/L
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-09

Operational Tech

SAMPLE ID: MW3-02

ANALYTICAL DATA (continued)			
PARAMETER	RESULTS	PQL*	UNITS
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	2	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	0.3	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	0.3	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	B 2	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

1-Chloro-2-Fluorobenzene

% RECOVERY

86

ANALYZED BY: JZL

DATE/TIME: 07/23/95 15:36:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS: B - Compound detected in associated method blank

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-09

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/10/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: MW3-02

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 15:50:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Petroleum extractables METHOD 418.1* Analyzed by: BV Date: 07/26/95 14:00:00	ND	0.5	mg/L	

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507479-02

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/14/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: MW5-01

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 20:30:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	ND	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	6	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	B 0.3	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	9	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	B 2	0.09	µg/L
Styrene	0.6	0.23	µg/L
Isopropylbenzene	0.9	0.10	µg/L
Bromoform	ND	0.12	µg/L
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507479-02

Operational Tech

SAMPLE ID: MW5-01

PARAMETER	ANALYTICAL DATA (continued)		UNITS
	RESULTS	PQL*	
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	0.9	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	ND	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	1	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	ND	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	B 2	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L
SURROGATES		% RECOVERY	
1-Chloro-2-Fluorobenzene		98	

ANALYZED BY: JZL

DATE/TIME: 07/23/95 16:45:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS: B - Compound detected in associated method blank

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050

**HOUSTON LABORATORY**8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507479-02

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/14/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: MW5-01PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 20:30:00
DATE RECEIVED: 07/15/95

PARAMETER	ANALYTICAL DATA	RESULTS	DETECTION LIMIT	UNITS
Petroleum extractables		ND	0.5	mg/L
METHOD 418.1*				
Analyzed by: BV				
Date: 07/26/95 14:00:00				

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507479-03

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/14/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: MW5-01 Duplicate

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 20:30:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	0.4	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	7	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	B 0.2	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	8	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	B 2	0.09	µg/L
Styrene	0.4	0.23	µg/L
Isopropylbenzene	0.8	0.10	µg/L
Bromoform	ND	0.12	µg/L
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY

8880 INTERCHANGE DRIVE

HOUSTON, TEXAS 77054

PHONE (713) 660-0901

Certificate of Analysis No. H9-9507479-03

Operational Tech

SAMPLE ID: MW5-01 Duplicate

PARAMETER	ANALYTICAL DATA (continued)		UNITS
	RESULTS	PQL*	
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	0.9	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	ND	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	1	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	ND	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	B 2	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

% RECOVERY

1-Chloro-2-Fluorobenzene

96

ANALYZED BY: JZL

DATE/TIME: 07/23/95 17:54:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS: B - Compound detected in associated method blank

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507479-03

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/14/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: MW5-01 Duplicate

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 20:30:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA			
PARAMETER	RESULTS	DETECTION LIMIT	UNITS
Petroleum extractables METHOD 418.1* Analyzed by: BV Date: 07/26/95 14:00:00	ND	0.5	mg/L

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-08

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/10/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: 06-003MW

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 14:30:00
DATE RECEIVED: 07/15/95

PARAMETER	ANALYTICAL DATA			UNITS
	RESULTS	PQL*		
Dichlorodifluoromethane	ND	1.1		µg/L
Chloromethane	2	0.15		µg/L
Vinyl chloride	ND	0.21		µg/L
Bromomethane	ND	0.17		µg/L
Chloroethane	ND	0.18		µg/L
Trichlorofluoromethane	ND	0.34		µg/L
1,1-Dichloroethene	ND	0.19		µg/L
trans-1,2-Dichloroethene	ND	0.20		µg/L
1,1-Dichloroethane	ND	0.11		µg/L
2,2-Dichloropropane	ND	0.18		µg/L
cis-1,2-Dichloroethene	ND	0.27		µg/L
Chloroform	0.2	0.15		µg/L
Bromochloromethane	ND	0.11		µg/L
1,1,1-Trichloroethane	ND	0.15		µg/L
1,1-Dichloropropene	ND	0.33		µg/L
Carbon Tetrachloride	ND	0.11		µg/L
Benzene	19	0.03		µg/L
1,2-Dichloroethane	ND	0.38		µg/L
Trichloroethene	ND	0.32		µg/L
1,2-Dichloropropane	ND	0.17		µg/L
Bromodichloromethane	ND	0.11		µg/L
Dibromomethane	ND	0.12		µg/L
cis-1,3-Dichloropropene	ND	0.09		µg/L
Toluene	B 0.5	0.06		µg/L
trans-1,3-Dichloropropene	ND	0.11		µg/L
1,1,2-Trichloroethane	ND	0.21		µg/L
Tetrachloroethene	ND	0.33		µg/L
1,3-Dichloropropane	ND	0.25		µg/L
Dibromochloromethane	ND	0.08		µg/L
1,2-Dibromoethane	ND	0.06		µg/L
Chlorobenzene	ND	0.62		µg/L
Ethyl benzene	21	0.03		µg/L
1,1,1,2-Tetrachloroethane	ND	0.25		µg/L
Xylenes	B 3	0.09		µg/L
Styrene	0.6	0.23		µg/L
Isopropylbenzene	2	0.10		µg/L
Bromoform	ND	0.12		µg/L
1,1,2,2-Tetrachloroethane	ND	0.27		µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-08

Operational Tech

SAMPLE ID: 06-003MW

PARAMETER	ANALYTICAL DATA (continued)		UNITS
	RESULTS	PQL*	
1,2,3-Trichloropropane	0.9	0.16	µg/L
n-Propyl benzene	2	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	0.3	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	0.2	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	0.4	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	B 3	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

% RECOVERY

1-Chloro-2-Fluorobenzene

86

ANALYZED BY: JZL

DATE/TIME: 07/23/95 14:26:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS: B - Compound detected in associated method blank

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-08

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/10/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: 06-003MW

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 14:30:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Petroleum extractables METHOD 418.1* Analyzed by: BV Date: 07/26/95 14:00:00	ND	0.5	mg/L	

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507438-02

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/07/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: 06-005MW

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/13/95 15:00:00
DATE RECEIVED: 07/14/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	0.4	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	0.2	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	0.6	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	ND	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	1	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	B 1	0.09	µg/L
Styrene	1	0.23	µg/L
Isopropylbenzene	ND	0.10	µg/L
Bromoform	ND	0.12	µg/L
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507438-02

Operational Tech

SAMPLE ID: 06-005MW

PARAMETER	ANALYTICAL DATA (continued)		UNITS
	RESULTS	PQL*	
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	ND	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	ND	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	0.6	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	ND	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	B 1	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

% RECOVERY

1-Chloro-2-Fluorobenzene

86

ANALYZED BY: JZL

DATE/TIME: 07/22/95 04:05:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS: B - Compound detected in associated method blank

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



Certificate of Analysis No. H9-9507438-02

HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/07/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: 06-005MW

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/13/95 15:00:00
DATE RECEIVED: 07/14/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Petroleum extractables METHOD 418.1* Analyzed by: SW Date: 07/25/95 12:00:00	ND	0.5	mg/L	

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



Certificate of Analysis No. H9-9507438-03

HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/07/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: 06-005MW DUP

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/13/95 16:00:00
DATE RECEIVED: 07/14/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	1	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	0.2	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	1	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	ND	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	3	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	B 2	0.09	µg/L
Styrene	1	0.23	µg/L
Isopropylbenzene	0.3	0.10	µg/L
Bromoform	ND	0.12	µg/L
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507438-03

Operational Tech

SAMPLE ID: 06-005MW DUP

PARAMETER	ANALYTICAL DATA (continued)		UNITS
	RESULTS	PQL*	
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	0.3	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	0.2	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	0.7	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	ND	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	B 1	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

% RECOVERY

1-Chloro-2-Fluorobenzene

85

ANALYZED BY: JZL

DATE/TIME: 07/22/95 05:17:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS: B - Compound detected in associated method blank

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507438-03

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/07/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: 06-005MW DUP

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/13/95 16:00:00
DATE RECEIVED: 07/14/95

ANALYTICAL DATA			
PARAMETER	RESULTS	DETECTION LIMIT	UNITS
Petroleum extractables METHOD 418.1* Analyzed by: SW Date: 07/25/95 12:00:00	ND	0.5	mg/L

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-07

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/10/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: 06-012MW

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 13:00:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	3	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	0.2	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	29	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	0.6	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	26	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	3	0.09	µg/L
Styrene	1	0.23	µg/L
Isopropylbenzene	3	0.10	µg/L
Bromoform	ND	0.12	µg/L
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-07

Operational Tech

SAMPLE ID: 06-012MW

PARAMETER	ANALYTICAL DATA (continued)		UNITS
	RESULTS	PQL*	
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	2	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	0.3	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	0.3	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	0.4	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	3	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES
1-Chloro-2-Fluorobenzene

% RECOVERY
85

ANALYZED BY: JZL

DATE/TIME: 07/25/95 12:49:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-07

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/10/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: 06-012MW

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 13:00:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Petroleum extractables METHOD 418.1* Analyzed by: BV Date: 07/26/95 14:00:00	ND	0.5	mg/L	

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-06

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/10/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: 06-013MW

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 11:40:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	0.4	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	670	0.30	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	B 0.7	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	41	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	B 4	0.09	µg/L
Styrene	0.8	0.23	µg/L
Isopropylbenzene	18	0.10	µg/L
Bromoform	ND	0.12	µg/L
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY

8880 INTERCHANGE DRIVE

HOUSTON, TEXAS 77054

PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-06

Operational Tech

SAMPLE ID: 06-013MW

PARAMETER	ANALYTICAL DATA (continued)		UNITS
	RESULTS	PQL*	
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	10	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	0.8	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	2	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	2	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	B 9	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

1-Chloro-2-Fluorobenzene

% RECOVERY

95

ANALYZED BY: JZL

DATE/TIME: 07/25/95 03:12:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS: B - Compound detected in associated method blank

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-06

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/10/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: 06-013MW

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 11:40:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Petroleum extractables METHOD 418.1*	ND	0.5	mg/L	
Analyzed by: BV Date: 07/26/95 14:00:00				

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-05

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/10/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: 06-015MW

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 10:15:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	2	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	0.2	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	74	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	B 0.4	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Ethyl benzene	55	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	B 4	0.09	µg/L
Styrene	1	0.23	µg/L
Isopropylbenzene	4	0.10	µg/L
Bromoform	ND	0.12	µg/L
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L
1,2,3-Trichloropropane	0.5	0.16	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-05

Operational Tech

SAMPLE ID: 06-015MW

PARAMETER	ANALYTICAL DATA (continued)		UNITS
	RESULTS	PQL*	
n-Propyl benzene	4	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	0.5	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	0.3	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	0.5	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	ND	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

1-Chloro-2-Fluorobenzene

% RECOVERY

94

ANALYZED BY: JZL

DATE/TIME: 07/24/95 23:38:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS: B - Compound detected in associated method blank

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-05

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/10/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: 06-015MW

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 10:15:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA

PARAMETER	RESULTS	DETECTION LIMIT	UNITS
Petroleum extractables METHOD 418.1* Analyzed by: BV Date: 07/26/95 14:00:00	ND	0.5	mg/L

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507438-01

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/07/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: 06-016MW

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/13/95 15:00:00
DATE RECEIVED: 07/14/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	2	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	1	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	0.2	0.11	µg/L
Benzene	ND	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	7	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	ND	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	0.8	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	0.4	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	B 0.4	0.09	µg/L
Styrene	B 0.6	0.23	µg/L
Isopropylbenzene	ND	0.10	µg/L
Bromoform	ND	0.12	µg/L
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507438-01

Operational Tech

SAMPLE ID: 06-016MW

PARAMETER	ANALYTICAL DATA (continued)		UNITS
	RESULTS	PQL*	
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	ND	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	ND	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	0.3	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	ND	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	0.3	0.22	µg/L
Naphthalene	2	0.12	µg/L
1,2,3-Trichlorobenzene	B ND	0.35	µg/L

SURROGATES

1-Chloro-2-Fluorobenzene

% RECOVERY

89

ANALYZED BY: JZL

DATE/TIME: 07/21/95 22:09:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS: B - Compound detected in associated method blank

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507438-01

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/07/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: 06-016MW

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/13/95 15:00:00
DATE RECEIVED: 07/14/95

ANALYTICAL DATA

PARAMETER	RESULTS	DETECTION LIMIT	UNITS
Petroleum extractables METHOD 418.1*	ND	0.5	mg/L
Analyzed by: SW Date: 07/25/95 12:00:00			

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507438-04

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/07/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: 06-017MW

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/13/95 16:30:00
DATE RECEIVED: 07/14/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	ND	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	0.2	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	ND	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	0.8	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	B 0.8	0.09	µg/L
Styrene	ND	0.23	µg/L
Isopropylbenzene	ND	0.10	µg/L
Bromoform	ND	0.12	µg/L
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507438-04

Operational Tech

SAMPLE ID: 06-017MW

PARAMETER	ANALYTICAL DATA (continued)		UNITS
	RESULTS	PQL*	
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	0.2	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	ND	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	ND	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	ND	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

% RECOVERY

1-Chloro-2-Fluorobenzene

86

ANALYZED BY: JZL

DATE/TIME: 07/22/95 23:05:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY

8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507438-04

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/07/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: 06-017MWPROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/13/95 16:30:00
DATE RECEIVED: 07/14/95

PARAMETER	ANALYTICAL DATA	RESULTS	DETECTION LIMIT	UNITS
Petroleum extractables		ND	0.5	mg/L
METHOD 418.1*				
Analyzed by: SW				
Date: 07/25/95 12:00:00				

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



Certificate of Analysis No. H9-9508405-01

HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/22/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Optech
SAMPLE ID: 06-018MW

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/09/95 08:45:00
DATE RECEIVED: 08/10/95

ANALYTICAL DATA

PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	ND	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
Methylene Chloride	ND	1.0	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	0.4	0.27	µg/L
Chloroform	0.2	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	6	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	1	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	5	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	3	0.09	µg/L
Styrene	ND	0.23	µg/L
Isopropylbenzene	0.7	0.10	µg/L
Bromoform	ND	0.12	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508405-01

Operational Tech

SAMPLE ID: 06-018MW

PARAMETER	ANALYTICAL DATA (continued)		UNITS
	RESULTS	PQL*	
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	0.7	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	0.4	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	1	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	0.5	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	B 2	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

% RECOVERY

1-Chloro-2-Fluorobenzene

94

ANALYZED BY: JZL

DATE/TIME: 08/10/95 17:49:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



Certificate of Analysis No. H9-9508405-01

HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/22/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Optech
SAMPLE ID: 06-018MW

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/09/95 08:45:00
DATE RECEIVED: 08/10/95

ANALYTICAL DATA			
PARAMETER	RESULTS	DETECTION LIMIT	UNITS
Petroleum extractables	ND	0.5	mg/L
METHOD 418.1*			
Analyzed by: RN			
Date: 08/15/95 09:00:00			

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508405-02

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/22/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Optech
SAMPLE ID: 06-019MW

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/09/95 11:00:00
DATE RECEIVED: 08/10/95

ANALYTICAL DATA

PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	ND	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
Methylene Chloride	ND	1.0	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	5	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	1	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	4	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	3	0.09	µg/L
Styrene	0.6	0.23	µg/L
Isopropylbenzene	0.7	0.10	µg/L
Bromoform	ND	0.12	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508405-02

Operational Tech

SAMPLE ID: 06-019MW

PARAMETER	ANALYTICAL DATA (continued)		UNITS
	RESULTS	PQL*	
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	0.7	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	0.4	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	1	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	0.4	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	B 4	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

% RECOVERY

1-Chloro-2-Fluorobenzene

94

ANALYZED BY: JZL

DATE/TIME: 08/10/95 19:00:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



Certificate of Analysis No. H9-9508405-02

HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/22/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Optech
SAMPLE ID: 06-019MW

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/09/95 11:00:00
DATE RECEIVED: 08/10/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Petroleum extractables METHOD 418.1* Analyzed by: RN Date: 08/15/95 09:00:00	ND	0.5	mg/L	

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8680 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508458-03

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/23/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Optech
SAMPLE ID: 06-020

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/10/95 11:50:00
DATE RECEIVED: 08/11/95

PARAMETER	ANALYTICAL DATA		
	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	ND	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
Methylene Chloride	ND	1.0	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	0.4	0.27	µg/L
Chloroform	0.3	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	36	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	0.5	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	4	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	29	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	29	0.09	µg/L
Styrene	ND	0.23	µg/L
Isopropylbenzene	2	0.10	µg/L
Bromoform	ND	0.12	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508458-03

Operational Tech

SAMPLE ID: 06-020

ANALYTICAL DATA (continued)			
PARAMETER	RESULTS	PQL*	UNITS
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	2	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	2	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	0.2	0.06	µg/L
p-Isopropyltoluene	0.2	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	1	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	B 4	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L
SURROGATES		% RECOVERY	
1-Chloro-2-Fluorobenzene		104	

ANALYZED BY: JZL

DATE/TIME: 08/12/95 08:29:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS: B - Compound detected in method blank

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508458-03

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/23/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Optech
SAMPLE ID: 06-020

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/10/95 11:50:00
DATE RECEIVED: 08/11/95

ANALYTICAL DATA

PARAMETER	RESULTS	DETECTION LIMIT	UNITS
Petroleum extractables	ND	0.5	mg/L
METHOD 418.1*			
Analyzed by: RN			
Date: 08/15/95 09:00:00			

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY

8880 INTERCHANGE DRIVE

HOUSTON, TEXAS 77054

PHONE (713) 660-0901

Certificate of Analysis No. H9-9508405-03

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/22/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Optech
SAMPLE ID: 06-021MW

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/09/95 13:10:00
DATE RECEIVED: 08/10/95

PARAMETER	ANALYTICAL DATA		PQL*	UNITS
	RESULTS			
Dichlorodifluoromethane	ND	55.0		µg/L
Chloromethane	ND	7.50		µg/L
Vinyl chloride	ND	10.50		µg/L
Bromomethane	ND	8.50		µg/L
Chloroethane	ND	9.00		µg/L
Trichlorofluoromethane	ND	17.00		µg/L
1,1-Dichloroethene	ND	9.50		µg/L
Methylene Chloride	ND	50		µg/L
trans-1,2-Dichloroethene	ND	10.0		µg/L
1,1-Dichloroethane	ND	5.50		µg/L
2,2-Dichloropropane	ND	9.00		µg/L
cis-1,2-Dichloroethene	ND	13.50		µg/L
Chloroform	ND	7.50		µg/L
Bromochloromethane	ND	5.50		µg/L
1,1,1-Trichloroethane	ND	7.50		µg/L
1,1-Dichloropropene	ND	16.50		µg/L
Carbon Tetrachloride	ND	5.50		µg/L
Benzene	1800	1.50		µg/L
1,2-Dichloroethane	ND	19.00		µg/L
Trichloroethene	ND	16.00		µg/L
1,2-Dichloropropane	ND	8.50		µg/L
Bromodichloromethane	ND	5.50		µg/L
Dibromomethane	ND	6.00		µg/L
cis-1,3-Dichloropropene	ND	4.50		µg/L
Toluene	ND	3.00		µg/L
trans-1,3-Dichloropropene	ND	5.50		µg/L
1,1,2-Trichloroethane	ND	10.50		µg/L
Tetrachloroethene	ND	16.50		µg/L
1,3-Dichloropropane	ND	12.50		µg/L
Dibromochloromethane	ND	4.00		µg/L
1,2-Dibromoethane	ND	3.00		µg/L
Chlorobenzene	ND	31.00		µg/L
Ethyl benzene	750	1.50		µg/L
1,1,1,2-Tetrachloroethane	ND	12.50		µg/L
Xylenes	150	4.50		µg/L
Styrene	20	11.50		µg/L
Isopropylbenzene	51	5.0		µg/L
Bromoform	ND	6.00		µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508405-03

Operational Tech

SAMPLE ID: 06-021MW

PARAMETER	ANALYTICAL DATA (continued)		UNITS
	RESULTS	PQL*	
1,1,2,2-Tetrachloroethane	ND	13.50	µg/L
1,2,3-Trichloropropane	ND	8.00	µg/L
n-Propyl benzene	56	2.00	µg/L
Bromobenzene	ND	11.00	µg/L
1,3,5-Trimethylbenzene	15	1.50	µg/L
2-Chlorotoluene	ND	13.00	µg/L
4-Chlorotoluene	ND	14.50	µg/L
tert-Butylbenzene	ND	7.00	µg/L
1,2,4-Trimethylbenzene	110	2.50	µg/L
sec-Butylbenzene	ND	3.00	µg/L
p-Isopropyltoluene	ND	5.0	µg/L
1,3-Dichlorobenzene	ND	13.00	µg/L
1,4-Dichlorobenzene	ND	15.0	µg/L
n-Butylbenzene	21	6.00	µg/L
1,2-Dichlorobenzene	ND	24.00	µg/L
1,2-Dibromo-3-chloropropane	ND	6.50	µg/L
1,2,4-Trichlorobenzene	ND	4.50	µg/L
Hexachlorobutadiene	ND	11.00	µg/L
Naphthalene	B 120	6.00	µg/L
1,2,3-Trichlorobenzene	ND	17.50	µg/L

SURROGATES

% RECOVERY

1-Chloro-2-Fluorobenzene

97

ANALYZED BY: JZL

DATE/TIME: 08/11/95 02:08:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY

8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508405-03

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/22/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Optech
SAMPLE ID: 06-021MWPROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/09/95 13:10:00
DATE RECEIVED: 08/10/95

ANALYTICAL DATA			
PARAMETER	RESULTS	DETECTION LIMIT	UNITS
Petroleum extractables METHOD 418.1* Analyzed by: RN Date: 08/15/95 09:00:00	2	0.5	mg/L

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508337-02

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/22/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Optech
SAMPLE ID: 06-022MW

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/08/95 14:50:00
DATE RECEIVED: 08/09/95

ANALYTICAL DATA			
PARAMETER	RESULTS	MDL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	ND	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
Methylene Chloride	ND	1.0	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	1400	1.50	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	13	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	120	1.50	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	33	0.09	µg/L
Styrene	2	0.23	µg/L
Isopropylbenzene	18	0.10	µg/L
Bromoform	ND	0.12	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508337-02

Operational Tech

SAMPLE ID: 06-022MW

ANALYTICAL DATA (continued)			
PARAMETER	RESULTS	MDL*	UNITS
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	21	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	6	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	3	0.06	µg/L
p-Isopropyltoluene	2	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	9	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	B 58	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L
SURROGATES		% RECOVERY	
1-Chloro-2-Fluorobenzene		92	

ANALYZED BY: JZL

DATE/TIME: 08/11/95 12:57:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Method Detection Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS: B - Compound detected in method blank

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



Certificate of Analysis No. H9-9508337-02

HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/22/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Optech
SAMPLE ID: 06-022MW

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/08/95 14:50:00
DATE RECEIVED: 08/09/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Petroleum extractables	1	0.5	mg/L	
METHOD 418.1*				
Analyzed by: DR				
Date: 08/11/95 09:00:00				

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508337-01

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/22/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Optech
SAMPLE ID: 06-023MW

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/08/95 12:20:00
DATE RECEIVED: 08/09/95

ANALYTICAL DATA

PARAMETER	RESULTS	MDL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	ND	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
Methylene Chloride	ND	1.0	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	1200	1.50	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	2	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	150	1.50	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	23	0.09	µg/L
Styrene	3	0.23	µg/L
Isopropylbenzene	30	0.10	µg/L
Bromoform	ND	0.12	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508337-01

Operational Tech

SAMPLE ID: 06-023MW

ANALYTICAL DATA (continued)			
PARAMETER	RESULTS	MDL*	UNITS
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	27	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	3	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	4	0.06	µg/L
p-Isopropyltoluene	0.4	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	4	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	B 17	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L
SURROGATES		% RECOVERY	
1-Chloro-2-Fluorobenzene		101	

ANALYZED BY: JZL DATE/TIME: 08/10/95 23:46:00
EXTRACTED BY: DATE/TIME:
METHOD: 502.2 - Drinking Water Volatiles
NOTES: * - Method Detection Limit ND - Not Detected
 NA - Not Analyzed

COMMENTS: B - Compound detected in method blank

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508337-01

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/22/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Optech
SAMPLE ID: 06-023MW

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/08/95 12:20:00
DATE RECEIVED: 08/09/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Petroleum extractables	1	0.5	mg/L	
METHOD 418.1*				
Analyzed by: DR				
Date: 08/11/95 09:00:00				

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508458-01

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/23/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Optech
SAMPLE ID: 06-024MW

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/10/95 08:30:00
DATE RECEIVED: 08/11/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	ND	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	960	1.50	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	64	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	220	1.50	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	200	4.50	µg/L
Styrene	ND	0.23	µg/L
Isopropylbenzene	22	0.10	µg/L
Bromoform	ND	0.12	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508458-01

Operational Tech

SAMPLE ID: 06-024MW

ANALYTICAL DATA (continued)			
PARAMETER	RESULTS	PQL*	UNITS
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	18	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	15	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	61	0.05	µg/L
sec-Butylbenzene	3	0.06	µg/L
p-Isopropyltoluene	1	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	7	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	B 30	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L
SURROGATES		% RECOVERY	
1-Chloro-2-Fluorobenzene		98	

ANALYZED BY: JZL

DATE/TIME: 08/12/95 09:40:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS: B - Compound detected in method blank

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050

**HOUSTON LABORATORY**8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508458-01

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/23/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Optech
SAMPLE ID: 06-024MWPROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/10/95 08:30:00
DATE RECEIVED: 08/11/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Petroleum extractables	0.7	0.5	mg/L	
METHOD 418.1*				
Analyzed by: RN				
Date: 08/15/95 09:00:00				

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508458-02

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/23/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Optech
SAMPLE ID: 06-024MW Dup

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/10/95 08:35:00
DATE RECEIVED: 08/11/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	ND	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	890	1.50	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	63	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	200	1.50	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	180	4.50	µg/L
Styrene	ND	0.23	µg/L
Isopropylbenzene	21	0.10	µg/L
Bromoform	ND	0.12	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508458-02

Operational Tech

SAMPLE ID: 06-024MW Dup

ANALYTICAL DATA (continued)			
PARAMETER	RESULTS	PQL*	UNITS
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	18	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	16	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	61	0.05	µg/L
sec-Butylbenzene	3	0.06	µg/L
p-Isopropyltoluene	1	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	7	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	B 27	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L
SURROGATES		% RECOVERY	
1-Chloro-2-Fluorobenzene		97	

ANALYZED BY: JZL

DATE/TIME: 08/12/95 13:15:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

B - Compound detected in method blank

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



Certificate of Analysis No. H9-9508458-02

HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/23/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Optech
SAMPLE ID: 06-024MW Dup

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/10/95 08:35:00
DATE RECEIVED: 08/11/95

ANALYTICAL DATA			
PARAMETER	RESULTS	DETECTION LIMIT	UNIT
Petroleum extractables	1	0.5	mg/L
METHOD 418.1*			
Analyzed by: RN			
Date: 08/15/95 09:00:00			

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508337-03

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/22/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Optech
SAMPLE ID: 06-025MW

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/08/95 17:00:00
DATE RECEIVED: 08/09/95

PARAMETER	ANALYTICAL DATA			UNITS
	RESULTS	MDL*		
Dichlorodifluoromethane	ND	1.1		µg/L
Chloromethane	ND	0.15		µg/L
Vinyl chloride	ND	0.21		µg/L
Bromomethane	ND	0.17		µg/L
Chloroethane	ND	0.18		µg/L
Trichlorofluoromethane	ND	0.34		µg/L
1,1-Dichloroethene	ND	0.19		µg/L
Methylene Chloride	ND	1.0		µg/L
trans-1,2-Dichloroethene	ND	0.20		µg/L
1,1-Dichloroethane	ND	0.11		µg/L
2,2-Dichloropropane	ND	0.18		µg/L
cis-1,2-Dichloroethene	ND	0.27		µg/L
Chloroform	ND	0.15		µg/L
Bromochloromethane	ND	0.11		µg/L
1,1,1-Trichloroethane	ND	0.15		µg/L
1,1-Dichloropropene	ND	0.33		µg/L
Carbon Tetrachloride	ND	0.11		µg/L
Benzene	15	0.03		µg/L
1,2-Dichloroethane	ND	0.38		µg/L
Trichloroethene	ND	0.32		µg/L
1,2-Dichloropropane	ND	0.17		µg/L
Bromodichloromethane	ND	0.11		µg/L
Dibromomethane	ND	0.12		µg/L
cis-1,3-Dichloropropene	ND	0.09		µg/L
Toluene	1	0.06		µg/L
trans-1,3-Dichloropropene	ND	0.11		µg/L
1,1,2-Trichloroethane	ND	0.21		µg/L
Tetrachloroethene	ND	0.33		µg/L
1,3-Dichloropropane	ND	0.25		µg/L
Dibromochloromethane	ND	0.08		µg/L
1,2-Dibromoethane	ND	0.06		µg/L
Chlorobenzene	ND	0.62		µg/L
Ethyl benzene	7	0.03		µg/L
1,1,1,2-Tetrachloroethane	ND	0.25		µg/L
Xylenes	4	0.09		µg/L
Styrene	ND	0.23		µg/L
Isopropylbenzene	1	0.10		µg/L
Bromoform	ND	0.12		µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508337-03

Operational Tech

SAMPLE ID: 06-025MW

ANALYTICAL DATA (continued)			
PARAMETER	RESULTS	MDL*	UNITS
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	1	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	0.5	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	2	0.05	µg/L
sec-Butylbenzene	0.3	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	0.6	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	B 2	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L
SURROGATES		% RECOVERY	
1-Chloro-2-Fluorobenzene		100	

ANALYZED BY: JZL

DATE/TIME: 08/09/95 22:52:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Method Detection Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS: B - Compound detected in method blank

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.

SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508337-03

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN:- Mike Giles

DATE: 08/22/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Optech
SAMPLE ID: 06-025MW

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/08/95 17:00:00
DATE RECEIVED: 08/09/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Petroleum extractables	ND	0.5	mg/L	
METHOD 418.1*				
Analyzed by: DR				
Date: 08/11/95 09:00:00				

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508405-04

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/22/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Optech
SAMPLE ID: 06-026MW

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/09/95 15:50:00
DATE RECEIVED: 08/10/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	ND	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
Methylene Chloride	ND	1.0	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	0.2	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	24	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	1	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	38	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	13	0.09	µg/L
Styrene	0.8	0.23	µg/L
Isopropylbenzene	3	0.10	µg/L
Bromoform	ND	0.12	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508405-04

Operational Tech

SAMPLE ID: 06-026MW

ANALYTICAL DATA (continued)

PARAMETER	RESULTS	PQL*	UNITS
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	4	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	2	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	0.4	0.06	µg/L
p-Isopropyltoluene	0.4	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	ND	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	B 6	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

% RECOVERY

1-Chloro-2-Fluorobenzene

98

ANALYZED BY: JZL

DATE/TIME: 08/10/95 20:11:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508405-04

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/22/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Optech
SAMPLE ID: 06-026MW


PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/09/95 15:50:00
DATE RECEIVED: 08/10/95

ANALYTICAL DATA			
PARAMETER	RESULTS	DETECTION LIMIT	UNITS
Petroleum extractables METHOD 418.1* Analyzed by: RN Date: 08/15/95 09:00:00	ND	0.5	mg/L

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507479-06

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/14/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: 06-016 BH

PROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 07/14/95 21:00:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Petroleum Extractables	39	10	mg/Kg	
METHOD Mod. 418.1*				
Analyzed by: DR				
Date: 07/28/95 09:00:00				

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506C03-01

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

07/19/95

PROJECT: Sky Harbor RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-018 MW Composite

PROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 06/28/95
DATE RECEIVED: 06/30/95

ANALYTICAL DATA				
PARAMETER	RESULTS	PQL*	UNITS	
Acetone	ND	100	ug/Kg	
Benzene	ND	5	ug/Kg	
Bromodichloromethane	ND	5	ug/Kg	
Bromoform	ND	5	ug/Kg	
Bromomethane	ND	10	ug/Kg	
2-Butanone	ND	20	ug/Kg	
Carbon Disulfide	ND	5	ug/Kg	
Carbon Tetrachloride	ND	5	ug/Kg	
Chlorobenzene	ND	5	ug/Kg	
Chloroethane	ND	10	ug/Kg	
2-Chloroethylvinylether	ND	10	ug/Kg	
Chloroform	ND	5	ug/Kg	
Chloromethane	ND	10	ug/Kg	
Dibromochloromethane	ND	5	ug/Kg	
1,1-Dichloroethane	ND	5	ug/Kg	
1,1-Dichloroethene	ND	5	ug/Kg	
1,2-Dichloroethane	ND	5	ug/Kg	
total-1,2-Dichloroethene	ND	5	ug/Kg	
1,2-Dichloropropane	ND	5	ug/Kg	
cis-1,3-Dichloropropene	ND	5	ug/Kg	
trans-1,3-Dichloropropene	ND	5	ug/Kg	
Ethylbenzene	ND	5	ug/Kg	
2-Hexanone	ND	10	ug/Kg	
Methylene Chloride	ND	5	ug/Kg	
4-Methyl-2-Pentanone	ND	10	ug/Kg	
Styrene	ND	5	ug/Kg	
1,1,2,2-Tetrachloroethane	ND	5	ug/Kg	
Tetrachloroethene	ND	5	ug/Kg	
Toluene	ND	5	ug/Kg	
1,1,1-Trichloroethane	ND	5	ug/Kg	
1,1,2-Trichloroethane	ND	5	ug/Kg	
Trichloroethene	ND	5	ug/Kg	
Trichlorofluoromethane	ND	5	ug/Kg	
Vinyl Acetate	ND	10	ug/Kg	
Vinyl Chloride	ND	10	ug/Kg	
Xylenes (total)	ND	5	ug/Kg	

METHOD: 8240, Volatile Organics - Soil
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506C03-01

Operational Tech

SAMPLE ID: 06-018 MW Composite

SURROGATES	AMOUNT SPIKED	% RECOVERY	LOWER LIMIT	UPPER LIMIT
1,2-Dichloroethane-d4	50 ug/Kg	94	70	121
Toluene-d8	50 ug/Kg	100	84	138
4-Bromofluorobenzene	50 ug/Kg	96	59	113

ANALYZED BY: HLW

DATE/TIME: 06/30/95 12:44:00

METHOD: 8240, Volatile Organics - Soil

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8860 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506C03-01

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 07/19/95

PROJECT: Sky Harbor RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-018 MW Composite

PROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 06/28/95
DATE RECEIVED: 06/30/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Moisture METHOD CLP SOW Analyzed by: DSE Date: 07/11/95	10	1	wt. %	
Total Petroleum Hydrocarbons 418.1AZ Analyzed by: RS Date: 07/12/95 08:00:00	ND	20	mg/Kg	

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506C03-02

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

07/19/95

PROJECT: Sky Harbor RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-019 MW Composite

PROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 06/28/95
DATE RECEIVED: 06/30/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Acetone	ND	100	ug/Kg
Benzene	ND	5	ug/Kg
Bromodichloromethane	ND	5	ug/Kg
Bromoform	ND	5	ug/Kg
Bromomethane	ND	10	ug/Kg
2-Butanone	ND	20	ug/Kg
Carbon Disulfide	ND	5	ug/Kg
Carbon Tetrachloride	ND	5	ug/Kg
Chlorobenzene	ND	5	ug/Kg
Chloroethane	ND	10	ug/Kg
2-Chloroethylvinylether	ND	10	ug/Kg
Chloroform	ND	5	ug/Kg
Chloromethane	ND	10	ug/Kg
Dibromochloromethane	ND	5	ug/Kg
1,1-Dichloroethane	ND	5	ug/Kg
1,1-Dichloroethene	ND	5	ug/Kg
1,2-Dichloroethane	ND	5	ug/Kg
total-1,2-Dichloroethene	ND	5	ug/Kg
1,2-Dichloropropane	ND	5	ug/Kg
cis-1,3-Dichloropropene	ND	5	ug/Kg
trans-1,3-Dichloropropene	ND	5	ug/Kg
Ethylbenzene	ND	5	ug/Kg
2-Hexanone	ND	10	ug/Kg
Methylene Chloride	ND	5	ug/Kg
4-Methyl-2-Pentanone	ND	10	ug/Kg
Styrene	ND	5	ug/Kg
1,1,2,2-Tetrachloroethane	ND	5	ug/Kg
Tetrachloroethene	ND	5	ug/Kg
Toluene	ND	5	ug/Kg
1,1,1-Trichloroethane	ND	5	ug/Kg
1,1,2-Trichloroethane	ND	5	ug/Kg
Trichloroethene	ND	5	ug/Kg
Trichlorofluoromethane	ND	5	ug/Kg
Vinyl Acetate	ND	10	ug/Kg
Vinyl Chloride	ND	10	ug/Kg
Xylenes (total)	ND	5	ug/Kg

METHOD: 8240, Volatile Organics - Soil
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506C03-02

Operational Tech

SAMPLE ID: 06-019 MW Composite

SURROGATES	AMOUNT SPIKED	% RECOVERY	LOWER LIMIT	UPPER LIMIT
1,2-Dichloroethane-d4	50 ug/Kg	94	70	121
Toluene-d8	50 ug/Kg	98	84	138
4-Bromofluorobenzene	50 ug/Kg	96	59	113

ANALYZED BY: HLW

DATE/TIME: 06/30/95 13:08:00

METHOD: 8240, Volatile Organics - Soil

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506C03-02

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 07/19/95

PROJECT: Sky Harbor RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-019 MW Composite


PROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 06/28/95
DATE RECEIVED: 06/30/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Moisture METHOD CLP SOW Analyzed by: DSE Date: 07/11/95	4	1	wt. %	
Total Petroleum Hydrocarbons 418.1AZ Analyzed by: RS Date: 07/12/95 08:00:00	ND	20	mg/Kg	

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506A50-05

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

07/17/95

PROJECT: Sky Harbour RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-020MW Composite

PROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 06/26/95
DATE RECEIVED: 06/27/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Acetone	ND	100	ug/Kg
Benzene	ND	5	ug/Kg
Bromodichloromethane	ND	5	ug/Kg
Bromoform	ND	5	ug/Kg
Bromomethane	ND	10	ug/Kg
2-Butanone	ND	20	ug/Kg
Carbon Disulfide	ND	5	ug/Kg
Carbon Tetrachloride	ND	5	ug/Kg
Chlorobenzene	ND	5	ug/Kg
Chloroethane	ND	10	ug/Kg
2-Chloroethylvinylether	ND	10	ug/Kg
Chloroform	ND	5	ug/Kg
Chloromethane	ND	10	ug/Kg
Dibromochloromethane	ND	5	ug/Kg
1,1-Dichloroethane	ND	5	ug/Kg
1,1-Dichloroethene	ND	5	ug/Kg
1,2-Dichloroethane	ND	5	ug/Kg
total-1,2-Dichloroethene	ND	5	ug/Kg
1,2-Dichloropropane	ND	5	ug/Kg
cis-1,3-Dichloropropene	ND	5	ug/Kg
trans-1,3-Dichloropropene	ND	5	ug/Kg
Ethylbenzene	ND	5	ug/Kg
2-Hexanone	ND	10	ug/Kg
Methylene Chloride	ND	5	ug/Kg
4-Methyl-2-Pentanone	ND	10	ug/Kg
Styrene	ND	5	ug/Kg
1,1,2,2-Tetrachloroethane	ND	5	ug/Kg
Tetrachloroethene	ND	5	ug/Kg
Toluene	ND	5	ug/Kg
1,1,1-Trichloroethane	ND	5	ug/Kg
1,1,2-Trichloroethane	ND	5	ug/Kg
Trichloroethene	ND	5	ug/Kg
Trichlorofluoromethane	ND	5	ug/Kg
Vinyl Acetate	ND	10	ug/Kg
Vinyl Chloride	ND	10	ug/Kg
Xylenes (total)	ND	5	ug/Kg

METHOD: 8240, Volatile Organics - Soil
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506A50-05

Operational Tech

SAMPLE ID: 06-020MW Composite

SURROGATES	AMOUNT SPIKED	% RECOVERY	LOWER LIMIT	UPPER LIMIT
1,2-Dichloroethane-d4	50 ug/Kg	96	70	121
Toluene-d8	50 ug/Kg	102	84	138
4-Bromofluorobenzene	50 ug/Kg	98	59	113

ANALYZED BY: HLW

DATE/TIME: 06/28/95 18:32:00

METHOD: 8240, Volatile Organics - Soil

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.



HOUSTON LABORATORY

8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506A50-05

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 07/17/95

PROJECT: Sky Harbour RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-020MW CompositePROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 06/26/95
DATE RECEIVED: 06/27/95

ANALYTICAL DATA			
PARAMETER	RESULTS	DETECTION LIMIT	UNITS
Moisture METHOD CLP SOW Analyzed by: CM Date: 07/07/95	10	1	wt.
Total Petroleum Hydrocarbons 418.1AZ Analyzed by: RS Date: 06/30/95 09:00:00	ND	20	mg/Kg

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.



HOUSTON LABORATORY

8880 INTERCHANGE DRIVE

HOUSTON, TEXAS 77054

PHONE (713) 660-0901

Certificate of Analysis No. H9-9506A50-01

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

07/17/95

PROJECT: Sky Harbour RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-021MW Composite

PROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 06/23/95
DATE RECEIVED: 06/27/95

ANALYTICAL DATA

PARAMETER	RESULTS	PQL*	UNITS
Acetone	ND	100	ug/Kg
Benzene	16	5	ug/Kg
Bromodichloromethane	ND	5	ug/Kg
Bromoform	ND	5	ug/Kg
Bromomethane	ND	10	ug/Kg
2-Butanone	ND	20	ug/Kg
Carbon Disulfide	ND	5	ug/Kg
Carbon Tetrachloride	ND	5	ug/Kg
Chlorobenzene	ND	5	ug/Kg
Chloroethane	ND	10	ug/Kg
2-Chloroethylvinylether	ND	10	ug/Kg
Chloroform	ND	5	ug/Kg
Chloromethane	ND	10	ug/Kg
Dibromochloromethane	ND	5	ug/Kg
1,1-Dichloroethane	ND	5	ug/Kg
1,1-Dichloroethene	ND	5	ug/Kg
1,2-Dichloroethane	ND	5	ug/Kg
total-1,2-Dichloroethene	ND	5	ug/Kg
1,2-Dichloropropane	ND	5	ug/Kg
cis-1,3-Dichloropropene	ND	5	ug/Kg
trans-1,3-Dichloropropene	ND	5	ug/Kg
Ethylbenzene	78	5	ug/Kg
2-Hexanone	ND	10	ug/Kg
Methylene Chloride	ND	5	ug/Kg
4-Methyl-2-Pentanone	ND	10	ug/Kg
Styrene	ND	5	ug/Kg
1,1,2,2-Tetrachloroethane	ND	5	ug/Kg
Tetrachloroethene	ND	5	ug/Kg
Toluene	ND	5	ug/Kg
1,1,1-Trichloroethane	ND	5	ug/Kg
1,1,2-Trichloroethane	ND	5	ug/Kg
Trichloroethene	ND	5	ug/Kg
Trichlorofluoromethane	ND	5	ug/Kg
Vinyl Acetate	ND	10	ug/Kg
Vinyl Chloride	ND	10	ug/Kg
Xylenes (total)	130	5	ug/Kg

METHOD: 8240, Volatile Organics - Soil
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506A50-01

Operational Tech

SAMPLE ID: 06-021MW Composite

SURROGATES	AMOUNT SPIKED	% RECOVERY	LOWER LIMIT	UPPER LIMIT
1,2-Dichloroethane-d4	50 ug/Kg	96	70	121
Toluene-d8	50 ug/Kg	96	84	138
4-Bromofluorobenzene	50 ug/Kg	106	59	113

ANALYZED BY: HLW

DATE/TIME: 06/28/95 16:53:00

METHOD: 8240, Volatile Organics - Soil

NOTES: * - Practical Quantitation Limit
NA - Not Analyzed

ND - Not Detected

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506A50-01

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 07/17/95

PROJECT: Sky Harbour RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-021MW Composite

PROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 06/23/95
DATE RECEIVED: 06/27/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Moisture METHOD CLP SOW Analyzed by: CM Date: 07/07/95	19	1	wt. %	
Total Petroleum Hydrocarbons 418.1AZ Analyzed by: RS Date: 06/30/95 09:00:00	ND	20	mg/Kg	

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.



HOUSTON LABORATORY

8880 INTERCHANGE DRIVE

HOUSTON, TEXAS 77054

PHONE (713) 660-0901

Certificate of Analysis No. H9-9506A50-04

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

07/17/95

PROJECT: Sky Harbour RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-022MW Composite

PROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 06/25/95
DATE RECEIVED: 06/27/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Acetone	ND	100	ug/Kg
Benzene	82	5	ug/Kg
Bromodichloromethane	ND	5	ug/Kg
Bromoform	ND	5	ug/Kg
Bromomethane	ND	10	ug/Kg
2-Butanone	ND	20	ug/Kg
Carbon Disulfide	ND	5	ug/Kg
Carbon Tetrachloride	ND	5	ug/Kg
Chlorobenzene	ND	5	ug/Kg
Chloroethane	ND	10	ug/Kg
2-Chloroethylvinylether	ND	10	ug/Kg
Chloroform	ND	5	ug/Kg
Chloromethane	ND	10	ug/Kg
Dibromochloromethane	ND	5	ug/Kg
1,1-Dichloroethane	ND	5	ug/Kg
1,1-Dichloroethene	ND	5	ug/Kg
1,2-Dichloroethane	ND	5	ug/Kg
total-1,2-Dichloroethene	ND	5	ug/Kg
1,2-Dichloropropane	ND	5	ug/Kg
cis-1,3-Dichloropropene	ND	5	ug/Kg
trans-1,3-Dichloropropene	ND	5	ug/Kg
Ethylbenzene	100	5	ug/Kg
2-Hexanone	ND	10	ug/Kg
Methylene Chloride	ND	5	ug/Kg
4-Methyl-2-Pentanone	ND	10	ug/Kg
Styrene	ND	5	ug/Kg
1,1,2,2-Tetrachloroethane	ND	5	ug/Kg
Tetrachloroethene	ND	5	ug/Kg
Toluene	ND	5	ug/Kg
1,1,1-Trichloroethane	ND	5	ug/Kg
1,1,2-Trichloroethane	ND	5	ug/Kg
Trichloroethene	ND	5	ug/Kg
Trichlorofluoromethane	ND	5	ug/Kg
Vinyl Acetate	ND	10	ug/Kg
Vinyl Chloride	ND	10	ug/Kg
Xylenes (total)	65	5	ug/Kg

METHOD: 8240, Volatile Organics - Soil
(continued on next page)



HOUSTON LABORATORY

8880 INTERCHANGE DRIVE

HOUSTON, TEXAS 77054

PHONE (713) 660-0901

Certificate of Analysis No. H9-9506A50-04

Operational Tech

SAMPLE ID: 06-022MW Composite

SURROGATES	AMOUNT SPIKED	% RECOVERY	LOWER LIMIT	UPPER LIMIT
1,2-Dichloroethane-d4	50 ug/Kg	96	70	121
Toluene-d8	50 ug/Kg	98	84	138
4-Bromofluorobenzene	50 ug/Kg	106	59	113

ANALYZED BY: HLW

DATE/TIME: 06/28/95 18:08:00

METHOD: 8240, Volatile Organics - Soil

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506A50-04

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 07/17/95

PROJECT: Sky Harbour RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-022MW Composite

PROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 06/25/95
DATE RECEIVED: 06/27/95

ANALYTICAL DATA			
PARAMETER	RESULTS	DETECTION LIMIT	UNITS
Moisture	10	1	wt.
METHOD CLP SOW			
Analyzed by: CM			
Date: 07/07/95			
Total Petroleum Hydrocarbons	ND	20	mg/Kg
418.1AZ			
Analyzed by: RS			
Date: 06/30/95 09:00:00			

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506A50-03

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

07/17/95

PROJECT: Sky Harbour RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-023MW Composite

PROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 06/25/95
DATE RECEIVED: 06/27/95

ANALYTICAL DATA				
PARAMETER	RESULTS	PQL*	UNITS	
Acetone	ND	100	ug/Kg	
Benzene	ND	5	ug/Kg	
Bromodichloromethane	ND	5	ug/Kg	
Bromoform	ND	5	ug/Kg	
Bromomethane	ND	10	ug/Kg	
2-Butanone	ND	20	ug/Kg	
Carbon Disulfide	ND	5	ug/Kg	
Carbon Tetrachloride	ND	5	ug/Kg	
Chlorobenzene	ND	5	ug/Kg	
Chloroethane	ND	10	ug/Kg	
2-Chloroethylvinylether	ND	10	ug/Kg	
Chloroform	ND	5	ug/Kg	
Chloromethane	ND	10	ug/Kg	
Dibromochloromethane	ND	5	ug/Kg	
1,1-Dichloroethane	ND	5	ug/Kg	
1,1-Dichloroethene	ND	5	ug/Kg	
1,2-Dichloroethane	ND	5	ug/Kg	
total-1,2-Dichloroethene	ND	5	ug/Kg	
1,2-Dichloropropane	ND	5	ug/Kg	
cis-1,3-Dichloropropene	ND	5	ug/Kg	
trans-1,3-Dichloropropene	ND	5	ug/Kg	
Ethylbenzene	ND	5	ug/Kg	
2-Hexanone	ND	10	ug/Kg	
Methylene Chloride	ND	5	ug/Kg	
4-Methyl-2-Pentanone	ND	10	ug/Kg	
Styrene	ND	5	ug/Kg	
1,1,2,2-Tetrachloroethane	ND	5	ug/Kg	
Tetrachloroethene	ND	5	ug/Kg	
Toluene	ND	5	ug/Kg	
1,1,1-Trichloroethane	ND	5	ug/Kg	
1,1,2-Trichloroethane	ND	5	ug/Kg	
Trichloroethene	ND	5	ug/Kg	
Trichlorofluoromethane	ND	5	ug/Kg	
Vinyl Acetate	ND	10	ug/Kg	
Vinyl Chloride	ND	10	ug/Kg	
Xylenes (total)	ND	5	ug/Kg	

METHOD: 8240, Volatile Organics - Soil
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506A50-03

Operational Tech

SAMPLE ID: 06-023MW Composite

SURROGATES	AMOUNT SPIKED	% RECOVERY	LOWER LIMIT	UPPER LIMIT
1,2-Dichloroethane-d4	50 ug/Kg	96	70	121
Toluene-d8	50 ug/Kg	102	84	138
4-Bromofluorobenzene	50 ug/Kg	102	59	113

ANALYZED BY: HLW

DATE/TIME: 06/28/95 17:43:00

METHOD: 8240, Volatile Organics - Soil

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506A50-03

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 07/17/95

PROJECT: Sky Harbour RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-023MW Composite

PROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 06/25/95
DATE RECEIVED: 06/27/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Moisture METHOD CLP SOW Analyzed by: CM Date: 07/07/95	14	1	wt. %	
Total Petroleum Hydrocarbons 418.1AZ Analyzed by: RS Date: 06/30/95 09:00:00	ND	20	mg/Kg	

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506A50-02

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

07/17/95

PROJECT: Sky Harbour RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-024MW Composite

PROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 06/24/95
DATE RECEIVED: 06/27/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Acetone	ND	100	ug/Kg
Benzene	50	5	ug/Kg
Bromodichloromethane	ND	5	ug/Kg
Bromoform	ND	5	ug/Kg
Bromomethane	ND	10	ug/Kg
2-Butanone	ND	20	ug/Kg
Carbon Disulfide	ND	5	ug/Kg
Carbon Tetrachloride	ND	5	ug/Kg
Chlorobenzene	ND	5	ug/Kg
Chloroethane	ND	10	ug/Kg
2-Chloroethylvinylether	ND	10	ug/Kg
Chloroform	ND	5	ug/Kg
Chloromethane	ND	10	ug/Kg
Dibromochloromethane	ND	5	ug/Kg
1,1-Dichloroethane	ND	5	ug/Kg
1,1-Dichloroethene	ND	5	ug/Kg
1,2-Dichloroethane	ND	5	ug/Kg
total-1,2-Dichloroethene	ND	5	ug/Kg
1,2-Dichloropropane	ND	5	ug/Kg
cis-1,3-Dichloropropene	ND	5	ug/Kg
trans-1,3-Dichloropropene	ND	5	ug/Kg
Ethylbenzene	110	5	ug/Kg
2-Hexanone	ND	10	ug/Kg
Methylene Chloride	ND	5	ug/Kg
4-Methyl-2-Pentanone	ND	10	ug/Kg
Styrene	ND	5	ug/Kg
1,1,2,2-Tetrachloroethane	ND	5	ug/Kg
Tetrachloroethene	ND	5	ug/Kg
Toluene	89	5	ug/Kg
1,1,1-Trichloroethane	ND	5	ug/Kg
1,1,2-Trichloroethane	ND	5	ug/Kg
Trichloroethene	ND	5	ug/Kg
Trichlorofluoromethane	ND	5	ug/Kg
Vinyl Acetate	ND	10	ug/Kg
Vinyl Chloride	ND	10	ug/Kg
Xylenes (total)	230	5	ug/Kg

METHOD: 8240, Volatile Organics - Soil
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506A50-02

Operational Tech

SAMPLE ID: 06-024MW Composite

SURROGATES	AMOUNT SPIKED	% RECOVERY	LOWER LIMIT	UPPER LIMIT
1,2-Dichloroethane-d4	50 ug/Kg	94	70	121
Toluene-d8	50 ug/Kg	100	84	138
4-Bromofluorobenzene	50 ug/Kg	108	59	113

ANALYZED BY: HLW

DATE/TIME: 06/28/95 17:18:00

METHOD: 8240, Volatile Organics - Soil

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.



Certificate of Analysis No. H9-9506A50-02

HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 07/17/95

PROJECT: Sky Harbour RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-024MW Composite

PROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 06/24/95
DATE RECEIVED: 06/27/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Moisture METHOD CLP SOW Analyzed by: CM Date: 07/07/95	23	1	wt. %	
Total Petroleum Hydrocarbons 418.1AZ Analyzed by: RS Date: 06/30/95 09:00:00	ND	20	mg/Kg	

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506934-01

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

07/17/95

PROJECT: Sky Harbor RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-025 MW Composite

PROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 06/21/95
DATE RECEIVED: 06/23/95

ANALYTICAL DATA

PARAMETER	RESULTS	PQL*	UNITS
Acetone	ND	100	ug/Kg
Benzene	ND	5	ug/Kg
Bromodichloromethane	ND	5	ug/Kg
Bromoform	ND	5	ug/Kg
Bromomethane	ND	10	ug/Kg
2-Butanone	ND	20	ug/Kg
Carbon Disulfide	ND	5	ug/Kg
Carbon Tetrachloride	ND	5	ug/Kg
Chlorobenzene	ND	5	ug/Kg
Chloroethane	ND	10	ug/Kg
2-Chloroethylvinylether	ND	10	ug/Kg
Chloroform	ND	5	ug/Kg
Chloromethane	ND	10	ug/Kg
Dibromochloromethane	ND	5	ug/Kg
1,1-Dichloroethane	ND	5	ug/Kg
1,1-Dichloroethene	ND	5	ug/Kg
1,2-Dichloroethane	ND	5	ug/Kg
total-1,2-Dichloroethene	ND	5	ug/Kg
1,2-Dichloropropane	ND	5	ug/Kg
cis-1,3-Dichloropropene	ND	5	ug/Kg
trans-1,3-Dichloropropene	ND	5	ug/Kg
Ethylbenzene	ND	5	ug/Kg
2-Hexanone	ND	10	ug/Kg
Methylene Chloride	ND	5	ug/Kg
4-Methyl-2-Pentanone	ND	10	ug/Kg
Styrene	ND	5	ug/Kg
1,1,2,2-Tetrachloroethane	ND	5	ug/Kg
Tetrachloroethene	ND	5	ug/Kg
Toluene	ND	5	ug/Kg
1,1,1-Trichloroethane	ND	5	ug/Kg
1,1,2-Trichloroethane	ND	5	ug/Kg
Trichloroethene	ND	5	ug/Kg
Trichlorofluoromethane	ND	5	ug/Kg
Vinyl Acetate	ND	10	ug/Kg
Vinyl Chloride	ND	10	ug/Kg
Xylenes (total)	ND	5	ug/Kg

METHOD: 8240, Volatile Organics - Soil
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506934-01

Operational Tech

SAMPLE ID: 06-025 MW Composite

SURROGATES	AMOUNT SPIKED	% RECOVERY	LOWER LIMIT	UPPER LIMIT
1,2-Dichloroethane-d4	50 ug/Kg	94	70	121
Toluene-d8	50 ug/Kg	98	84	138
4-Bromofluorobenzene	50 ug/Kg	98	59	113

ANALYZED BY: HLW

DATE/TIME: 06/23/95 15:19:00

METHOD: 8240, Volatile Organics - Soil

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506934-01

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 07/17/95

PROJECT: Sky Harbor RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-025 MW Composite

PROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 06/21/95
DATE RECEIVED: 06/23/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Moisture METHOD CLP SOW Analyzed by: DSE Date: 06/29/95	19	1	wt. %	
Total Petroleum Hydrocarbons 418.1AZ Analyzed by: RS Date: 06/30/95 09:00:00	ND	20	mg/Kg	

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY

8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506934-02

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

07/17/95

PROJECT: Sky Harbor RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-025 MW Composite-MSPROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 06/21/95
DATE RECEIVED: 06/23/95

ANALYTICAL DATA				
PARAMETER	RESULTS	PQL*	UNITS	
Acetone	ND	100	ug/Kg	
Benzene	48	5	ug/Kg	
Bromodichloromethane	46	5	ug/Kg	
Bromoform	43	5	ug/Kg	
Bromomethane	53	10	ug/Kg	
2-Butanone	ND	20	ug/Kg	
Carbon Disulfide	46	5	ug/Kg	
Carbon Tetrachloride	44	5	ug/Kg	
Chlorobenzene	47	5	ug/Kg	
Chloroethane	51	10	ug/Kg	
2-Chloroethylvinylether	48	10	ug/Kg	
Chloroform	49	5	ug/Kg	
Chloromethane	77	10	ug/Kg	
Dibromochloromethane	45	5	ug/Kg	
1,1-Dichloroethane	49	5	ug/Kg	
1,1-Dichloroethene	49	5	ug/Kg	
1,2-Dichloroethane	48	5	ug/Kg	
total-1,2-Dichloroethene	96	5	ug/Kg	
1,2-Dichloropropane	49	5	ug/Kg	
cis-1,3-Dichloropropene	44	5	ug/Kg	
trans-1,3-Dichloropropene	46	5	ug/Kg	
Ethylbenzene	46	5	ug/Kg	
2-Hexanone	16	10	ug/Kg	
Methylene Chloride	52	5	ug/Kg	
4-Methyl-2-Pentanone	35	10	ug/Kg	
Styrene	48	5	ug/Kg	
1,1,2,2-Tetrachloroethane	27	5	ug/Kg	
Tetrachloroethene	42	5	ug/Kg	
Toluene	49	5	ug/Kg	
1,1,1-Trichloroethane	47	5	ug/Kg	
1,1,2-Trichloroethane	48	5	ug/Kg	
Trichloroethene	50	5	ug/Kg	
Trichlorofluoromethane	49	5	ug/Kg	
Vinyl Acetate	30	10	ug/Kg	
Vinyl Chloride	49	10	ug/Kg	
Xylenes (total)	130	5	ug/Kg	

METHOD: 8240, Volatile Organics - Soil
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506934-02

Operational Tech

SAMPLE ID: 06-025 MW Composite-MS

SURROGATES	AMOUNT SPIKED	% RECOVERY	LOWER LIMIT	UPPER LIMIT
1,2-Dichloroethane-d4	50 ug/Kg	92	70	121
Toluene-d8	50 ug/Kg	100	84	138
4-Bromofluorobenzene	50 ug/Kg	100	59	113

ANALYZED BY: HLW

DATE/TIME: 06/23/95 15:43:00

METHOD: 8240, Volatile Organics - Soil

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050

**HOUSTON LABORATORY**

6880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506934-02

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 07/17/95

PROJECT: Sky Harbor RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-025 MW Composite-MS

PROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 06/21/95
DATE RECEIVED: 06/23/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Total Petroleum Hydrocarbons 418.1AZ	39	20	mg/Kg	
Analyzed by: RS				
Date: 06/30/95 09:00:00				

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506934-03

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

07/17/95

PROJECT: Sky Harbor RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-025 MW Composite-MSD

PROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 06/21/95
DATE RECEIVED: 06/23/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Acetone	ND	100	ug/Kg
Benzene	47	5	ug/Kg
Bromodichloromethane	46	5	ug/Kg
Bromoform	47	5	ug/Kg
Bromomethane	50	10	ug/Kg
2-Butanone	22	20	ug/Kg
Carbon Disulfide	46	5	ug/Kg
Carbon Tetrachloride	45	5	ug/Kg
Chlorobenzene	47	5	ug/Kg
Chloroethane	62	10	ug/Kg
2-Chloroethylvinylether	48	10	ug/Kg
Chloroform	48	5	ug/Kg
Chloromethane	48	10	ug/Kg
Dibromochloromethane	47	5	ug/Kg
1,1-Dichloroethane	48	5	ug/Kg
1,1-Dichloroethene	48	5	ug/Kg
1,2-Dichloroethane	48	5	ug/Kg
total-1,2-Dichloroethene	93	5	ug/Kg
1,2-Dichloropropane	47	5	ug/Kg
cis-1,3-Dichloropropene	45	5	ug/Kg
trans-1,3-Dichloropropene	47	5	ug/Kg
Ethylbenzene	46	5	ug/Kg
2-Hexanone	24	10	ug/Kg
Methylene Chloride	50	5	ug/Kg
4-Methyl-2-Pentanone	40	10	ug/Kg
Styrene	48	5	ug/Kg
1,1,2,2-Tetrachloroethane	37	5	ug/Kg
Tetrachloroethene	42	5	ug/Kg
Toluene	48	5	ug/Kg
1,1,1-Trichloroethane	46	5	ug/Kg
1,1,2-Trichloroethane	49	5	ug/Kg
Trichloroethene	49	5	ug/Kg
Trichlorofluoromethane	50	5	ug/Kg
Vinyl Acetate	40	10	ug/Kg
Vinyl Chloride	48	10	ug/Kg
Xylenes (total)	140	5	ug/Kg

METHOD: 8240, Volatile Organics - Soil
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506934-03

Operational Tech

SAMPLE ID: 06-025 MW Composite-MSD

SURROGATES	AMOUNT SPIKED	% RECOVERY	LOWER LIMIT	UPPER LIMIT
1,2-Dichloroethane-d4	50 ug/Kg	100	70	121
Toluene-d8	50 ug/Kg	100	84	138
4-Bromofluorobenzene	50 ug/Kg	100	59	113

ANALYZED BY: HLW

DATE/TIME: 06/23/95 16:08:00

METHOD: 8240, Volatile Organics - Soil

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506934-03

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 07/17/95

PROJECT: Sky Harbor RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-025 MW Composite-MSD

PROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 06/21/95
DATE RECEIVED: 06/23/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Total Petroleum Hydrocarbons	39	20	mg/Kg	
418.1AZ				
Analyzed by: RS				
Date: 06/30/95 09:00:00				

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506934-04

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

07/17/95

PROJECT: Sky Harbor RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-026 MW Composite

PROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 06/22/95
DATE RECEIVED: 06/23/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Acetone	ND	100	ug/Kg
Benzene	ND	5	ug/Kg
Bromodichloromethane	ND	5	ug/Kg
Bromoform	ND	5	ug/Kg
Bromomethane	ND	10	ug/Kg
2-Butanone	ND	20	ug/Kg
Carbon Disulfide	ND	5	ug/Kg
Carbon Tetrachloride	ND	5	ug/Kg
Chlorobenzene	ND	5	ug/Kg
Chloroethane	ND	10	ug/Kg
2-Chloroethylvinylether	ND	10	ug/Kg
Chloroform	ND	5	ug/Kg
Chloromethane	ND	10	ug/Kg
Dibromochloromethane	ND	5	ug/Kg
1,1-Dichloroethane	ND	5	ug/Kg
1,1-Dichloroethene	ND	5	ug/Kg
1,2-Dichloroethane	ND	5	ug/Kg
total-1,2-Dichloroethene	ND	5	ug/Kg
1,2-Dichloropropane	ND	5	ug/Kg
cis-1,3-Dichloropropene	ND	5	ug/Kg
trans-1,3-Dichloropropene	ND	5	ug/Kg
Ethylbenzene	ND	5	ug/Kg
2-Hexanone	ND	10	ug/Kg
Methylene Chloride	ND	5	ug/Kg
4-Methyl-2-Pentanone	ND	10	ug/Kg
Styrene	ND	5	ug/Kg
1,1,2,2-Tetrachloroethane	ND	5	ug/Kg
Tetrachloroethene	ND	5	ug/Kg
Toluene	ND	5	ug/Kg
1,1,1-Trichloroethane	ND	5	ug/Kg
1,1,2-Trichloroethane	ND	5	ug/Kg
Trichloroethene	ND	5	ug/Kg
Trichlorofluoromethane	ND	5	ug/Kg
Vinyl Acetate	ND	10	ug/Kg
Vinyl Chloride	ND	10	ug/Kg
Xylenes (total)	ND	5	ug/Kg

METHOD: 8240, Volatile Organics - Soil
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506934-04

Operational Tech

SAMPLE ID: 06-026 MW Composite

SURROGATES	AMOUNT SPIKED	% RECOVERY	LOWER LIMIT	UPPER LIMIT
1,2-Dichloroethane-d4	50 ug/Kg	96	70	121
Toluene-d8	50 ug/Kg	100	84	138
4-Bromofluorobenzene	50 ug/Kg	98	59	113

ANALYZED BY: HLW

DATE/TIME: 06/23/95 16:33:00

METHOD: 8240, Volatile Organics - Soil

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506934-04

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 07/17/95

PROJECT: Sky Harbor RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-026 MW Composite

PROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 06/22/95
DATE RECEIVED: 06/23/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Moisture	19	1	wt. %	
METHOD CLP SOW				
Analyzed by: DSE				
Date: 06/29/95				
Total Petroleum Hydrocarbons	ND	20	mg/Kg	
418.1AZ				
Analyzed by: RS				
Date: 06/30/95 09:00:00				

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506934-05

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

07/17/95

PROJECT: Sky Harbor RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-026 MW Composite-DUP

PROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 06/22/95
DATE RECEIVED: 06/23/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Acetone	ND	100	ug/Kg
Benzene	ND	5	ug/Kg
Bromodichloromethane	ND	5	ug/Kg
Bromoform	ND	5	ug/Kg
Bromomethane	ND	10	ug/Kg
2-Butanone	ND	20	ug/Kg
Carbon Disulfide	ND	5	ug/Kg
Carbon Tetrachloride	ND	5	ug/Kg
Chlorobenzene	ND	5	ug/Kg
Chloroethane	ND	10	ug/Kg
2-Chloroethylvinylether	ND	10	ug/Kg
Chloroform	ND	5	ug/Kg
Chloromethane	ND	10	ug/Kg
Dibromochloromethane	ND	5	ug/Kg
1,1-Dichloroethane	ND	5	ug/Kg
1,1-Dichloroethene	ND	5	ug/Kg
1,2-Dichloroethane	ND	5	ug/Kg
total-1,2-Dichloroethene	ND	5	ug/Kg
1,2-Dichloropropane	ND	5	ug/Kg
cis-1,3-Dichloropropene	ND	5	ug/Kg
trans-1,3-Dichloropropene	ND	5	ug/Kg
Ethylbenzene	ND	5	ug/Kg
2-Hexanone	ND	10	ug/Kg
Methylene Chloride	ND	5	ug/Kg
4-Methyl-2-Pentanone	ND	10	ug/Kg
Styrene	ND	5	ug/Kg
1,1,2,2-Tetrachloroethane	ND	5	ug/Kg
Tetrachloroethene	ND	5	ug/Kg
Toluene	ND	5	ug/Kg
1,1,1-Trichloroethane	ND	5	ug/Kg
1,1,2-Trichloroethane	ND	5	ug/Kg
Trichloroethene	ND	5	ug/Kg
Trichlorofluoromethane	ND	5	ug/Kg
Vinyl Acetate	ND	10	ug/Kg
Vinyl Chloride	ND	10	ug/Kg
Xylenes (total)	ND	5	ug/Kg

METHOD: 8240, Volatile Organics - Soil
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506934-05

Operational Tech

SAMPLE ID: 06-026 MW Composite-DUP

SURROGATES	AMOUNT SPIKED	% RECOVERY	LOWER LIMIT	UPPER LIMIT
1,2-Dichloroethane-d4	50 ug/Kg	94	70	121
Toluene-d8	50 ug/Kg	100	84	138
4-Bromofluorobenzene	50 ug/Kg	100	59	113

ANALYZED BY: HLW

DATE/TIME: 06/23/95 16:57:00

METHOD: 8240, Volatile Organics - Soil

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506934-05

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 07/17/95

PROJECT: Sky Harbor RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-026 MW Composite-DUP

PROJECT NO: 1315-227
MATRIX: SOIL
DATE SAMPLED: 06/22/95
DATE RECEIVED: 06/23/95

ANALYTICAL DATA			
PARAMETER	RESULTS	DETECTION LIMIT	UNITS
Total Petroleum Hydrocarbons 418.1AZ	ND	20	mg/Kg
Analyzed by: RS			
Date: 06/30/95 09:00:00			

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050

Table E.3
Primary List of VOCs Detected in Groundwater QA/QC Samples at IRP Site No. 6
161st ARG, Arizona ANG, Phoenix, Arizona

Sample ID Number	Date	Toluene (µg/L)	M,P-Xylenes (µg/L)	O-Xylene (µg/L)	Styrene (µg/L)
Trip Blank (1)	7/13/95	0.1	0.3B	0.3B	0.8B
Trip Blank (2)	7/13/95	0.1	0.3B	0.3B	0.8B
Trip Blank (3)	7/13/95	ND	0.1B	0.1B	ND
Trip Blank (4)	7/14/95	ND	ND	ND	0.8
Trip Blank (5)	7/14/95	ND	ND	ND	0.8
Trip Blank (6)	7/14/95	ND	ND	ND	ND
Trip Blank (7)	8/8/95	ND	0.2	0.2	ND
Trip Blank (8)	8/9/95	ND	0.1	0.1	ND
Trip Blank (9)	8/10/95	ND	0.1	0.1	ND
Trip Blank (10)	8/10/95	ND	ND	ND	ND
Equip Blank	7/14/95	ND	ND	ND	0.9
Equip Blank	7/14/95	ND	ND	ND	ND
Equip Blank	8/10/95	0.2	0.1	0.1	ND
Field Blank	7/14/95	ND	ND	ND	ND
Field Blank	7/14/95	ND	ND	ND	ND
Field Blank	8/10/95	0.2	0.1	0.1	ND

µg/L - micrograms per liter.
M,P-Xylenes - Meta, Para-Xylene (Total).
O-Xylene - Ortho-Xylene.

VOCs - Volatile Organic Compounds.

IRP - Installation Restoration Program.
MWS and MW - Monitoring Well.
ADEQ - Arizona Department of Environmental Quality.

Table E.4
Secondary List of VOCs Detected in Groundwater QA/QC Samples at IRP Site No. 6
161st ARG, Arizona ANG, Phoenix, Arizona

Sample ID Number	Date	1,2,4-Trimethyl benzene (µg/L)	N-Butyl-benzene (µg/L)	1,2-Dichlorobenzene	Naphthalene (µg/L)	Hexachlorobutadiene	1,2,3-Trichloropropane	1,2,3-Trichlorobenzene	Chloromethane
Trip Blank (1)	7/13/95	0.3	0.2	0.5	2.0B	0.6	ND	0.6	ND
Trip Blank (2)	7/13/95	0.3	0.2	0.5	2.0B	0.6	ND	0.6	ND
Trip Blank (3)	7/13/95	ND	ND	ND	ND	ND	ND	ND	ND
Trip Blank (4)	7/14/95	ND	ND	ND	ND	ND	ND	ND	ND
Trip Blank (5)	7/14/95	ND	ND	ND	ND	ND	ND	ND	ND
Trip Blank (6)	7/14/95	ND	ND	ND	ND	ND	ND	ND	ND
Trip Blank (7)	8/8/95	ND	0.2	ND	ND	ND	ND	ND	ND
Trip Blank (8)	8/9/95	ND	ND	ND	ND	ND	ND	ND	ND
Trip Blank (9)	8/10/95	ND	ND	ND	ND	ND	ND	ND	ND
Trip Blank (10)	8/10/95	ND	ND	ND	ND	ND	ND	ND	ND
Equip Blank	7/14/95	ND	ND	ND	ND	ND	ND	ND	ND
Equip Blank	7/14/95	ND	ND	ND	ND	ND	0.2	ND	ND
Equip Blank	8/10/95	ND	ND	ND	ND	ND	ND	ND	ND
Field Blank	7/14/95	ND	ND	ND	ND	ND	0.3	ND	2
Field Blank	7/14/95	ND	ND	ND	ND	ND	0.8	ND	2
Field Blank	8/10/95	ND	ND	ND	ND	ND	ND	ND	0.5

µg/L – micrograms per liter.

MWS and MW – Monitoring Well.

VOCs – Volatile Organic Compounds.

IRP – Installation Restoration Program.

Dup – Duplicate.

SECTION E ANALYTICAL RESULTS FOR GROUNDWATER AND COMPOSITE SOIL SAMPLES AND ANALYTICAL RESULTS FOR QUALITY ASSURANCE/ QUALITY CONTROL SAMPLES

Low concentrations of six compounds were detected in Trip Blanks from 13 July 1995. However, with the exception of monitoring well 06-005MW, all monitoring wells sampled on 13 July 1995 were resampled in August 1995. In addition, low levels xylenes, styrenes, and naphthalene were detected in the trip blanks from 13 July 1995 and were also detected in laboratory blanks indicating these compounds were laboratory contamination. Therefore, the naphthalene and styrene detected in 06-005MW may be laboratory contamination.

Low concentrations of xylenes were detected in the trip blanks from the August 1995 resampling of monitoring wells 06-018MW through 06-026MW. The levels of xylenes detected in the trip blanks are orders of magnitude below any action levels and do not impact the sampling results. Low concentrations of xylenes, toluene, styrenes, 1,2,3-Trichlorobenzene, and chloromethane were detected in the trip blanks and equipment blanks from the August 1995 resampling of monitoring wells 06-018MW through 06-026MW. These levels detected in the equipment blanks are orders of magnitude below any action levels and do not impact the sampling results.

VOC surrogate recoveries for groundwater samples from the first round ranged from 85% to 104% for 1-chloro-2-fluorobenzene.

VOC surrogate recoveries for SOIL samples Ranged from 70% to 121% for 1,2-dichloroethane, 84% to 138% for toluene d8, and 59% to 113% for Bromofluorobenzene. ALL were in of range.

THIS PAGE INTENTIONALLY LEFT BLANK



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507438-09

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/07/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Provided by SPL
SAMPLE ID: Trip Blank

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/07/95
DATE RECEIVED: 07/14/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	ND	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	ND	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	ND	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	ND	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	0.1	0.09	µg/L
Styrene	ND	0.23	µg/L
Isopropylbenzene	ND	0.10	µg/L
Bromoform	ND	0.12	µg/L
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507438-09

Operational Tech

SAMPLE ID: Trip Blank

ANALYTICAL DATA (continued)			
PARAMETER	RESULTS	PQL*	UNITS
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	ND	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	ND	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	ND	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	ND	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

1-Chloro-2-Fluorobenzene

% RECOVERY

85

ANALYZED BY: JZL

DATE/TIME: 07/22/95 18:20:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY

8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507438-08

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/07/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: Equipt BlankPROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/13/95 16:00:00
DATE RECEIVED: 07/14/95

PARAMETER	ANALYTICAL DATA			UNITS
	RESULTS	PQL*		
Dichlorodifluoromethane	ND	1.1		µg/L
Chloromethane	1	0.15		µg/L
Vinyl chloride	ND	0.21		µg/L
Bromomethane	ND	0.17		µg/L
Chloroethane	ND	0.18		µg/L
Trichlorofluoromethane	ND	0.34		µg/L
1,1-Dichloroethene	ND	0.19		µg/L
trans-1,2-Dichloroethene	ND	0.20		µg/L
1,1-Dichloroethane	ND	0.11		µg/L
2,2-Dichloropropane	ND	0.18		µg/L
cis-1,2-Dichloroethene	ND	0.27		µg/L
Chloroform	ND	0.15		µg/L
Bromochloromethane	ND	0.11		µg/L
1,1,1-Trichloroethane	ND	0.15		µg/L
1,1-Dichloropropene	ND	0.33		µg/L
Carbon Tetrachloride	ND	0.11		µg/L
Benzene	ND	0.03		µg/L
1,2-Dichloroethane	ND	0.38		µg/L
Trichloroethene	ND	0.32		µg/L
1,2-Dichloropropane	ND	0.17		µg/L
Bromodichloromethane	ND	0.11		µg/L
Dibromomethane	ND	0.12		µg/L
cis-1,3-Dichloropropene	ND	0.09		µg/L
Toluene	ND	0.06		µg/L
trans-1,3-Dichloropropene	ND	0.11		µg/L
1,1,2-Trichloroethane	ND	0.21		µg/L
Tetrachloroethene	ND	0.33		µg/L
1,3-Dichloropropane	ND	0.25		µg/L
Dibromochloromethane	ND	0.08		µg/L
1,2-Dibromoethane	ND	0.06		µg/L
Chlorobenzene	ND	0.62		µg/L
Ethyl benzene	ND	0.03		µg/L
1,1,1,2-Tetrachloroethane	ND	0.25		µg/L
Xylenes	ND	0.09		µg/L
Styrene	ND	0.23		µg/L
Isopropylbenzene	ND	0.10		µg/L
Bromoform	ND	0.12		µg/L
1,1,2,2-Tetrachloroethane	ND	0.27		µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY

8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507438-08

Operational Tech

SAMPLE ID: Equipt Blank

PARAMETER	ANALYTICAL DATA (continued)		UNITS
	RESULTS	PQL*	
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	ND	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	ND	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	ND	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	ND	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

1-Chloro-2-Fluorobenzene

% RECOVERY

89

ANALYZED BY: JZL

DATE/TIME: 07/22/95 19:31:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507438-08

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/07/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: Equipt Blank

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/13/95 16:00:00
DATE RECEIVED: 07/14/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Petroleum extractables METHOD 418.1* Analyzed by: SW Date: 07/25/95 12:00:00	ND	0.5	mg/L	

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507438-07

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/07/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: Field Blank

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/13/95 16:00:00
DATE RECEIVED: 07/14/95

PARAMETER	ANALYTICAL DATA			UNITS
	RESULTS	PQL*		
Dichlorodifluoromethane	ND	1.1		µg/L
Chloromethane	0.3	0.15		µg/L
Vinyl chloride	ND	0.21		µg/L
Bromomethane	ND	0.17		µg/L
Chloroethane	ND	0.18		µg/L
Trichlorofluoromethane	ND	0.34		µg/L
1,1-Dichloroethene	ND	0.19		µg/L
trans-1,2-Dichloroethene	ND	0.20		µg/L
1,1-Dichloroethane	ND	0.11		µg/L
2,2-Dichloropropane	ND	0.18		µg/L
cis-1,2-Dichloroethene	ND	0.27		µg/L
Chloroform	ND	0.15		µg/L
Bromochloromethane	ND	0.11		µg/L
1,1,1-Trichloroethane	ND	0.15		µg/L
1,1-Dichloropropene	ND	0.33		µg/L
Carbon Tetrachloride	ND	0.11		µg/L
Benzene	ND	0.03		µg/L
1,2-Dichloroethane	ND	0.38		µg/L
Trichloroethene	ND	0.32		µg/L
1,2-Dichloropropane	ND	0.17		µg/L
Bromodichloromethane	ND	0.11		µg/L
Dibromomethane	ND	0.12		µg/L
cis-1,3-Dichloropropene	ND	0.09		µg/L
Toluene	ND	0.06		µg/L
trans-1,3-Dichloropropene	ND	0.11		µg/L
1,1,2-Trichloroethane	ND	0.21		µg/L
Tetrachloroethene	ND	0.33		µg/L
1,3-Dichloropropane	ND	0.25		µg/L
Dibromochloromethane	ND	0.08		µg/L
1,2-Dibromoethane	ND	0.06		µg/L
Chlorobenzene	ND	0.62		µg/L
Ethyl benzene	ND	0.03		µg/L
1,1,1,2-Tetrachloroethane	ND	0.25		µg/L
Xylenes	ND	0.09		µg/L
Styrene	ND	0.23		µg/L
Isopropylbenzene	ND	0.10		µg/L
Bromoform	ND	0.12		µg/L
1,1,2,2-Tetrachloroethane	ND	0.27		µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY

8880 INTERCHANGE DRIVE

HOUSTON, TEXAS 77054

PHONE (713) 660-0901

Certificate of Analysis No. H9-9507438-07

Operational Tech

SAMPLE ID: Field Blank

PARAMETER	ANALYTICAL DATA (continued)		UNITS
	RESULTS	PQL*	
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	ND	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	ND	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	ND	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	ND	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

% RECOVERY
81

1-Chloro-2-Fluorobenzene

ANALYZED BY: JZL

DATE/TIME: 07/22/95 20:42:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



Certificate of Analysis No. H9-9507438-07

HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/07/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: Field Blank

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/13/95 16:00:00
DATE RECEIVED: 07/14/95

PARAMETER	ANALYTICAL DATA	RESULTS	DETECTION LIMIT	UNITS
Petroleum extractables		ND	0.5	mg/L
METHOD 418.1*				
Analyzed by: SW				
Date: 07/25/95 12:00:00				

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY

8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507479-07

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/14/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: Trip BlankPROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95
DATE RECEIVED: 07/15/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	ND	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	ND	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	ND	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	ND	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	ND	0.09	µg/L
Styrene	ND	0.23	µg/L
Isopropylbenzene	ND	0.10	µg/L
Bromoform	ND	0.12	µg/L
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY

8880 INTERCHANGE DRIVE

HOUSTON, TEXAS 77054

PHONE (713) 660-0901

Certificate of Analysis No. H9-9507479-07

Operational Tech

SAMPLE ID: Trip Blank

PARAMETER	ANALYTICAL DATA (continued)		UNITS
	RESULTS	PQL*	
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	ND	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	ND	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	ND	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	ND	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

1-Chloro-2-Fluorobenzene

% RECOVERY

90

ANALYZED BY: JZL

DATE/TIME: 07/24/95 06:53:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507479-04

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/14/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: Field Blank

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 20:30:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	2	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	ND	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	ND	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	ND	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	ND	0.09	µg/L
Styrene	ND	0.23	µg/L
Isopropylbenzene	ND	0.10	µg/L
Bromoform	ND	0.12	µg/L
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507479-04

Operational Tech

SAMPLE ID: Field Blank

PARAMETER	ANALYTICAL DATA (continued)		UNITS
	RESULTS	PQL*	
1,2,3-Trichloropropane	0.3	0.16	µg/L
n-Propyl benzene	ND	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	ND	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	ND	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	ND	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

1-Chloro-2-Fluorobenzene

% RECOVERY

95

ANALYZED BY: JZL

DATE/TIME: 07/24/95 11:39:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



Certificate of Analysis No. H9-9507479-04

HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/14/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: Field Blank

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 20:30:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Petroleum extractables	ND	0.5	mg/L	
METHOD 418.1*				
Analyzed by: BV				
Date: 07/26/95 14:00:00				

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY

8880 INTERCHANGE DRIVE

HOUSTON, TEXAS 77054

PHONE (713) 660-0901

Certificate of Analysis No. H9-9507479-05

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/14/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: Equipment Blank

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 20:30:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	3	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	ND	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	ND	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	ND	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	ND	0.09	µg/L
Styrene	ND	0.23	µg/L
Isopropylbenzene	ND	0.10	µg/L
Bromoform	ND	0.12	µg/L
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507479-05

Operational Tech

SAMPLE ID: Equipment Blank

ANALYTICAL DATA (continued)			
PARAMETER	RESULTS	PQL*	UNITS
1,2,3-Trichloropropane	0.2	0.16	µg/L
n-Propyl benzene	ND	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	ND	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	ND	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	ND	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L
SURROGATES		% RECOVERY	
1-Chloro-2-Fluorobenzene		91	

ANALYZED BY: JZL

DATE/TIME: 07/24/95 09:16:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507479-05

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/14/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: Equipment Blank

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 20:30:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Petroleum extractables METHOD 418.1* Analyzed by: VM Date: 07/28/95 15:00:00	ND	0.5	mg/L	

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-10

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/10/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: Trip Blank

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95
DATE RECEIVED: 07/15/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	ND	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	ND	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	ND	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	ND	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	ND	0.09	µg/L
Styrene	0.8	0.23	µg/L
Isopropylbenzene	ND	0.10	µg/L
Bromoform	ND	0.12	µg/L
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY

8880 INTERCHANGE DRIVE

HOUSTON, TEXAS 77054

PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-10

Operational Tech

SAMPLE ID: Trip Blank

PARAMETER	ANALYTICAL DATA (continued)		UNITS
	RESULTS	PQL*	
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	ND	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	ND	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	ND	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	ND	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

% RECOVERY

1-Chloro-2-Fluorobenzene

91

ANALYZED BY: JZL

DATE/TIME: 07/24/95 04:31:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-03

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/10/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: Field Blank

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 08:30:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	2	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	ND	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	ND	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	ND	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	ND	0.09	µg/L
Styrene	ND	0.23	µg/L
Isopropylbenzene	ND	0.10	µg/L
Bromoform	ND	0.12	µg/L
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY

8880 INTERCHANGE DRIVE

HOUSTON, TEXAS 77054

PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-03

Operational Tech

SAMPLE ID: Field Blank

PARAMETER	ANALYTICAL DATA (continued)		UNITS
	RESULTS	PQL*	
1,2,3-Trichloropropane	0.8	0.16	µg/L
n-Propyl benzene	ND	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	ND	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	ND	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	ND	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

% RECOVERY

1-Chloro-2-Fluorobenzene

88

ANALYZED BY: JZL

DATE/TIME: 07/24/95 10:27:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY

8880 INTERCHANGE DRIVE

HOUSTON, TEXAS 77054

PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-03

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/10/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: Field Blank

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 08:30:00
DATE RECEIVED: 07/15/95

PARAMETER	ANALYTICAL DATA	RESULTS	DETECTION LIMIT	UNITS
Petroleum extractables		ND	0.5	mg/l
METHOD 418.1*				
Analyzed by: BV				
Date: 07/26/95 14:00:00				

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-04

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/10/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: Equipment Blank

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 08:30:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	2	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	ND	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	ND	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	ND	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	ND	0.09	µg/L
Styrene	0.9	0.23	µg/L
Isopropylbenzene	ND	0.10	µg/L
Bromoform	ND	0.12	µg/L
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-04

Operational Tech

SAMPLE ID: Equipment Blank

ANALYTICAL DATA (continued)			
PARAMETER	RESULTS	PQL*	UNITS
1,2,3-Trichloropropane	0.5	0.16	µg/L
n-Propyl benzene	ND	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	ND	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	ND	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	2	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

1-Chloro-2-Fluorobenzene

% RECOVERY

84

ANALYZED BY: JZL

DATE/TIME: 07/24/95 08:05:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9507478-04

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/10/95

PROJECT: Air National Guard
SITE: Phoenix, AZ
SAMPLED BY: Operational Technology
SAMPLE ID: Equipment Blank

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 07/14/95 08:30:00
DATE RECEIVED: 07/15/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Petroleum extractables METHOD 418.1* Analyzed by: BV Date: 07/26/95 14:00:00	ND	0.5	mg/L	

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508405-05

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/22/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Provided by SPL
SAMPLE ID: Trip Blank

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/04/95
DATE RECEIVED: 08/10/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	ND	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
Methylene Chloride	ND	1.0	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	ND	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	ND	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	ND	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	0.1	0.09	µg/L
Styrene	ND	0.23	µg/L
Isopropylbenzene	ND	0.10	µg/L
Bromoform	ND	0.12	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508405-05

Operational Tech

SAMPLE ID: Trip Blank

PARAMETER	ANALYTICAL DATA (continued)		UNITS
	RESULTS	PQL*	
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	ND	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	ND	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	ND	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	ND	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L
SURROGATES		% RECOVERY	
1-Chloro-2-Fluorobenzene		95	

ANALYZED BY: JZL

DATE/TIME: 08/10/95 15:29:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508337-04

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/22/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Provided by SPL
SAMPLE ID: Trip Blank

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/04/95
DATE RECEIVED: 08/09/95

ANALYTICAL DATA

PARAMETER	RESULTS	MDL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	ND	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
Methylene Chloride	ND	1.0	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	ND	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	ND	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	ND	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	0.2	0.09	µg/L
Styrene	ND	0.23	µg/L
Isopropylbenzene	ND	0.10	µg/L
Bromoform	ND	0.12	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508337-04

Operational Tech

SAMPLE ID: Trip Blank

ANALYTICAL DATA (continued)			
PARAMETER	RESULTS	MDL*	UNITS
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	ND	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	ND	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	0.2	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	ND	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES
1-Chloro-2-Fluorobenzene

% RECOVERY
100

ANALYZED BY: JZL

DATE/TIME: 08/09/95 21:41:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Method Detection Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508460-03

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/23/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Provided by SPL
SAMPLE ID: Trip Blank

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/04/95
DATE RECEIVED: 08/11/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	ND	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	ND	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	ND	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	ND	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	ND	0.09	µg/L
Styrene	ND	0.23	µg/L
Isopropylbenzene	ND	0.10	µg/L
Bromoform	ND	0.12	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508460-03

Operational Tech

SAMPLE ID: Trip Blank

ANALYTICAL DATA (continued)

PARAMETER	RESULTS	PQL*	UNITS
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	ND	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	ND	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	ND	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	ND	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

% RECOVERY

1-Chloro-2-Fluorobenzene

95

ANALYZED BY: JZL

DATE/TIME: 08/12/95 03:44:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508458-04

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/23/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Provided by SPL
SAMPLE ID: Trip Blank

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/04/95
DATE RECEIVED: 08/11/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	ND	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	ND	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	ND	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	ND	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	0.1	0.09	µg/L
Styrene	ND	0.23	µg/L
Isopropylbenzene	ND	0.10	µg/L
Bromoform	ND	0.12	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508458-04

Operational Tech

SAMPLE ID: Trip Blank

ANALYTICAL DATA (continued)

PARAMETER	RESULTS	PQL*	UNITS
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	ND	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	ND	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	ND	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	B 2	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L

SURROGATES

% RECOVERY

1-Chloro-2-Fluorobenzene

87

ANALYZED BY: JZL

DATE/TIME: 08/12/95 02:32:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

B - Compound detected in method blank

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508460-01

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/23/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Optech
SAMPLE ID: Equipment Blank

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/10/95 07:45:00
DATE RECEIVED: 08/11/95

ANALYTICAL DATA			
PARAMETER	RESULTS	PQL*	UNITS
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	0.6	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	ND	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	0.2	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	ND	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	0.1	0.09	µg/L
Styrene	ND	0.23	µg/L
Isopropylbenzene	ND	0.10	µg/L
Bromoform	ND	0.12	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508460-01

Operational Tech

SAMPLE ID: Equipment Blank

PARAMETER	ANALYTICAL DATA (continued)		UNITS
	RESULTS	PQL*	
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	ND	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	ND	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	ND	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	ND	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L
SURROGATES		% RECOVERY	
1-Chloro-2-Fluorobenzene		86	

ANALYZED BY: JZL

DATE/TIME: 08/12/95 06:06:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508460-01

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/23/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Optech
SAMPLE ID: Equipment Blank

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/10/95 07:45:00
DATE RECEIVED: 08/11/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Petroleum extractables METHOD 418.1* Analyzed by: RN Date: 08/15/95 09:00:00	ND	0.5	mg/l	

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508460-02

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

08/23/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Optech
SAMPLE ID: Field Blank

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/10/95 07:40:00
DATE RECEIVED: 08/11/95

PARAMETER	ANALYTICAL DATA		UNITS
	RESULTS	PQL*	
Dichlorodifluoromethane	ND	1.1	µg/L
Chloromethane	0.5	0.15	µg/L
Vinyl chloride	ND	0.21	µg/L
Bromomethane	ND	0.17	µg/L
Chloroethane	ND	0.18	µg/L
Trichlorofluoromethane	ND	0.34	µg/L
1,1-Dichloroethene	ND	0.19	µg/L
trans-1,2-Dichloroethene	ND	0.20	µg/L
1,1-Dichloroethane	ND	0.11	µg/L
2,2-Dichloropropane	ND	0.18	µg/L
cis-1,2-Dichloroethene	ND	0.27	µg/L
Chloroform	ND	0.15	µg/L
Bromochloromethane	ND	0.11	µg/L
1,1,1-Trichloroethane	ND	0.15	µg/L
1,1-Dichloropropene	ND	0.33	µg/L
Carbon Tetrachloride	ND	0.11	µg/L
Benzene	ND	0.03	µg/L
1,2-Dichloroethane	ND	0.38	µg/L
Trichloroethene	ND	0.32	µg/L
1,2-Dichloropropane	ND	0.17	µg/L
Bromodichloromethane	ND	0.11	µg/L
Dibromomethane	ND	0.12	µg/L
cis-1,3-Dichloropropene	ND	0.09	µg/L
Toluene	0.2	0.06	µg/L
trans-1,3-Dichloropropene	ND	0.11	µg/L
1,1,2-Trichloroethane	ND	0.21	µg/L
Tetrachloroethene	ND	0.33	µg/L
1,3-Dichloropropane	ND	0.25	µg/L
Dibromochloromethane	ND	0.08	µg/L
1,2-Dibromoethane	ND	0.06	µg/L
Chlorobenzene	ND	0.62	µg/L
Ethyl benzene	ND	0.03	µg/L
1,1,1,2-Tetrachloroethane	ND	0.25	µg/L
Xylenes	0.1	0.09	µg/L
Styrene	ND	0.23	µg/L
Isopropylbenzene	ND	0.10	µg/L
Bromoform	ND	0.12	µg/L

METHOD: 502.2 - Drinking Water Volatiles
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508460-02

Operational Tech

SAMPLE ID: Field Blank

ANALYTICAL DATA (continued)			
PARAMETER	RESULTS	PQL*	UNITS
1,1,2,2-Tetrachloroethane	ND	0.27	µg/L
1,2,3-Trichloropropane	ND	0.16	µg/L
n-Propyl benzene	ND	0.04	µg/L
Bromobenzene	ND	0.22	µg/L
1,3,5-Trimethylbenzene	ND	0.03	µg/L
2-Chlorotoluene	ND	0.26	µg/L
4-Chlorotoluene	ND	0.29	µg/L
tert-Butylbenzene	ND	0.14	µg/L
1,2,4-Trimethylbenzene	ND	0.05	µg/L
sec-Butylbenzene	ND	0.06	µg/L
p-Isopropyltoluene	ND	0.10	µg/L
1,3-Dichlorobenzene	ND	0.26	µg/L
1,4-Dichlorobenzene	ND	0.30	µg/L
n-Butylbenzene	ND	0.12	µg/L
1,2-Dichlorobenzene	ND	0.48	µg/L
1,2-Dibromo-3-chloropropane	ND	0.13	µg/L
1,2,4-Trichlorobenzene	ND	0.09	µg/L
Hexachlorobutadiene	ND	0.22	µg/L
Naphthalene	B 2	0.12	µg/L
1,2,3-Trichlorobenzene	ND	0.35	µg/L
SURROGATES		% RECOVERY	
1-Chloro-2-Fluorobenzene		94	

ANALYZED BY: JZL

DATE/TIME: 08/12/95 04:55:00

EXTRACTED BY:

DATE/TIME:

METHOD: 502.2 - Drinking Water Volatiles

NOTES: * - Practical Quantitation Limit


ND - Not Detected

NA - Not Analyzed

COMMENTS: B - Compound detected in method blank

QUALITY ASSURANCE: These analyses are performed in accordance with EPA guidelines for quality assurance.

SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9508460-02

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 08/23/95

PROJECT: Sky Harbor ANG
SITE: Phoenix, AZ
SAMPLED BY: Optech
SAMPLE ID: Field Blank

PROJECT NO: 1315-227
MATRIX: LIQUID
DATE SAMPLED: 08/10/95 07:40:00
DATE RECEIVED: 08/11/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Petroleum extractables METHOD 418.1* Analyzed by: RN Date: 08/15/95 09:00:00	ND	0.5	mg/L	

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed.
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506C03-03

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

07/19/95

PROJECT: Sky Harbor RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Provided by SPL
SAMPLE ID: 06-062 TB

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 06/16/95
DATE RECEIVED: 06/30/95

ANALYTICAL DATA

PARAMETER	RESULTS	PQL*	UNITS
Acetone	ND	100	ug/L
Benzene	ND	5	ug/L
Bromodichloromethane	ND	5	ug/L
Bromoform	ND	5	ug/L
Bromomethane	ND	10	ug/L
2-Butanone	35	20	ug/L
Carbon Disulfide	ND	5	ug/L
Carbon Tetrachloride	ND	5	ug/L
Chlorobenzene	ND	5	ug/L
Chloroethane	ND	10	ug/L
2-Chloroethylvinylether	ND	10	ug/L
Chloroform	ND	5	ug/L
Chloromethane	ND	10	ug/L
Dibromochloromethane	ND	5	ug/L
1,1-Dichloroethane	ND	5	ug/L
1,1-Dichloroethene	ND	5	ug/L
1,2-Dichloroethane	ND	5	ug/L
total-1,2-Dichloroethene	ND	5	ug/L
1,2-Dichloropropane	ND	5	ug/L
cis-1,3-Dichloropropene	ND	5	ug/L
trans-1,3-Dichloropropene	ND	5	ug/L
Ethylbenzene	ND	5	ug/L
2-Hexanone	ND	10	ug/L
Methylene Chloride	ND	5	ug/L
4-Methyl-2-Pentanone	ND	10	ug/L
Styrene	ND	5	ug/L
1,1,2,2-Tetrachloroethane	ND	5	ug/L
Tetrachloroethene	ND	5	ug/L
Toluene	ND	5	ug/L
1,1,1-Trichloroethane	ND	5	ug/L
1,1,2-Trichloroethane	ND	5	ug/L
Trichloroethene	ND	5	ug/L
Trichlorofluoromethane	ND	5	ug/L
Vinyl Acetate	ND	10	ug/L
Vinyl Chloride	ND	10	ug/L
Xylenes (total)	ND	5	ug/L

METHOD: 8240, Volatile Organics - Water
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506C03-03

Operational Tech

SAMPLE ID: 06-062 TB

SURROGATES	AMOUNT SPIKED	% RECOVERY	LOWER LIMIT	UPPER LIMIT
1,2-Dichloroethane-d4	50 ug/L	94	76	114
Toluene-d8	50 ug/L	100	88	110
4-Bromofluorobenzene	50 ug/L	100	86	115

ANALYZED BY: GT

DATE/TIME: 07/06/95 20:07:00

METHOD: 8240, Volatile Organics - Water

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIV
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506C03-04

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

07/19/95

PROJECT: Sky Harbor RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-062 FB

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 06/29/95
DATE RECEIVED: 06/30/95

ANALYTICAL DATA

PARAMETER	RESULTS	PQL*	UNITS
Acetone	ND	100	ug/L
Benzene	ND	5	ug/L
Bromodichloromethane	ND	5	ug/L
Bromoform	ND	5	ug/L
Bromomethane	ND	10	ug/L
2-Butanone	ND	20	ug/L
Carbon Disulfide	ND	5	ug/L
Carbon Tetrachloride	ND	5	ug/L
Chlorobenzene	ND	5	ug/L
Chloroethane	ND	10	ug/L
2-Chloroethylvinylether	ND	10	ug/L
Chloroform	ND	5	ug/L
Chloromethane	ND	10	ug/L
Dibromochloromethane	ND	5	ug/L
1,1-Dichloroethane	ND	5	ug/L
1,1-Dichloroethene	ND	5	ug/L
1,2-Dichloroethane	ND	5	ug/L
total-1,2-Dichloroethene	ND	5	ug/L
1,2-Dichloropropane	ND	5	ug/L
cis-1,3-Dichloropropene	ND	5	ug/L
trans-1,3-Dichloropropene	ND	5	ug/L
Ethylbenzene	ND	5	ug/L
2-Hexanone	ND	10	ug/L
Methylene Chloride	ND	5	ug/L
4-Methyl-2-Pentanone	ND	10	ug/L
Styrene	ND	5	ug/L
1,1,2,2-Tetrachloroethane	ND	5	ug/L
Tetrachloroethene	ND	5	ug/L
Toluene	ND	5	ug/L
1,1,1-Trichloroethane	ND	5	ug/L
1,1,2-Trichloroethane	ND	5	ug/L
Trichloroethene	ND	5	ug/L
Trichlorofluoromethane	ND	5	ug/L
Vinyl Acetate	ND	10	ug/L
Vinyl Chloride	ND	10	ug/L
Xylenes (total)	ND	5	ug/L

METHOD: 8240, Volatile Organics - Water
(continued on next page)



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506C03-04

Operational Tech

SAMPLE ID: 06-062 FB

SURROGATES	AMOUNT SPIKED	% RECOVERY	LOWER LIMIT	UPPER LIMIT
1,2-Dichloroethane-d4	50 ug/L	92	76	114
Toluene-d8	50 ug/L	100	88	110
4-Bromofluorobenzene	50 ug/L	100	86	115

ANALYZED BY: GT

DATE/TIME: 07/06/95 20:36:00

METHOD: 8240, Volatile Organics - Water

NOTES: * - Practical Quantitation Limit

ND - Not Detected

NA - Not Analyzed

COMMENTS:

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance.
SPL Arizona License # AZ0050



HOUSTON LABORATORY
8880 INTERCHANGE DRIVE
HOUSTON, TEXAS 77054
PHONE (713) 660-0901

Certificate of Analysis No. H9-9506C03-04

Operational Tech
677 Emory Valley Rd. Suite C
Oak Ridge, TN 37830
ATTN: Mike Giles

DATE: 07/19/95

PROJECT: Sky Harbor RI/FS Add
SITE: 161 st ARG
SAMPLED BY: Operational Technology
SAMPLE ID: 06-062 FB

PROJECT NO: 1315-227
MATRIX: WATER
DATE SAMPLED: 06/29/95
DATE RECEIVED: 06/30/95

ANALYTICAL DATA				
PARAMETER	RESULTS	DETECTION LIMIT	UNITS	
Petroleum extractables METHOD 418.1* Analyzed by: MF Date: 07/11/95 15:00:00	ND	0.5	mg/L	

ND - Not detected.

Notes: *Ref: Methods for Chemical Analysis of Water and Wastes, 1983, EPA
**Ref: Standard Methods for Examination of Water & Wastewater, 17th ed
***Ref: Test Methods for Evaluating Solid Waste, EPA SW846, 3rd Ed.

QUALITY ASSURANCE: These analyses are performed in accordance
with EPA guidelines for quality assurance:
SPL Arizona License # AZ0050

APPENDIX F

DRUM DISPOSAL CRITERIA

THIS PAGE INTENTIONALLY LEFT BLANK

VOC surrogate recoveries for groundwater samples from the first round ranged from 85% to 104% for 1-chloro-2-fluorobenzene.

VOC surrogate recoveries for groundwater samples from the second round ranged from 56% to 145% for 1-chloro-2-fluorobenzene (PID) and 27% to 141% for 1-chloro-2-fluorobenzene. Both were out of range for the most samples due to the re-integrated data. SVOC surrogate recoveries ranged from 80% to 92% for nitrobenzene-d5, from 74% to 89% for 2-fluorobiphenyl, 89% to 100% for terphenyl-d14, 55% to 67% for phenol-d5, 60% to 61% for 2-fluorophenol, and 74% to 85% for 2,4,6-tribromophenol.

Table F.1
IRP Site No. 6 Drum Status
161st ARG, Arizona ANG, Phoenix, Arizona

Drum No.	Boring/MW	Highest Level of Total Petroleum Hydrocarbons, Benzene, Toluene, Ethylbenzene, Total Xylenes, or Trichloroethylene	Recommendation
500	06-025MW S	Non-Detect	Dispose On-Site
501	06-025MW S	Non-Detect	Dispose On-Site
502	06-025MW S	Non-Detect	Dispose On-Site
503	06-025MW S	Non-Detect	Dispose On-Site
504	06-025MW S	Non-Detect	Dispose On-Site
505	06-025MW S&W	15 µg/L Benzene	Reduce Below ARARs
506	06-025MW S&W	15 µg/L Benzene	Reduce Below ARARs
507	06-025MW S&W	15 µg/L Benzene	Reduce Below ARARs
508	06-025MW S&W	15 µg/L Benzene	Reduce Below ARARs
509	06-025MW S&W	15 µg/L Benzene	Reduce Below ARARs
510	06-025MW S&W	15 µg/L Benzene	Reduce Below ARARs
511	06-026MW S	Non-Detect	Dispose On-Site
512	06-026MW S	Non-Detect	Dispose On-Site
513	06-026MW S	Non-Detect	Dispose On-Site
514	06-026MW S	Non-Detect	Dispose On-Site
515	06-026MW S	Non-Detect	Dispose On-Site
516	06-026MW S	Non-Detect	Dispose On-Site
517	06-026MW S&W	24 µg/L Benzene	Reduce Below ARARs
518	06-026MW S&W	24 µg/L Benzene	Reduce Below ARARs
519	06-026MW S&W	24 µg/L Benzene	Reduce Below ARARs

Table F.1 (Continued)
IRP Site No. 6 Drum Status
161st ARG, Arizona ANG, Phoenix, Arizona

Drum No.	Boring/MW	Highest Level of Total Petroleum Hydrocarbons, Benzene, Toluene, Ethylbenzene, Total Xylenes, or Trichloroethylene	Recommendation
520	06-026MW S&W	24 µg/L Benzene	Reduce Below ARARs
521	06-026MW S&W	24 µg/L Benzene	Reduce Below ARARs
522	06-026MW S&W	24 µg/L Benzene	Reduce Below ARARs
523	06-021MW S	16 µg/kg Benzene	Dispose On-Site
524	06-021MW S	16 µg/kg Benzene	Dispose On-Site
525	06-025MW S	16 µg/kg Benzene	Dispose On-Site
526	06-021MW S&W	1,800 µg/kg Benzene	Reduce Below ARARs
527	06-021MW S&W	1,800 µg/kg Benzene	Reduce Below ARARs
528	06-021MW S	16 µg/kg Benzene	Dispose On-Site
529	06-021MW S	16 µg/kg Benzene	Dispose On-Site
530	06-021MW S	16 µg/kg Benzene	Dispose On-Site
531	06-024MW S	50 µg/kg Benzene	Dispose On-Site
532	06-024MW S	50 µg/kg Benzene	Dispose On-Site
533	06-024MW S&W	960 µg/kg Benzene	Reduce Below ARARs
534	06-024MW S	50 µg/kg Benzene	Dispose On-Site
535	06-024MW S	50 µg/kg Benzene	Dispose On-Site
536	06-024MW S	50 µg/kg Benzene	Dispose On-Site
537	06-024MW S&W	960 µg/kg Benzene	Reduce Below ARARs
538	Empty		

Table F.1 (Continued)
IRP Site No. 6 Drum Status
161st ARG, Arizona ANG, Phoenix, Arizona

Drum No.	Boring/MW	Highest Level of Total Petroleum Hydrocarbons, Benzene, Toluene, Ethylbenzene, Total Xylenes, or Trichloroethylene	Recommendation
539	06-023MW S	Non-Detect	Dispose On-Site
540	06-023MW S	Non-Detect	Dispose On-Site
541	06-023MW S	Non-Detect	Dispose On-Site
542	06-023MW S	Non-Detect	Dispose On-Site
543	06-023MW S&W	1,200 µg/L Benzene	Reduce Below ARARs
544	06-023MW S&W	1,200 µg/L Benzene	Reduce Below ARARs
545	06-023MW S	Non-Detect	Dispose On-Site
546	06-023MW S	Non-Detect	Dispose On-Site
547	06-022MW S	82 µg/kg	Dispose On-Site
548	06-022MW S&W	1,400 µg/kg	Reduce Below ARARs
549	06-022MW S	82 µg/kg	Dispose On-Site
550	06-022MW S	82 µg/kg	Dispose On-Site
551	06-022MW S	82 µg/kg	Dispose On-Site
552	06-022MW S	82 µg/kg	Dispose On-Site
553	06-022MW S	82 µg/kg	Dispose On-Site
554	06-016BH S	6,000 µg/kg	Reduce Below ARARs
555	06-016BH S	6,000 µg/kg	Reduce Below ARARs
556	06-016BH S	6,000 µg/kg	Reduce Below ARARs
557	06-016BH S	6,000 µg/kg	Reduce Below ARARs

Table F.1 (Continued)
IRP Site No. 6 Drum Status
161st ARG, Arizona ANG, Phoenix, Arizona

Drum No.	Boring/MW	Highest Level of Total Petroleum Hydrocarbons, Benzene, Toluene, Ethylbenzene, Total Xylenes, or Trichloroethylene	Recommendation
558	06-018MW S	Non-Detect	Dispose On-Site
559	06-018MW S	Non-Detect	Dispose On-Site
560	06-018MW S	Non-Detect	Dispose On-Site
561	06-018MW S&W	6 µg/L Benzene	Reduce Below ARARs
562	06-018MW S	Non-Detect	Dispose On-Site
563	06-018MW S	Non-Detect	Dispose On-Site
564	06-018MW W	6 µg/L Benzene	Reduce Below ARARs
565	06-019MW S	Non-Detect	Dispose On-Site
566	06-019MW S	Non-Detect	Dispose On-Site
567	06-019MW S	Non-Detect	Dispose On-Site
568	06-019MW S	Non-Detect	Dispose On-Site
569	06-019MW S	Non-Detect	Dispose On-Site
570	06-019MW S&W	5 µg/L Benzene	Reduce Below ARARs
571	06-019MW S&W	5 µg/L Benzene	Reduce Below ARARs
572	06-019MW S&W	5 µg/L Benzene	Reduce Below ARARs
573	06-020MW S	Non-Detect	Dispose On-Site
574	06-020MW S	Non-Detect	Dispose On-Site
575	06-020MW S	Non-Detect	Dispose On-Site
576	06-020MW S	Non-Detect	Dispose On-Site

Table F.1 (Continued)
IRP Site No. 6 Drum Status
161st ARG, Arizona ANG, Phoenix, Arizona

Drum No.	Boring/MW	Highest Level of Total Petroleum Hydrocarbons, Benzene, Toluene, Ethylbenzene, Total Xylenes, or Trichloroethylene	Recommendation
577	06-020MW S	Non-Detect	Dispose On-Site
578	06-020MW S	Non-Detect	Dispose On-Site
579	06-020MW S	Non-Detect	Dispose On-Site
580	06-020MW S	Non-Detect	Dispose On-Site
581	ASPHALT		Dispose of in a Proper Landfill
582	ASPHALT		Dispose of in a Proper Landfill
583	ASPHALT		Dispose of in a Proper Landfill
584	ASPHALT		Dispose of in a Proper Landfill
585	ASPHALT		Dispose of in a Proper Landfill
586	ASPHALT		Dispose of in a Proper Landfill
587	ASPHALT		Dispose of in a Proper Landfill
588	06-018MW DW	6 µg/L Benzene	Reduce Below ARARs
589	06-018MW DW	6 µg/L Benzene	Reduce Below ARARs
590	06-019MW DW	5 µg/L Benzene	Reduce Below ARARs
591	06-019MW DW	5 µg/L Benzene	Reduce Below ARARs
592	06-022MW DW	1,400 µg/L Benzene	Reduce Below ARARs
593	06-022MW DW	1,400 µg/L Benzene	Reduce Below ARARs
594	06-024MW DW	960 µg/L Benzene	Reduce Below ARARs
595	06-024MW DW	960 µg/L Benzene	Reduce Below ARARs

Table F.1 (Continued)
IRP Site No. 6 Drum Status
161st ARG, Arizona ANG, Phoenix, Arizona

Drum No.	Boring/MW	Highest Level of Total Petroleum Hydrocarbons, Benzene, Toluene, Ethylbenzene, Total Xylenes, or Trichloroethylene	Recommendation
596	06-023MW DW	1,200 µg/L Benzene	Reduce Below ARARs
597	06-023MW DW	1,200 µg/L Benzene	Reduce Below ARARs
598	06-021MW DW	1,800 µg/L Benzene	Reduce Below ARARs
599	06-021MW DW	1,800 µg/L Benzene	Reduce Below ARARs
600	06-025MW DW	15 µg/L Benzene	Reduce Below ARARs
601	06-025MW DW	15 µg/L Benzene	Reduce Below ARARs
602	06-026MW DW	24 µg/L Benzene	Reduce Below ARARs
603	06-026MW DW	24 µg/L Benzene	Reduce Below ARARs
604	06-020MW DW	36 µg/L Benzene	Reduce Below ARARs
605	06-020MW DW	36 µg/L Benzene	Reduce Below ARARs
606	MWS-02 PW	Non-Detect	Dispose On-Site
607	MWS-02 PW	Non-Detect	Dispose On-Site
608	MWS-01 PW	4 µg/L Benzene	Dispose On-Site
609	MWS-01 PW	4 µg/L Benzene	Dispose On-Site
610	06-017MW PW	Non-Detect	Dispose On-Site
611	06-017MW PW	Non-Detect	Dispose On-Site
612	06-005MW PW	0.6 µg/L Benzene	Dispose On-Site
613	06-005MW PW	0.6 µg/L Benzene	Dispose On-Site
614	06-016MW PW	7 µg/L TCE	Reduce Below ARARs

Table F.1 (Continued)
 IRP Site No. 6 Drum Status
 161st ARG, Arizona ANG, Phoenix, Arizona

Drum No.	Boring/MW	Highest Level of Total Petroleum Hydrocarbons, Benzene, Toluene, Ethylbenzene, Total Xylenes, or Trichloroethylene	Recommendation
615	06-016MW PW	7 µg/L TCE	Reduce Below ARARs
616	MWS-04 PW	4,200 µg/L Benzene	Reduce Below ARARs
617	MWS-04 PW	4,200 µg/L Benzene	Reduce Below ARARs
618	06-015MW PW	74 µg/L Benzene	Reduce Below ARARs
619	06-015MW PW	74 µg/L Benzene	Reduce Below ARARs
620	06-013MW PW	60 µg/L Benzene	Reduce Below ARARs
621	06-013MW PW	60 µg/L Benzene	Reduce Below ARARs
622	06-012MW PW	29 µg/L Benzene	Reduce Below ARARs
623	06-012MW PW	29 µg/L Benzene	Reduce Below ARARs
624	06-003MW PW	19 µg/L Benzene	Reduce Below ARARs
625	06-003MW PW	19 µg/L Benzene	Reduce Below ARARs
626	MW3-02 PW	15 µg/L Benzene	Reduce Below ARARs
627	MW3-02 PW	15 µg/L Benzene	Reduce Below ARARs
628	MWS-03 PW	8 µg/L Benzene	Reduce Below ARARs
629	MWS-03 PW	8 µg/L Benzene	Reduce Below ARARs
630	MW5-01 PW	6 µg/L Benzene	Reduce Below ARARs
631	MW5-01 PW	6 µg/L Benzene	Reduce Below ARARs
632	06-023MW PW	1,200 µg/L Benzene	Reduce Below ARARs
633	06-023MW PW	1,200 µg/L Benzene	Reduce Below ARARs

Table F.1 (Concluded)
IRP Site No. 6 Drum Status
161st ARG, Arizona ANG, Phoenix, Arizona

Drum No.	Boring/MW	Highest Level of Total Petroleum Hydrocarbons, Benzene, Toluene, Ethylbenzene, Total Xylenes, or Trichloroethylene	Recommendation
634	06-022MW PW	1,400 µg/L Benzene	Reduce Below ARARs
635	06-022MW PW	1,400 µg/L Benzene	Reduce Below ARARs
636	06-025MW PW	15 µg/L Benzene	Reduce Below ARARs
637	06-025MW PW	15 µg/L Benzene	Reduce Below ARARs
638	06-018MW PW	6 µg/L Benzene	Reduce Below ARARs
639	06-018MW PW	6 µg/L Benzene	Reduce Below ARARs
640	06-019MW PW	5 µg/L Benzene	Reduce Below ARARs
641	06-019MW PW	5 µg/L Benzene	Reduce Below ARARs
642	06-021MW PW	1,800 µg/L Benzene	Reduce Below ARARs
643	06-021MW PW	1,800 µg/L Benzene	Reduce Below ARARs
644	06-026MW PW	24 µg/L Benzene	Reduce Below ARARs
645	06-026MW PW	24 µg/L Benzene	Reduce Below ARARs
646	06-024MW PW	960 µg/L Benzene	Reduce Below ARARs
647	06-024MW PW	960 µg/L Benzene	Reduce Below ARARs
648	06-020MW PW	36 µg/L Benzene	Reduce Below ARARs
649	06-020MW PW	36 µg/L Benzene	Reduce Below ARARs

MW - Monitoring Well.

S&W - Soil and Water.

S - Soil.

DW - Development Water.

PW - Purge Water.

µg/L - micrograms per Liter.

ARARs - Applicable or Relevant and Appropriate Requirement.

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX G

GROUNDWATER RESULTS

THIS PAGE INTENTIONALLY LEFT BLANK

Table G.1
Groundwater Level Measurement Data at IRP Site No. 6
161st ARG, Arizona ANG, Phoenix, Arizona

Well Number and Elevation of TOC (feet above MSL)	Measurement Date	Depth to Water from TOC	Groundwater Elevation (MSL)
MWS-01 1,118.4	9/8/93	49.54	1,068.86
	12/9/93	52.18	1,066.22
	2/10/94	56.90	1,061.50
	4/5/94	58.80	1,059.60
	7/29/94	64.20	1,054.20
	1/12/95	62.64	1,055.76
	7/13/95	57.29	1,061.11
MWS-02 1,115.61	9/8/93	48.84	1,066.77
	12/10/93	50.15	1,065.46
	2/10/94	55.38	1,060.23
	4/8/94	57.25	1,058.36
	7/29/94	62.45	1,053.16
	1/12/95	60.86	1,054.75
	7/13/95	55.37	1,060.24
MWS-03 1,115.84	9/8/93	NM	NM
	12/18/93	51.95	1,063.89
	2/10/94	55.91	1,059.93
	4/7/94	57.65	1,058.19
	7/29/94	62.78	1,053.06
	1/12/95	60.96	1,054.88
	7/14/95	55.98	1,059.86
MWS-04 1,114.67	9/8/93	50.57	1,064.10
	12/9/93	52.64	1,062.03
	2/10/94	56.58	1,058.09
	4/7/94	58.15	1,056.55
	7/30/94	63.09	1,051.58
	1/12/95	61.85	1,052.82
	7/14/95	56.68	1,057.99
MW1-02 1,116.04	9/8/93	51.91	1,064.13
	12/9/93	54.00	1,062.04
	2/10/94	57.74	1,058.30
	4/7/94	59.45	1,056.59
	7/29/94	64.50	1,051.54
	1/13/95	62.87	1,053.17
MW2-02 1,114.20	9/8/93	50.38	1,063.82
	12/9/93	52.49	1,061.71
	2/10/94	56.14	1,058.06
	4/7/94	57.85	1,056.35
	7/28/94	62.89	1,051.31
	1/12/95	NM	NM

Table G.1 (Continued)
Groundwater Level Measurement Data at IRP Site No. 6
161st ARG, Arizona ANG, Phoenix, Arizona

Well Number and Elevation of TOC (feet above MSL)	Measurement Date	Depth to Water from TOC	Groundwater Elevation (MSL)
MW3-01 1,114.77	9/8/93	49.98	1,064.79
	12/10/93	52.05	1,062.72
	2/10/94	55.81	1,058.96
	4/6/94	57.50	1,057.27
	7/28/94	62.68	1,052.09
	1/12/95	NM	NM
MW3-02 1,112.14	9/8/93	NM	NM
	12/10/93	51.50	1,060.64
	2/10/94	54.89	1,057.25
	4/6/94	56.40	1,055.74
	7/28/94	61.58	1,050.56
	1/10/95	61.58	1,050.56
MW5-01 1,116.80	7/14/95	55.5	1,056.64
	9/8/93	50.09	1,066.71
	12/9/93	52.20	1,064.60
	2/10/94	56.63	1,060.17
	4/8/94	58.52	1,058.28
	7/29/94	63.76	1,053.04
PS-02 1,113.86	1/10/95	63.02	1,053.78
	7/14/95	57.12	1,059.68
	9/8/93	48.32	1,065.54
	12/10/93	49.10	1,064.76
	2/10/94	54.72	1,059.14
	4/7/94	57.64	1,056.22
06-001MW 1,115.86	7/30/94	61.89	1,051.97
	1/12/95	NM	NM
	12/10/93	50.45	1,064.69
	12/10/93	50.50	1,064.64
	2/9/94	54.93	1,060.21
	2/10/94	54.91	1,060.23
06-002MW 1,115.76	4/7/94	56.75	1,058.39
	7/29/94	61.93	1,053.21
	1/12/95	NM	NM
	12/17/93	51.11	1,064.65
	12/18/93	55.44	1,060.32
	2/9/94	55.46	1,060.30
	2/10/93	55.44	1,060.32
	4/8/94	57.28	1,058.48
	7/29/94	62.48	1,053.28
	1/12/95	NM	NM

Table G.1 (Continued)
Groundwater Level Measurement Data at IRP Site No. 6
161st ARG, Arizona ANG, Phoenix, Arizona

Well Number and Elevation of TOC (feet above MSL)	Measurement Date	Depth to Water from TOC	Groundwater Elevation (MSL)
06-003MW 1,116.91	12/8/93	55.07	1,061.84
	12/9/93	55.20	1,061.71
	2/10/94	55.25	1,061.66
	4/9/94	60.80	1,056.11
	7/28/94	65.92	1,050.99
	1/10/95	64.81	1,052.10
	7/14/95	59.25	1,057.66
06-004MW 1,115.79	12/8/93	54.15	1,061.64
	12/9/93	54.18	1,061.61
	2/4/94	58.80	1,056.99
	2/8/94	57.71	1,058.08
	2/10/94	57.72	1,058.07
	4/8/94	59.50	1,056.29
	7/26/94	64.11	1,051.68
	1/12/95	NM	NM
06-005MW 1,108.46	2/2/94	55.30	1,053.16
	2/3/94	55.35	1,053.11
	2/7/93	55.45	1,053.01
	2/10/94	55.45	1,053.01
	4/5/94	56.78	1,051.68
	7/26/94	61.78	1,046.68
	1/11/95	61.74	1,046.72
	7/13/95	56.29	1,052.17
06-006MW 1,115.63	12/8/93	54.84	1,060.79
	12/9/93	54.95	1,060.68
	2/8/94	58.35	1,057.28
	2/9/94	58.55	1,057.08
	2/10/94	58.59	1,057.04
	4/8/94	60.00	1,055.63
	7/27/94	64.72	1,050.91
	1/13/95	65.40	1,050.23
06-007MW 1,115.67	12/17/93	55.65	1,060.02
	12/18/93	55.66	1,060.01
	2/8/94	59.70	1,055.97
	2/10/94	59.72	1,055.95
	4/9/94	61.40	1,054.27
	7/28/94	66.40	1,049.27
	1/12/95	NM	NM

Table G.1 (Continued)
Groundwater Level Measurement Data at IRP Site No. 6
161st ARG, Arizona ANG, Phoenix, Arizona

Well Number and Elevation of TOC (feet above MSL)	Measurement Date	Depth to Water from TOC	Groundwater Elevation (MSL)
06-008MW 1,116.14	12/8/93	54.04	1,062.10
	12/9/93	55.10	1,061.04
	2/2/94	58.39	1,057.75
	2/9/94	58.70	1,057.44
	2/10/94	58.69	1,057.45
	4/9/94	60.34	1,055.80
	7/27/94	65.20	1,050.94
	1/12/95	NM	NM
06-009MW 1,114.89	12/8/93	51.14	1,063.75
	12/9/93	55.56	1,059.33
	2/9/94	55.56	1,059.33
	2/10/94	55.55	1,059.34
	4/7/94	57.20	1,057.69
	7/30/94	62.50	1,052.39
	1/12/95	NM	NM
06-010MW 1,115.37	12/17/93	51.15	1,064.22
	12/18/93	51.22	1,064.15
	2/9/94	55.05	1,060.32
	2/10/94	55.07	1,060.30
	4/8/94	56.90	1,058.47
	7/26/94	62.04	1,053.33
	1/12/95	NM	NM
06-011MW 1,113.67	12/17/93	52.65	1,061.02
	12/18/93	52.71	1,060.96
	2/8/94	58.01	1,055.66
	2/9/94	58.24	1,055.43
	2/10/94	58.27	1,055.40
	4/6/94	59.64	1,054.03
	7/27/94	64.65	1,049.02
	1/12/95	NM	NM
06-012MW 1,113.87	12/18/93	52.75	1,061.12
	12/19/93	52.88	1,060.99
	2/7/94	58.14	1,055.73
	2/9/94	58.41	1,055.46
	2/10/94	58.42	1,055.45
	4/6/94	59.78	1,054.09
	7/27/94	64.85	1,049.02
	1/11/95	64.67	1,049.20
	7/14/95	58.85	1,055.02

Table G.1 (Continued)
Groundwater Level Measurement Data at IRP Site No. 6
161st ARG, Arizona ANG, Phoenix, Arizona

Well Number and Elevation of TOC (feet above MSL)	Measurement Date	Depth to Water from TOC	Groundwater Elevation (MSL)
06-013MW 1,113.85	12/22/93	52.98	1,060.87
	12/23/93	53.04	1,060.81
	2/8/94	57.63	1,056.22
	2/9/94	57.93	1,055.92
	2/10/94	57.98	1,055.87
	4/6/94	59.30	1,054.55
	7/27/94	64.16	1,049.69
	1/11/95	63.84	1,050.01
	7/13/95	57.87	1,055.98
06-014MW 1,112.41	2/2/94	58.02	1,054.39
	2/3/94	58.12	1,055.73
	2/7/94	58.16	1,054.25
	2/9/94	58.43	1,053.98
	2/10/94	58.45	1,053.96
	4/5/94	59.60	1,052.81
	7/27/94	64.74	1,047.67
06-015MW 1,113.46	2/2/94	59.26	1,054.20
	2/3/94	59.23	1,054.23
	2/7/94	59.33	1,054.13
	2/10/94	59.34	1,054.12
	4/5/94	60.72	1,052.74
	7/26/94	65.75	1,047.71
	1/11/95	65.56	1,047.90
	7/14/95	60.06	1,053.40
06-016MW 1,111.86	2/2/94	58.66	1,053.20
	2/3/94	58.75	1,053.11
	2/7/94	58.87	1,052.99
	2/10/94	58.90	1,052.96
	4/5/94	60.20	1,051.66
	7/26/94	65.25	1,046.61
	1/11/95	64.98	1,046.88
	7/13/95	59.6	1,052.26
06-017MW 1,111.86	2/2/94	55.30	1,056.56
	2/3/94	57.35	1,054.51
	2/7/94	57.45	1,054.41
	2/10/94	57.50	1,054.36
	4/6/94	58.97	1,052.89
	7/27/94	64.13	1,047.73
	1/11/95	64.22	1,047.64
	7/13/95	58.45	1,053.41
06-018MW 1,108.78	7/13/95	56.02	1,052.76
	8/9/95	57.58	1,051.20

Table G.1 (Concluded)
Groundwater Level Measurement Data at IRP Site No. 6
161st ARG, Arizona ANG, Phoenix, Arizona

Well Number and Elevation of TOC (feet above MSL)	Measurement Date	Depth to Water from TOC	Groundwater Elevation (MSL)
06-019MW 1,111.94	7/13/95 8/9/95	59.41 61.09	1,052.53 1,050.85
06-020MW 1,116.57	7/13/95 8/10/95	55.5 57.79	1,061.07 1,058.78
06-021MW 1,114.31	7/13/95 8/8/95	56.1 58.02	1,058.21 1,056.29
06-022MW 1,114.21	7/13/95 8/8/95	54.06 56.15	1,060.15 1,058.06
06-023MW 1,114.42	7/13/95 8/8/95	55.73 57.83	1,058.69 1,056.57
06-024MW 1,115.12	7/13/95 8/10/95	55.39 57.74	1,059.73 1,057.38
06-025MW 1,115.56	7/13/95 8/8/95	55.07 57.09	1,060.49 1,058.47
06-026MW 1,115.55	7/13/95 8/9/95	55.5 57.27	1,060.05 1,058.28

TOC - Top of casing.
MSL - Mean sea level.


MW and MWS - Monitoring Well.

APPENDIX H

ADEQ HUMAN HEALTH-BASED GUIDANCE LEVELS FOR THE INGESTION OF CONTAMINANTS IN DRINKING WATER AND SOIL

THIS PAGE INTENTIONALLY LEFT BLANK

HUMAN HEALTH-BASED
GUIDANCE LEVELS FOR THE INGESTION
OF CONTAMINANTS IN
DRINKING WATER AND SOIL



Arizona Department of Environmental Quality

June 1992

NOTICE

The Health-Based Guidance Levels listed in this document are not to be construed as cleanup standards. Rather, they constitute a set of consistently derived health-based levels that may be useful for reference in environmental work.

The Arizona Department of Environmental Quality shall preserve, protect and enhance the environment and the public health and shall be a leader in the development of public policy to maintain and improve the quality of Arizona's air, land and water resources.

NOTICE

The Health-Based Guidance Levels listed in this document are not to be construed as cleanup standards. Rather, they constitute a set of consistently derived health-based levels that may be useful for reference in environmental work.

Suggestions or comments on this document may be sent to:

Charles Graf
Arizona Department of Environmental Quality
P. O. Box 600
Phoenix, AZ 85001-0600



Printed on recycled paper

KEY TO THE TABLE OF GUIDANCE LEVELS FOR THE INGESTION OF CONTAMINANTS IN DRINKING WATER AND SOIL

I. GENERAL INFORMATION

INTRODUCTION:

The accompanying table lists 268 chemicals for which there were sufficient data to develop health-based guidance levels (HBGLs) for drinking water. These data also served as the basis for calculating health-based guidance levels for ingestion of soils. The drinking water and soil HBGLs represent human ingestion levels that are unlikely to result in adverse health effects during long-term exposure; they are designed to protect against toxic doses of systemic toxicants and to limit to one-in-one-million (10^{-6}) the excess cancer risk level for carcinogenic compounds.

The HBGLs were developed by the Office of Risk Assessment and Investigation, Arizona Department of Health Services (ADHS), using a consistent health-risk analysis methodology which is summarized in the following paragraphs and described more thoroughly in Appendix A. The toxicological data required for each chemical using this methodology are tabulated in Appendix B. It is emphasized that the HBGLs listed in the accompanying table apply only to ingestion of drinking water and soil. They do not reflect inhalation or direct contact risks, nor are they applicable to aquatic systems and wildlife. In addition, the soil ingestion HBGLs do not take into account each chemical's capability to leach to groundwater. Most importantly, the drinking water and soil HBGLs have not been subjected to the Arizona rule-making process. They therefore have no official status with respect to enforcement as cleanup standards. Rather, the HBGLs constitute a set of consistently-derived health-based levels that may be useful for reference in environmental work. However, the HBGLs are not intended, nor can they be relied upon, to create any rights enforceable by any party in litigation with the State of Arizona.

The HBGLs tabulated in this document were developed by the ADHS under contract to the Arizona Department of Environmental Quality (ADEQ). The following sources provided most of the information to the ADHS for developing the HBGLs: Environmental Protection Agency (EPA) data appearing in the Federal Register, EPA Health Effects Assessment Summary Tables (HEAST), EPA Integrated Risk Information System (IRIS), National Pesticide Information Retrieval System (NPIRS) and the National Academy of Science Drinking Water and Health series.

CHANGES FROM SEPTEMBER 1990 DRAFT:

Based on comments submitted to the ADEQ and ADHS on the original draft of this document (September 1990), numerous changes have been incorporated into this revision. The following list summarizes the most significant of these improvements:

1. This HBGL list includes 268 chemicals, up 38 from the September 1990 draft. Four chemicals on the previous list - aluminum, bendiocarb, cobalt, and δ -hexachlorocyclohexane - were dropped from this list because toxicity data were judged by the ADHS to be insufficient to develop HBGLs. Many of the new chemicals on the list are polycyclic aromatic hydrocarbons (PAH). Because these specific PAH compounds (designated in the table) have been added, the generic entry included on the previous list, *Polycyclic Aromatic Hydrocarbons*, was removed from this list. HBGL values for many chemicals have changed since the September 1990 draft due to publication of more up-to-date toxicity data. Consistent with the September 1990 draft, there is no entry for Total Petroleum Hydrocarbons (TPH), because TPH is a variable mixture of chemicals having differing toxicities. However, several of the individual chemicals composing TPH are listed.
2. The description of the methodology for calculating HBGLs (Appendix A) has been greatly expanded.
3. The toxicological data necessary to calculate HBGLs for each chemical are now tabulated in this document (Appendix B).
4. More precise carcinogenicity and toxicity designations have been adopted for the *Cancer Group* column. These designations (A, B1, B2, C, etc.) are consistent with EPA use.
5. The method for calculating the Soil Ingestion HBGL has been modified. The calculations are now based on a 30-year exposure rather than a 70-year exposure (see Appendix A for details). This has resulted in Soil Ingestion HBGLs for most carcinogenic chemicals that are greater than the HBGLs indicated in the September 1990 draft and for most systemic toxicants that are less than the HBGLs indicated in the September 1990 draft.

6. In the September 1990 draft, data regarding laboratory analytical capabilities were provided in two columns, *Lab Confidence Limit* and *Lab Detection Limit*. In this document, the terminology *Laboratory Level of Quantitation (LOQ)* replaces *Lab Confidence Limit*. The second column of data, *Lab Detection Limit*, was dropped from this document. In its place, a more useful indicator of laboratory performance by Arizona laboratories is presented: *Licensed Laboratory Range*. More detailed definitions of these headings as well as the other headings appearing in the table are given below.

II. EXPLANATION OF TABULATED INFORMATION

A. GENERAL HEADINGS

CHEMICAL - Chemicals are listed by names in common use by the EPA and other agencies. Many of the chemicals have one or more synonyms or acronyms. Appendix C cross-references more common synonyms and acronyms. Standard chemical references may be needed to find less common synonyms and acronyms.

CAS NUMBER - The chemical abstract service registry number (CASRN) is provided as a means of verifying entries for chemicals having multiple names. CAS numbers can be found in standard chemistry references.

CANCER GROUP - Most chemicals in the table have been subjected to a weight-of-evidence assessment by the EPA to evaluate potential human carcinogenicity. Based on this evaluation, all chemicals have been placed in one of the following categories:

- | | |
|----------|--|
| A | Human carcinogen |
| B1 or B2 | Probable human carcinogen |
| C | Possible human carcinogen |
| D | Not classifiable as to human carcinogenicity |
| E | Evidence of noncarcinogenicity in humans |
| ND | Evaluation not done |

HBGLs for known or probable human carcinogens (A, B1 or B2) were derived from a quantitative estimate of the chemical's carcinogenic potency. The HBGLs for carcinogens were calculated so that a 70-year exposure to the contaminant in drinking water or a 30-year exposure to the contaminant in soil results in a lifetime excess cancer risk below 10^{-6} .

Chemicals in the remaining categories (C, D, E and ND) were considered systemic toxicants. HBGLs for these chemicals were derived according to EPA risk assessment methods using a reference dose, a drinking water equivalent, a safety factor, and a factor for relative source contribution. In general, an HBGL for a systemic toxicant

is an estimate of a daily exposure to the human population (including sensitive subgroups) that is unlikely to result in adverse effects during long-term exposure.

B. DRINKING WATER

INGESTION HBGL - Health-Based Guidance Level values for chemical contaminants in drinking water are expressed in $\mu\text{g/l}$ (micrograms per liter) and were developed through the risk assessment process. The values presented in this column have not been altered or adjusted to account for factors such as laboratory methodology limits, economics or offsetting health benefits. The drinking water HBGLs have not been subjected to the Arizona rule-making process and therefore have no official status with respect to enforcement as cleanup standards. Rather, they constitute a set of consistently-derived health-based levels that may be useful for reference in environmental work. However, the HBGLs are not intended, nor can they be relied upon, to create any rights enforceable by any party in litigation with the State of Arizona.

EPA MCL - Environmental Protection Agency Maximum Contaminant Level (MCL) values presented in this column are expressed in $\mu\text{g/l}$ and represent the current legal enforceable drinking water standards as promulgated by the EPA. MCLs are enforced in Arizona by the ADEQ. As specified by the EPA, state MCLs must be no less stringent than the MCLs established by the EPA. (To date all state-adopted MCLs are identical to EPA MCLs).

EPA MCLs listed in the table reflect consideration of certain risk management factors such as laboratory methodology limits, economics or offsetting health benefits. In some cases, the MCL may differ from the HBGL because of these factors or because the standard setting process lags behind the introduction and acceptance of new health-based data.

EPA PROPOSED MCL - Environmental Protection Agency Proposed Maximum Contaminant Level (PMCL) values presented in this column are expressed in $\mu\text{g/L}$ and were published by the EPA in the Federal Register. Some of these values will become MCLs for previously unregulated chemicals while others either reaffirm or modify existing MCLs.

STATE LAB LOQ - Laboratory Level of Quantitation values, presented for information purposes only, are expressed in $\mu\text{g/l}$ and reflect the most current data available for laboratory operating practices in the Office of Environmental and Analytical Chemistry at the State Laboratory. The LOQ is defined as the lowest level that can be reliably quantitated by the State Laboratory during routine laboratory operating conditions. Other laboratories may achieve different levels using different methods or equipment. A term similar to the LOQ is the Practical Quantitation Limit (PQL) used by the EPA. The PQL

expresses the same concept as the LOQ, but with the difference that the PQL assesses the performance of a sample of laboratories examined by the EPA. Laboratory detection levels achieved by the State Laboratory typically range from 0.1 to 1 times the LOQ. Listing of an HBGL value in this document does not imply that laboratories can or must attain corresponding levels of detection. The HBGL values are derived solely from toxicological data and do not take into account the achievability of such levels by laboratories.

LICENSED LABORATORY RANGE - This column lists the highest and lowest reporting values found in a survey of ten Arizona licensed laboratories in February, 1992. These are provided to illustrate the range of values that may be reported from several different laboratories for the same analyte. Where one value is reported, either all laboratories which perform that test used the same reporting level; or only one of the surveyed laboratories performs that test. The reporting values submitted by each surveyed laboratory may not necessarily be the same as the laboratory's corresponding LOQs.

C. SOIL

INGESTION HBGL - Ingestion Health-Based Guidance Level values for chemical contaminants in soil are expressed in mg/kg (milligrams per kilogram) and were based on an average daily ingestion of soil during a 30-year exposure. The average soil ingestion values suggested by the EPA are 0.2 g/d (grams per day) for children 1-6 years of age and 0.1 g/d for ages 7-70. The soil ingestion HBGLs for known or probable carcinogens (A, B1 or B2) are calculated so that a 30-year exposure to the contaminant in soil results in a lifetime excess cancer risk below 10^{-6} . The soil ingestion HBGLs for chemicals in the remaining categories (C, D, E and ND) are calculated to result in the same daily dose of a contaminant as would be experienced as a consequence of ingesting 2 l/d (liters per day) of water containing the contaminant at the drinking water HBGL.

It is emphasized that the soil ingestion HBGLs do not reflect inhalation or direct contact risks, nor are they applicable to aquatic systems and wildlife. In addition, the soil ingestion HBGLs do not take into account each chemical's capability to leach to groundwater. They are therefore inappropriate to use as reference levels or guidelines if leaching to groundwater is a concern.

The soil ingestion HBGLs have not been subjected to the Arizona rule-making process and therefore have no official status with respect to enforcement as cleanup standards. Rather, the HBGLs constitute a set of consistently-derived health-based levels that may be useful for reference in environmental work. However, the HBGLs are not intended, nor can they be relied upon, to create any rights enforceable by any party in litigation with the State of Arizona.

If a soil ingestion guidance level for the "worst possible case" is desired (involving an individual prone to eating soil, such as a child with pica), this level may be calculated by dividing the tabulated soil ingestion HBGL by 100. At this level, an individual in the 1-6 year age range eating 10 g/d of soil would receive approximately the same daily exposure from soil ingestion as by drinking 2 l/d of water containing the contaminant at the drinking water HBGL.

The use of a consistent methodology for determining the soil ingestion HBGLs has led, in a few cases, to results that are not physically possible. (For example, the soil ingestion HBGL for trichlorotrifluoroethane is listed as 3,500,000 mg/kg). Nevertheless, these results have been included in the table, without modification, in order to provide a uniform set of numbers for comparison. Such a result merely indicates that the weight of soil ingested on a daily basis, even assuming unrealistically that the soil is composed entirely of pure chemical, is still too small to produce an excess exposure.

STATE LAB LOQ - Laboratory Level of Quantitation values, presented for information purposes only, are expressed in mg/kg and reflect the most current data available for laboratory operating practices in the Office of Environmental and Analytical Chemistry at the State Laboratory. The LOQ is defined as the lowest level that can be reliably quantitated by the State Laboratory during routine laboratory operating conditions. Other laboratories may achieve different levels using different methods or equipment. A term similar to the LOQ is the Practical Quantitation Limit (PQL) used by the EPA. The PQL expresses the same concept as the LOQ, but with the difference that the PQL assesses the performance of a sample of laboratories examined by the EPA. Laboratory detection levels achieved by the State Laboratory typically range from 0.1 to 1 times the LOQ. Listing of an HBGL value in this document does not imply that laboratories can or must attain corresponding levels of detection. The HBGL values are derived solely from toxicological data and do not take into account the achievability of such levels by laboratories.

LICENSED LABORATORY RANGE - This column lists the highest and lowest reporting values found in a survey of ten Arizona licensed laboratories in February, 1992. These are provided to illustrate the range of values that may be reported from several different laboratories for the same analyte. Where one value is reported, either all laboratories which perform that test used the same reporting level, or only one of the surveyed laboratories performs that test. The reporting values submitted by each surveyed laboratory may not necessarily be the same as the laboratory's corresponding LOQs.

HUMAN HEALTH BASED GUIDANCE LEVELS (HBGLs)
FOR INGESTION OF CONTAMINANTS IN DRINKING WATER AND SOIL

CHEMICAL	CAS NUMBER	CANCER GROUP	DRINKING WATER				SOIL INGESTION		
			INGESTION HBGL (µg/L)	EPA HCL (µg/L)	PHCL (µg/L)	STATE LAB LOQ (µg/L)	INGESTION HBGL (mg/kg)	STATE LAB LOQ (mg/kg)	LIC LAB RANGE (mg/kg)
33. BORON	7440-42-8	D	630			100	11000	50	0.5-5
34. BROMACIL	314-40-9	C	91			20	1500	2.0	0.33
35. BROMODICHLOROMETHANE (THM)	75-27-4	B2	0.27	100		0.5	10	-	0.01-20
36. BROMOFORM (THM)	75-25-2	B2	4.4	100		2.0	170	-	0.01-20
37. BROMOMETHANE	74-83-9	D	9.8			0.5	160	-	0.01-50
38. BROMOXYNIL	1689-84-5	D	140			-	2300	-	0.66
39. BUTYL BENZYL PHTHALATE	85-68-7	C	110		100	10	1900	1.0	0.17-0.3
40. BUTYLATE	2008-41-5	D	350			5.0	5800	0.5	1.3
C									
41. CADMIUM	7440-43-9	D	3.5	5.0		1.0	58	10	0.3-10
42. CAPTAN	133-06-2	D	910			30	15000	6.0	0.05-3.3
43. CARBARYL	63-25-2	D	700			1.0	12000	20	0.33-0.66
44. CARBOFURAN	1563-66-2	E	35	40		1.0	580	10	0.66-1.7
45. CARBON DISULFIDE	75-15-0	D	700			-	12000	-	0.05-0.10
46. CARBON TETRACHLORIDE	56-23-5	B2	0.27	5.0		0.5	10	-	0.01-30
47. CARBOXIN	5234-68-4	D	700			10	12000	1.0	1.3
48. CHLORAMBN	133-90-4	D	110			1.0+	1800	-	0.66
49. CHLORDANE	57-74-9	B2	0.03	2.0		0.5	1.0	0.5	0.05-0.5
50. CHLORDIMEFORM	6164-98-3	B2	0.03			-	1.2	-	-
51. CHLOROBENZENE	108-90-7	D	140	100		1.0	2300	-	0.01-40
52. CHLOROFORM (THM)	67-66-3	B2	5.7	100		0.5	220	0.25	0.01-50
53. CHLOROMETHANE	74-87-3	C	2.8			0.5	47	-	0.01-40
54. 2-CHLOROPHENOL	95-57-8	D	35			10	580	1.0	0.3-0.83
55. CHLOROTHALONIL	1897-45-6	B2	12			10	470	2.0	0.05
56. o-CHLOROTOLUENE	95-49-8	D	140			1.0	2300	-	0.05-0.1
57. CHLORPYRIFOS	2921-88-2	D	21			10	350	1.0	0.05-1.0
58. CHLORSULFURON	64902-72-3	D	350			*	5800	-	-
59. CHROMIUM (TOTAL)	NA	D	100 ##	100		10	1700	10	0.5-25
60. CHRYSENE (PAH)	218-01-9	B2	0.003		0.20	10	0.11	1.0	0.17-0.3
61. COPPER	7440-50-8	D	1300 ##	TT		10	22000	10	0.5-10
62. CRESOLS (TOTAL)	NA	D	350			-	5800	-	-
63. CYANAZINE	21725-46-2	D	14			10	230	1.0	-
64. CYANIDE	57-12-5	D	150		200	20	2600	0.2	0.5-100
65. CYROMAZINE	66215-27-8	D	53			*	880	6.0	-

NOTES: TT Treatment Technology
 NA Not Available
 ND Not Determined
 THM Trihalomethane
 PAH Polycyclic Aromatic Hydrocarbon
 * not recovered from water in lab studies
 + EPA established Limit
 - not analyzed by State Lab or the licensed labs surveyed
 ** no Rfd; HBGL based on Slope Factor
 xx no Slope Factor; HBGL based on Rfd
 ## HBGL not based on Rfd or Slope Factor
 Divide indicated soil ingestion HBGL by 100 to obtain "worst possible case" involving an individual prone to eating soil (e.g., a child with pica).

HUMAN HEALTH BASED GUIDANCE LEVELS (HBGLs)
FOR INGESTION OF CONTAMINANTS IN DRINKING WATER AND SOIL

CHEMICAL	CAS NUMBER	CANCER GROUP	DRINKING WATER				SOIL INGESTION						
			INGESTION HBGL (µg/L)	EPA MCL (µg/L)	PMCL (µg/L)	STATE LAB LOQ (µg/L)	LIC LAB RANGE (µg/L)	INGESTION HBGL (mg/kg)	STATE LAB LOQ (mg/kg)	LIC LAB RANGE (mg/kg)			
A													
1. ACENAPHTHYLENE (PAH)	208-96-8	D	420			10	0.3-10	7000	1.0	0.2-0.8			
2. ACEPHATE	30560-19-1	C	2.8			*	-	47	2.0	0.6			
3. ACETONE	67-64-1	D	700			10	10-100	12000	-	0.1-0.5			
4. ACROLEIN	107-02-8	C	110			-	5-20	1800	-	-			
5. ACRYLAMIDE	79-06-1	B2	0.008	TT		-	-	0.30	-	-			
6. ACRYLONITRILE	107-13-1	B1	0.07			-	5-20	2.5	-	-			
7. ALACHLOR	15972-60-8	B2	0.43	2.0		10	25	17	1.0	-			
8. ALDICARB	116-06-3	E	9.1	3.0		1.0	-	150	1.0	-			
9. ALDICARB SULFONE	1646-88-4	D	2.1	2.0		-	-	35	1.0	-			
10. ALDICARB SULFOXIDE	1646-87-3	D	9.1	4.0		1.0	-	150	1.0	-			
11. ALDRIN	309-00-2	B2	0.002			0.05	0.5-1.0	0.08	0.05	0.005-0.2			
12. AMETRYN	834-12-8	D	63			10	1.0	1100	1.0	0.1-1.3			
13. AMMONIUM SULFAMATE	7773-06-0	D	1400			-	-	23000	-	-			
14. ANTHRACENE (PAH)	120-12-7	D	2100			10	5-10	35000	1.0	0.17-0.2			
15. ANTIMONY	7440-36-0	D	2.8	5.0/10		5.0	0.5-200	47	100	0.15-20			
16. ARSENIC (INORGANIC)	7440-38-2	A	50 ##	50		10	4-100	840	100	0.1-20			
17. ASULAM	3337-71-1	D	350			-	-	5800	-	-			
18. ATRAZINE	1912-24-9	C	3.5	3.0		10	12	58	1.0	0.1-1.3			
19. AZINPHOS-METHYL	86-50-0	E	18			5.0	0.5-100	290	1.0	0.1-6.6			
B													
20. BARIUM	7440-39-3	D	2000 ##	2000		100	10-1000	33000	10	0.5-100			
21. BENZOYL	17804-35-2	D	350			-	-	5800	-	-			
22. BENTAZON	25057-89-0	D	18			2.0+	10	290	-	0.66			
23. BENZ[a]ANTHRACENE (PAH)	56-55-3	B2	0.003	0.10		10	0.01-10	0.11	1.0	0.17-0.3			
24. BENZENE	71-43-2	A	1.2	5.0		1.0	0.2-50	47	0.1	0.01-20			
25. BENZIDINE	92-87-5	A	0.0002			-	20-100	0.006	0.1	1.7			
26. BENZO[a]PYRENE (PAH)	50-32-8	B2	0.003	0.20		10	0.01-10	0.11	1.0	0.17-0.3			
27. BENZO[b]FLUORANTHENE (PAH)	205-99-2	B2	0.003	0.20		10	0.01-10	0.11	1.0	0.17-0.66			
28. BENZO[k]FLUORANTHENE (PAH)	207-08-9	B2	0.003	0.20		10	0.01-10	0.11	1.0	0.17-0.3			
29. BENZYL ALCOHOL	100-51-6	ND	2100			10	2-10	35000	2	0.07-0.17			
30. BERYLLIUM	7440-41-7	B2	0.008			0.5	5-100	0.32	10	0.3-10			
31. BIS(2-CHLOROETHYL)ETHER	111-44-4	B2	0.03	1.0		10	5-10	1.2	1.0	0.17-2.5			
32. BIS(2-CHLOROISOPROPYL)ETHER	39638-32-9	ND	280			10	5-50	4700	1.0	0.17-0.3			

NOTES: TT Treatment Technology
 NA Not Available
 ND Not Determined
 TUM Trihalomethane
 PAH Polycyclic Aromatic Hydrocarbon

* not recovered from water in lab studies
 + EPA established Limit
 - not analyzed by State Lab or the licensed labs surveyed

** no RfD; HBGL based on Slope Factor
 xx no Slope Factor; HBGL based on RfD
 ## HBGL not based on RfD or Slope Factor

Divide indicated soil ingestion HBGL by 100 to obtain "worst possible case" involving an individual prone to eating soil (e.g., a child with pica).

HUMAN HEALTH BASED GUIDANCE LEVELS (HBGLs)
FOR INGESTION OF CONTAMINANTS IN DRINKING WATER AND SOIL

CHEMICAL	CAS NUMBER	CANCER GROUP	DRINKING WATER					SOIL INGESTION		
			INGESTION HBGL (µg/L)	MCL (µg/L)	EPA PMCL (µg/L)	STATE LAB LOQ (µg/L)	LIC LAB RANGE (µg/L)	INGESTION HBGL (mg/kg)	STATE LAB LOQ (mg/kg)	LIC LAB RANGE (mg/kg)
D										
66. 2,4-D	94-75-7	D	70	70	200	0.5	0.4	1200	0.5	0.4
67. DALAPON	75-99-0	D	210			13+	4.0-50	3500	-	3.3
68. DCPA	1861-32-1	D	3500			10	-	58000	1.0	-
69. DDD	72-54-8	B2	0.15			0.1	0.1-10	5.7	0.1	0.01-0.1
70. DDE	72-55-9	B2	0.10			0.1	0.1-10	4.0	0.1	0.01-0.2
71. DDT	50-29-3	B2	0.10			0.1	0.1-10	4.0	0.1	0.01-0.2
72. DDT/DDD/DDE (TOTAL)	NA	B2	0.10			0.1	0.1	4.0	0.1	0.01
73. DIAZINON	333-41-5	E	6.3			1.0	0.5-10	110	1.0	0.1-66
74. DIBENZ[a,h]ANTHRACENE (PAH)	53-70-3	B2	0.003		0.30	10	0.1-10	0.11	1.0	0.2-0.83
75. DIBROMOCHLOROMETHANE (THM)	124-48-1	C	14	100		1.0	0.2-5	230	-	0.01-20
76. 1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	96-12-8	B2	0.03	0.20		0.01	0.005-5	1.2	-	0.003
77. DIBUTYL PHTHALATE	84-74-2	D	700			10	5	12000	1.0	0.3-1.6
78. DICAMBA	1918-00-9	D	210			0.5	3.0	3500	0.5	0.04
79. DICHLOBENTIL	1194-65-6	D	3.5			-	-	58	-	0.05
80. 1,2-DICHLOROBENZENE	95-50-1	D	620	600		1.0	0.5-10	10000	1.0	0.025-20
81. 1,3-DICHLOROBENZENE	541-73-1	D	620			1.0	0.5-10	10000	1.0	0.02-20
82. 1,4-DICHLOROBENZENE	106-46-7	C	70	75		1.0	0.5-10	1200	1.0	0.025-20
83. 3,3'-DICHLOROBENZIDINE	91-94-1	B2	0.08			20	20	3.0	2.0	0.34
84. DICHLOOROFLUOROMETHANE	75-71-8	D	1400			0.5	0.2-5.0	23000	-	0.010-50
85. 1,2-DICHLOROETHANE	107-06-2	B2	0.38	5.0		0.5	0.2-5.0	15	-	0.010-20
86. 1,1-DICHLOROETHYLENE	75-35-4	C	6.3	7.0		0.5	0.2-0.5	110	-	0.010-20
87. cis-1,2-DICHLOROETHYLENE	156-59-2	D	70	70		0.5	0.2-0.5	1200	-	0.010-20
88. trans-1,2-DICHLOROETHYLENE	156-60-5	D	140	100		0.5	0.2	2300	-	0.010-20
89. 2,4-DICHLOROPHENOL	120-83-2	D	21			10	5-10	350	1.0	0.03-66
90. 1,2-DICHLOROPROPANE	78-87-5	B2	0.51	5.0		0.5	0.2-5.0	20	-	0.01-20
91. 1,3-DICHLOROPROPENE	542-75-6	B2	0.19			0.5	0.2-0.5	7.6	-	0.01-20
92. DICLORAN	99-30-9	E	180			10	-	2900	2.0	-
93. DICOFOFOL	115-32-2	C	0.08 **			20	-	3.1	2.0	-
94. DIELDRIN	60-57-1	B2	0.002			0.1	0.1-10	0.09	0.1	0.01-0.2
95. DIETHYL PHTHALATE	84-66-2	D	5600			10	5	94000	1.0	0.3-1.6
96. DI(2-ETHYLHEXYL)ADIPATE	103-23-1	C	490			10+	-	8200	1.0	-
97. DI(2-ETHYLHEXYL)PHTHALATE	117-81-7	B2	2.5	500 4.0		10	10	97	1.0	0.17

NOTES: TT Treatment Technology
 NA Not Available
 ND Not Determined
 THM Trihalomethane
 PAH Polycyclic Aromatic Hydrocarbon

* not recovered from water in lab studies
 + EPA established Limit
 - not analyzed by State Lab or the licensed labs surveyed

** no Rfd; HBGL based on Slope Factor
 xx no Slope Factor; HBGL based on Rfd
 ## HBGL not based on Rfd or Slope Factor

Divide indicated soil ingestion HBGL by 100 to obtain "worst possible case" involving an individual prone to eating soil (e.g., a child with pica).

HUMAN HEALTH BASED GUIDANCE LEVELS (HBGLs)
FOR INGESTION OF CONTAMINANTS IN DRINKING WATER AND SOIL

CHEMICAL	CAS NUMBER	CANCER GROUP	DRINKING WATER				SOIL INGESTION			
			INGESTION HBGL (µg/L)	EPA MCL (µg/L)	PHCL (µg/L)	STATE LAB LOQ (µg/L)	LIC LAB RANGE (µg/L)	INGESTION HBGL (mg/kg)	STATE LAB LOQ (mg/kg)	LIC LAB RANGE (mg/kg)
98. DIFENZOQUAT	43222-48-6	D	560	-	-	-	-	9400	-	-
99. DIISOPROPYL METHYLPHOSPHONATE	1445-75-6	D	560	-	-	-	-	9400	-	-
100. DIMETHOATE	60-51-5	D	1.4	-	-	10	20	23	1.0	0.13-1.3
101. 2,4-DINITROPHENOL	51-28-5	ND	14	-	-	50	10-50	230	5.0	1.67-3.3
102. 2,4-DINITROTOLUENE	121-14-2	B2	0.05	-	-	10	5-10	2.0	1.0	0.17-0.66
103. DINOSEB	88-85-7	D	7.0	-	7.0	0.5	0.2-20	120	-	0.05-0.66
104. 1,4-DIOXANE	123-91-1	B2	3.2	-	-	-	-	120	-	-
105. DIPHENAMID	957-51-7	D	210	-	-	10	20	3500	1.0	1.3-2.0
106. 1,2-DIPHENYLHYDRAZINE	122-66-7	B2	0.04	-	-	-	10-20	1.7	-	0.17
107. DIQUAT DIBROMIDE	85-00-7	D	15	-	20	-	-	260	-	-
108. DISULFOTON	298-04-4	E	0.28	-	-	10	0.5-10	4.7	1.0	0.1-1.0
109. DIURON	330-54-1	D	14	-	-	20	-	230	2.0	0.17
110. DPX-M6316	79277-27-3	ND	91	-	-	-	-	1500	-	-
E										
111. ENDOSULFAN	115-29-7	D	0.35	-	-	0.2	0.1-10	5.8	0.2	0.01-0.2
112. ENDOTHALL	145-73-3	D	140	-	100	*	-	2300	-	-
113. ENDRIN	72-20-8	E	2.1	-	2.0	0.1	0.1-10	35	0.1	0.01-0.2
114. EPICHLOROHYDRIN	106-89-8	B2	3.5	-	-	-	-	140	-	-
115. ETHEPHON	16672-87-0	D	35	-	-	-	-	580	-	-
116. EPTC	759-94-4	D	180	-	-	10	-	2900	2.0	0.017
117. ETHYLBENZENE	100-41-4	D	700	-	-	1.0	0.5-10	12000	0.25	0.025-40
118. ETHYLENE DIBROMIDE (EDB)	106-93-4	B2	0.0004	0.05	-	0.01	0.005-0.01	0.02	-	0.002
119. ETHYLENE GLYCOL	107-21-1	D	14000	-	-	2000	10	230000	-	0.1-0.5
120. ETHYLENE THIOUREA	96-45-7	B2	0.97	-	-	-	-	38	-	-
121. N-ETHYLTOLUENE SULFONAMIDE	26914-52-3	ND	18	-	-	-	-	290	-	-
F										
122. FENAMIPHOS	22224-92-6	D	1.8	-	-	10	100	29	1.0	0.66
123. FENARIMOL	60168-88-9	E	460	-	-	10	40	7600	1.0	2.6
124. FENVALERATE	51630-58-1	ND	180	-	-	10	-	2900	1.0	-
125. FLUOMETURON	2164-17-2	D	91	-	-	30	-	1500	3.0	-
126. FLUORANTHENE (PAH)	206-44-0	D	280	-	-	10	0.03-10	4700	1.0	0.17-0.3
127. FLUORENE (PAH)	86-73-7	D	280	-	-	10	0.04-10	4700	1.0	0.17-0.3
128. FLUORIDE	7782-41-4	D	420	4000	-	200	50-200	7000	-	-

NOTES: TT Treatment Technology
 NA Not Available
 ND Not Determined
 THM Trihalomethane
 PAH Polycyclic Aromatic Hydrocarbon

* not recovered from water in lab studies
 + EPA established Limit
 - not analyzed by State Lab or the licensed labs surveyed

** no RfD; HBGL based on Slope Factor
 xx no Slope Factor; HBGL based on RfD
 ## HBGL not based on RfD or Slope Factor

Divide indicated soil ingestion HBGL by 100 to obtain "worst possible case" involving an individual prone to eating soil (e.g., a child with pica).

HUMAN HEALTH BASED GUIDANCE LEVELS (HBGLs)
FOR INGESTION OF CONTAMINANTS IN DRINKING WATER AND SOIL

CHEMICAL	-CAS NUMBER	CANCER GROUP	DRINKING WATER				INGESTION		SOIL INGESTION		
			HIBGL (µg/L)	HCL (µg/L)	EPA PMCL (µg/L)	STATE LAB LOQ (µg/L)	LIC LAB RANGE (µg/L)	HBGL (mg/kg)	STATE LAB LOQ (mg/kg)	LIC LAB RANGE (mg/kg)	
129. FLURIDONE	59756-60-4	D	560			10	100	9400	1.0	6.6	
130. FLURALINATE	69409-94-5	D	70			10	-	1200	1.0	-	
131. FOMOFOS	944-22-9	D	14			-	-	230	-	-	
132. FORMETAMATE HYDROCHLORIDE	23422-53-9	E	11			-	-	180	-	-	
133. FOSETYL-AL	39148-24-8	C	2100			-	-	35000	-	-	
G											
134. GLYPHOSATE	1071-83-6	D	700		700	-	-	12000	-	-	
H											
135. HEPTACHLOR	76-44-8	B2	0.008	0.40		0.05	0.05-10	0.30	0.05	0.005-0.05	
136. HEPTACHLOR EPOXIDE	1024-57-3	B2	0.004	0.20		0.05	0.05-10	0.15	0.05	0.005-0.05	
137. HEXACHLOROETHANE	67-72-1	C	0.70			10	10	12	1.0	0.17-0.2	
138. HEXACHLOROBENZENE	118-74-1	B2	0.02		1.0	10	5-70	0.85	1.0	0.17-0.3	
139. HEXACHLOROBUTADIENE	87-68-3	C	1.4			10	10	23	1.0	0.17-0.3	
I											
140. HEXACHLOROCYCLOHEXANE (alpha-)	319-84-6	B2	0.006			0.05	-	0.22	0.05	-	
141. HEXACHLOROCYCLOHEXANE (beta-)	319-85-7	C	0.02 **			0.05	-	0.76	0.05	-	
142. HEXACHLOROCYCLOPENTADIENE	77-47-4	D	49		50	10	10	820	1.0	0.17-0.5	
143. n-HEXANE	110-54-3	D	420			-	5	7000	-	0.05	
144. HEXAZINONE	51235-04-2	D	230			5.0	8	3900	5.0	-	
145. HHX	2691-41-0	D	350			-	-	5800	-	-	
I											
146. INAZALIL	35554-44-0	D	91			15	-	1500	1.0	-	
147. INAZAQUIN	81335-37-7	D	1800			-	-	29000	-	-	
148. INDENOPYRENE (PAH)	193-39-5	B2	0.003		0.40	10	0.03-10	0.11	1.0	0.17-0.3	
149. ISOPHORONE	78-59-1	C	140			10	10	2300	1.0	0.17-0.66	
L											
150. LEAD	7439-92-1	B2	5.0 ##	TT		10	2-150	84	50	0.5-10	
151. LINDANE	58-89-9	C	0.21	0.20		0.05	0.05-0.10	3.5	0.05	0.005-0.10	
152. LINURON	330-55-2	C	1.4			50	-	23	10	0.17	
M											
153. MALATHION	121-75-5	D	140			1.0	0.5-50	2300	1.0	0.1-3.3	
154. MALEIC HYDRAZIDE	123-33-1	D	3500			-	-	58000	-	-	
155. MARCOZEB	8018-01-7	ND	210			-	-	3500	-	-	

NOTES: TT Treatment Technology
 NA Not Available
 ND Not Determined
 THM Trihalomethane
 PAH Polycyclic Aromatic Hydrocarbon
 * not recovered from water in lab studies
 + EPA established Limit
 - not analyzed by State Lab or the licensed labs surveyed
 ** no Rfd; HBGL based on Slope Factor
 xx no Slope Factor; HBGL based on Rfd
 ## HBGL not based on Rfd or Slope Factor
 Divide indicated soil ingestion HBGL by 100 to obtain "worst possible case" involving an individual prone to eating soil (e.g., a child with pica).

HUMAN HEALTH BASED GUIDANCE LEVELS (HBGLs)
FOR INGESTION OF CONTAMINANTS IN DRINKING WATER AND SOIL

CHEMICAL	CAS NUMBER	CANCER GROUP	DRINKING WATER				SOIL INGESTION			
			INGESTION HBGL (µg/L)	MCL (µg/L)	EPA PHCL (µg/L)	STATE LAB LOQ (µg/L)	LIC LAB RANGE (µg/L)	INGESTION HBGL (mg/kg)	STATE LAB LOQ (mg/kg)	LIC LAB RANGE (mg/kg)
156. MANEB	12427-38-2	D	35					580		
157. MANGANESE	7439-96-5	D	700			50	10-50	12000	10	0.5-2.5
158. MCPA	94-74-6	D	3.5			-	100-250	58	2.5+	4.0
159. HEPIQUAT CHLORIDE	24307-26-4	D	210			-	-	3500	-	-
160. MERCURY (INORGANIC)	7439-97-6	D	2.1	2.0		0.5	0.2-1.0	35	0.25	0.001-0.25
161. METALAXYL	57837-19-1	D	420			5.0	-	7000	0.5	-
162. METHANIDOPHOS	10265-92-6	D	0.35			*	-	5.8	-	-
163. METHIOCARB	2032-65-7	E	8.8			1.0	-	150	1.0	-
164. METHOMYL	16752-77-5	D	180			1.0	-	2900	1.0	0.83
165. METHOXYCHLOR	72-43-5	D	35	40		0.5	0.5-25	580	0.5	0.05-0.66
166. METHYL ETHYL KETONE	78-93-3	D	350			-	10-100	5800	-	0.1-0.5
167. METHYL PARATHION	298-00-0	D	1.8			1.0	0.5-10	29	1.0	0.03-0.66
168. METHYL TERT BUTYL ETHER (MTBE)	1634-04-4	D	35			-	2.5-100	580	0.25	-
169. METHYLENE CHLORIDE	75-09-2	B2	4.7		5.0	0.5	0.5-10	180	0.25	0.05-50
170. METOLACHLOR	51218-45-2	C	110			5.0	2.0	1800	1.0	-
171. METRIBUZIN	21087-64-9	D	180			10	-	2900	1.0	-
172. METSULFUROH-METHYL	74223-64-6	D	1800			*	-	29000	2.0	-
173. HOLYBENUM	7439-98-7	D	7.0			10	10-50	120	1000	10-25
174. MONOCROTOPHOS	6923-22-4	E	0.32			*	4.0	5.3	2.0	0.17-0.26
175. MONURON	150-68-5	ND	4.9			-	-	82	-	-
176. MSMA (AS ARSENIC)	2163-80-6	A	50 ##	50		-	-	840	-	-
177. MYCLOBUTANIL	88671-89-0	ND	180			10	-	2900	1.0	-
178. NALED	300-76-5	D	14			-	0.5-20	230	-	0.1-3.3
179. NAPHTHALENE (PAH)	91-20-3	D	28			10	0.30-10	470	1.0	0.2-0.83
180. NAPROPAMIDE	15299-99-7	ND	700			10	-	12000	1.0	-
181. NICKEL	7440-02-0	D	140		100	100	20-100	2300	10	0.5-10
182. NITRATE	14797-55-8	D	11000	10000		100	60-500	190000	-	-
183. NITRATE/NITRITE (TOTAL)	NA	D	7000	10000		100	60	120000	-	-
184. NITRITE	14797-65-0	D	700	1000		100	60-100	12000	-	-
185. NITROBENZENE	98-95-3	D	3.5			10	5-10	58	1.0	0.17-0.3
186. NITROGUANIDINE	556-88-7	D	700			-	-	12000	-	-
187. N-NITROSODIPHENYLAMINE	86-30-6	B2	7.1			10	5-10	280	1.0	0.17-0.3

NOTES: IT Treatment Technology * not recovered from water in last test

NOTES: TT Treatment Technology
NA Not Available
ND Not Determined
THM Trihalomethane
PAH Polycyclic Aromatic Hydrocarbon

** no RfD; HBGL based on Slope Factor
xx no Slope Factor; HBGL based on RfD
HBGL not based on RfD or Slope Factor

Divide indicated soil ingestion HBGL by 100 to obtain "worst possible case" involving an individual prone to eating soil (e.g., a child with pica).

HUMAN HEALTH BASED GUIDANCE LEVELS (HBGLs) FOR INGESTION OF CONTAMINANTS IN DRINKING WATER AND SOIL

CHEMICAL	CAS NUMBER	CANCER GROUP	DRINKING WATER				SOIL INGESTION			
			INGESTION HBGL (µg/L)	EPA MCL (µg/L)	PHCL (µg/L)	STATE LAB LOQ (µg/L)	LIC LAB RANGE (µg/L)	INGESTION HBGL (mg/kg)	STATE LAB LOQ (mg/kg)	LIC LAB RANGE (mg/kg)
188. N-NITROSODI-n-PROPYLAMINE	621-64-7	B2	0.005			10	5-10	0.19	1.0	0.17-0.5
189. N-NITROSODIETHYLAMINE	62-75-9	B2	0.0007			10	5-10	0.03	1.0	0.17-0.3
190. N-NITROSOPYRROLIDINE	930-55-2	B2	0.02			-	10	0.65	-	0.17
191. NORFLURAZON	27314-13-2	D	280			10	-	4700	1.0	-
O										
192. ORYZALIN	19044-88-3	C	35			-	-	580	-	0.8
193. OXANIL	23135-22-0	E	180		200	1.0	-	2900	1.0	0.83
194. OXYDEMETON-METHYL	301-12-2	D	3.5			-	-	58	-	-
P										
195. PARAQUAT	1910-42-5	C	3.2			-	-	53	-	-
196. PARATHION	56-38-2	C	4.2			1.0	0.5	70	1.0	0.03-0.1
197. PENDIMETHALIN	40487-42-1	D	280			10	-	4700	1.0	1.0
198. PENTACHLOROBENZENE	608-93-5	D	5.6			-	-	94	-	-
199. PENTACHLOROPHENOL	87-86-5	B2	0.29	1.0		50	10-30	11	5.0	2-7.67
200. PERMETHRIN	52645-53-1	D	350			5.0	0.04	5800	0.5	-
201. PIENOL	108-95-2	D	4200			10	5-20	70000	1.0	0.3-500
202. PHORATE	298-02-2	E	3.5			10	0.5	58	1.0	0.1-10
203. PHOSMET	732-11-6	D	140			10	-	2300	1.0	-
204. PHOSPHAMIDON	13171-21-6	D	1.2			10	-	20	2.0	-
205. PICLORAM	1918-02-1	D	490		500	1.4+	0.4	8200	-	-
206. POLYCHLORINATED BIPHENYLS (PCBs)	1336-36-3	B2	0.005	0.50		5.0	0.5-100	0.18	5.0	0.2-1.0
207. PROFENOFOS	41198-08-7	D	0.35			-	-	5.8	-	-
208. PROFLURALIN	26399-36-0	ND	42			-	-	700	-	0.5
209. PROMETON	1610-18-0	D	110			5.0	3.0	1800	0.5	0.1
210. PROMETRYN	7287-19-6	D	28			10	2.0	470	1.0	-
211. PRONAHIDE	23950-58-5	C	53			5.0	10	880	0.5	0.66
212. PROPACHLOR	1918-16-7	D	91			5.0+	5.0	1500	-	-
213. PROPARGITE	2312-35-8	ND	140			-	-	2300	-	-
214. PROPABINE	139-40-2	C	14			1.3+	2.0	230	-	0.1
215. PROPIAM	122-42-9	D	140			-	-	2300	-	0.33
216. PROPICONAZOLE	60207-90-1	D	91			-	-	1500	-	-
217. PROPOXUR	114-26-1	C	2.8			10+	-	47	-	1.7
218. PYRENE (PAH)	129-00-0	D	210			10	0.04-10	3500	1.0	0.17-0.3

NOTES: TT Treatment Technology
 NA Not Available
 ND Not Determined
 THM Trihalomethane
 PAH Polycyclic Aromatic Hydrocarbon

* not recovered from water in lab studies
 + EPA established Limit
 - not analyzed by State Lab or the licensed labs surveyed

** no Rfd; HBGL based on Slope Factor
 xx no Slope Factor; HBGL based on Rfd
 ## HBGL not based on Rfd or Slope Factor

Divide indicated soil ingestion HBGL by 100 to obtain "worst possible case" involving an individual prone to eating soil (e.g., a child with pica).

HUMAN HEALTH BASED GUIDANCE LEVELS (HBGLs)
FOR INGESTION OF CONTAMINANTS IN DRINKING WATER AND SOIL

CHEMICAL	CAS NUMBER	CANCER GROUP	DRINKING WATER				SOIL INGESTION			
			INGESTION HBGL (µg/L)	EPA MCL (µg/L)	PMCL (µg/L)	STATE LAB LOQ (µg/L)	LIC LAB RANGE (µg/L)	INGESTION HBGL (mg/kg)	STATE LAB LOQ (mg/kg)	LIC LAB RANGE (mg/kg)
R										
219. RDX	121-82-4	C	2.1			-	-	35	-	-
S										
220. SELENIUM	7782-49-2	D	50 ##	50		5.0	2-100	840	200	0.1-10
221. SETHOXYDIM	74051-80-2	D	630			10	-	11000	1.0	-
222. SILVER	7440-22-4	D	50	50		1.0	1-100	840	10	0.5-10
223. SIMAZINE	122-34-9	C	1.4		1.0	10	-	23	2.0	-
224. STRONTIUM	7440-24-6	D	18000					290000		
225. STYRENE	100-42-5	C	140	100		1.0	0.5-2.5	2300	-	0.05
226. SULFATE	14808-79-8	D	400000 ##	400000		10000	300-5000	6700000	-	-
227. SULPROFOS	35400-43-2	E	18			10	0.5	290	1.0	0.03-0.1
T										
228. 2,4,5-T	93-76-5	D	70			0.5	0.2	1200	0.5	0.02
229. 2,3,7,8-TCDD	1746-01-6	B2	0.0000002	0.00005		-	-	0.000009	-	-
230. 2,4,5-TP	93-72-1	D	56			0.25	0.2-2.0	940	0.25	0.02-0.04
231. TERBUTHIURON	34014-18-1	D	490	50		30	15	8200	3.0	-
232. TERBACIL	5902-51-2	E	91			10	50	1500	2.0	-
233. TERBUFOS	13071-79-9	D	0.70			5.0	20	12	2.0	1.3
234. TERBUTRYN	886-50-0	ND	7.0			10	3.0	120	2.0	0.1-0.66
235. 1,2,4,5-TETRACHLOROBENZENE	95-94-3	D	2.1			-	10	35	-	-
236. 1,1,1,2-TETRACHLOROETHANE	630-20-6	C	21			0.5	0.5-2.5	350	-	0.05
237. 1,1,2,2-TETRACHLOROETHANE	79-34-5	C	0.18 **			0.5	0.2-5.0	6.8	-	0.05-20
238. TETRACHLOROETHYLENE (PCE)	127-18-4	B2	0.70	5.0		0.5	0.2-10	27	0.25	0.01-20
239. TETRAETHYL LEAD	78-00-2	D	0.0007			-	50	0.01	-	1
240. THALLIUM	7440-28-0	ND	0.49	1.0/2.0		5.0	1-100	8.2	1000	0.5-10
241. THIOPHANATE-METHYL	23564-05-8	D	560			-	-	9400	-	-
242. THIRAM	137-26-8	D	35			-	-	580	-	-
243. TOLUENE	108-88-3	D	1400	1000		1.0	0.2-10	23000	0.25	0.01-20
244. TOXAPHENE	8001-35-2	B2	0.03	3.0		2.0	0.5-100	1.2	2.0	0.05-0.5
245. TRIADIMEFON	43121-43-3	D	210			5.0	8.0	3500	0.5	-
246. TRICHLORFON	52-68-6	C	8.8			-	-	150	-	-
247. 1,2,4-TRICHLOROBENZENE	120-82-1	D	9.1	9.0		1.0	5-10	150	-	0.17-0.3

NOTES: TT Treatment Technology

NA Not Available

ND Not Determined

THM Trihalomethane

PAH Polycyclic Aromatic Hydrocarbon

* not recovered from water in lab studies

+ EPA established Limit

- not analyzed by State Lab or the licensed labs surveyed

** no RfD; HBGL based on Slope Factor

xx no Slope Factor; HBGL based on RfD

HBGL not based on RfD or Slope Factor

Divide indicated soil ingestion HBGL by 100 to obtain "worst possible case" involving an individual prone to eating soil (e.g., a child with pica).

HUMAN HEALTH BASED GUIDANCE LEVELS (HBGLS)
FOR INGESTION OF CONTAMINANTS IN DRINKING WATER AND SOIL

CHEMICAL	CAS NUMBER	CANCER GROUP	DRINKING WATER				SOIL INGESTION			
			INGESTION HBGL (µg/L)	EPA MCL (µg/L)	PMCL (µg/L)	STATE LAB LOQ (µg/L)	LTC LAB RANGE (µg/L)	INGESTION HBGL (mg/kg)	STATE LAB LOQ (mg/kg)	LIC LAB RANGE (mg/kg)
248. 1,1,1-TRICHLOROETHANE (TCA)	71-55-6	D	200	200		0.5	0.2-10	3300	0.25	0.01-20
249. 1,1,2-TRICHLOROETHANE	79-00-5	C	2.8			0.5	0.2-10	47	-	0.01-20
250. TRICHLOROETHYLENE (TCE)	79-01-6	B2	3.2	5.0		0.5	0.2-500	120	0.25	0.01-20
251. TRICHLOROFLUOROMETHANE	75-69-4	D	2100			0.5	0.5-10	35000	0.25	0.025-20
252. TRICLOPYR	55335-06-3	E	18			-		290	-	
253. 2,4,5-TRICHLOROPHENOL	95-95-4	D	700			50	5-50	12000	5.0	0.2-0.85
254. 2,4,6-TRICHLOROPHENOL	88-06-2	B2	3.2			10	5-10	120	1.0	0.17-0.66
255. 1,2,3-TRICHLOROPROPANE	96-18-4	D	42			0.5	0.5-2.5	700	-	0.05
256. TRICHLOROTRIFLUOROETHANE	76-13-1	D	210000			0.5		3500000	0.25	
257. TRIFLURALIN	1582-09-8	C	5.3			5.0	0.05-10	88	0.5	0.005
258. TRIFORINE	26644-46-2	D	180			-	-	2900	-	-
259. TRIHALOMETHANES (TOTAL THM)	NA	NA	NA	100		5.0	4	NA	-	-
260. 2,4,6-TRINITROTOLUENE	118-96-7	C	0.35			-	-	5.8	-	-
U										
261. URANIUM	7440-61-1	A	21 xx	20		-	-	350	-	-
V										
262. VANADIUM	7440-62-2	D	49			500	10-50	820	50	0.5-25
263. VERNOLATE	1929-77-7	ND	7.0			5.0	2.0	120	2.0	-
264. VINCLOZOLIN	50471-44-8	D	180			5.0	-	2900	0.5	-
265. VINYL CHLORIDE	75-01-4	A	0.02	2.0		0.5	0.5-10	0.72	-	0.05-40
X										
266. XYLENES (TOTAL)	1330-20-7	D	14000	10000		3.0	0.2-10	230000	0.25	0.01-40
Z										
267. ZINC	7440-66-6	ND	1400			50	0.5-500	23000	10	0.025-10
268. ZINEB	12122-67-7	D	350			-	-	5800	-	-

NOTES: TT Treatment Technology
 NA Not Available
 ND Not Determined
 THM Trihalomethane
 PAH Polycyclic Aromatic Hydrocarbon

* not recovered from water in lab studies
 + EPA established Limit
 - not analyzed by State Lab or the licensed labs surveyed

** no Rfd; HBGL based on Slope Factor
 xx no Slope Factor; HBGL based on Rfd
 ## HBGL not based on Rfd or Slope Factor

Divide indicated soil ingestion HBGL by 100 to obtain "worst possible case" involving an individual prone to eating soil (e.g., a child with pica).

APPENDIX A

DERIVATION OF HEALTH-BASED GUIDANCE LEVELS (HBGLs)

Introduction

For the purpose of developing HBGLs, all listed chemicals were considered either systemic toxicants or carcinogens. Systemic toxicants were defined as those chemicals in cancer groups C, D, E and ND. Carcinogens were defined as those chemicals in cancer groups A, B1 and B2. The toxicological methods used to derive the HBGLs were different for each category and are detailed in subsequent sections. The data used in these calculations were obtained from various federal sources. These data are tabulated in Appendix B.

Because of special properties of several listed chemicals, the HBGLs for these chemicals were not calculated according to either of the methodologies referred to above. The HBGLs for these substances were adopted from EPA MCLs or PMCLs using unique derivations. These exceptions are clearly identified in the main table and in Appendix B.

Systemic Toxicants

The HBGL for each systemic toxicant was based on an oral reference dose (RfD) and assumed a lifetime exposure, except for a few chemicals which cause the greatest risk under conditions of acute exposure. Whenever it was possible, the RfD, or the information needed to calculate the RfD, was obtained from a documented EPA source. Only rarely was it necessary to use data from a source other than an EPA document.

The RfD is a daily exposure level which, during a lifetime of a human, appears to be without appreciable risk on the basis of all facts known at the time. The RfD (formerly called the acceptable daily intake or ADI) is derived from an appropriate study. The RfD is obtained from the no-observed-adverse-effect level (NOAEL) by dividing by a safety factor. The NOAEL is that dose of chemical at which there are no statistically or biologically significant increases in frequency or severity of adverse effect seen between the exposed population and its appropriate control. Effects may be produced at this dose, but they are not considered to be adverse. An assumption is made that the oral RfD represents 100% exposure from all sources even though the number, in almost all cases, is derived from an oral ingestion study. Typically, the RfD is expressed in milligrams per kilogram per day (mg/kg/d). The RfD is converted to water units by multiplying it by 70 kilograms (weight of a standard adult) and dividing it by 2 liters (the assumed consumption of water per day). This number is known as the drinking water equivalent level (DWEL) and still represents 100% exposure through water.

For the final drinking water HBGL, it is necessary to allocate the 100% among all sources which can contribute to the total exposure of a human. Therefore, the DWEL is multiplied by an estimate of the relative source contribution (RSC) of a contaminant in water. In most cases, the RSC is 0.2. In this document, the final drinking water HBGL is calculated using the following equation and is expressed in micrograms per liter ($\mu\text{g/l}$):

$$HBGL_{DW} = \frac{BW \times RfD}{I_w} \times RSC \times 1000 \text{ ug/mg}$$

Where:

HBGL_{DW} = health-based ingestion guidance level
for drinking water ($\mu\text{g/l}$)
BW = body weight (70 kg)
RfD = reference dose (mg/kg/d)
I_w = water ingestion rate (2 l/d)
RSC = relative source contribution

For toxicants in cancer group C, an additional safety factor of 10 was used in the development of the drinking water HBGLs. This approach was adopted from the EPA method used in deriving PMCLs and MCLs for group C chemicals and adds a margin of prudence to the drinking water HBGLs for chemicals exhibiting only limited evidence of carcinogenicity in animals. The equation used to calculate the drinking water HBGL for a systemic toxicant in group C is as follows:

$$HBGL_{DW} = \frac{BW \times RfD}{I_w} \times RSC \times 1000 \text{ ug/mg} \div 10$$

Carcinogens

In this document, HBGLs for all chemicals in cancer groups A, B1 and B2 were derived on the basis of estimated cancer-causing risk rather than on the assurance of a safe daily dose. Chemicals in groups A and B are classified as known or probable human carcinogens, respectively. Evidence of carcinogenicity in humans comes primarily from two sources - long-term animal studies and epidemiological investigations. Results from these kinds of

studies are supplemented by other information from short-term, toxicological and pharmacokinetic studies. The evidence of carcinogenicity is evaluated in the framework of a weight-of-evidence judgement by the EPA. The weighing classifications are:

- Group A - sufficient epidemiologic evidence in humans;
- Group B1 - limited epidemiologic evidence in humans and either sufficient or insufficient evidence in animals;
- Group B2 - sufficient evidence in animals but insufficient epidemiologic evidence in humans.

When sufficient data exist to support a dose-response relationship for a carcinogenic endpoint, the EPA calculates a slope factor (SF). The SF is expressed as the reciprocal of milligrams per kilogram per day [(mg/kg/d)⁻¹]. Using this value and assuming the ingestion of two liters of water per day by a 70 kilogram adult over a 70-year lifetime, the upper bound (95%) of the excess lifetime cancer risk can be calculated.

In this document, the drinking water HBGLs for carcinogens were derived by calculating the concentration in micrograms per liter (µg/l) that would result in an upper bound excess lifetime cancer risk of one in one million (10⁻⁶). The 10⁻⁶ upper bound was based on historic use in Arizona and the United States as a prudent level for protecting public health. The following equation was used in the calculations:

$$HBGL_{DW} = \frac{BW \times LRF}{SF \times I_w} \times 1000 \text{ ug/mg}$$

Where:

- HBGL_{DW} = health-based ingestion guidance level for drinking water (µg/l)
- BW = body weight (70 kg)
- LRF = lifetime risk factor (1 x 10⁻⁶)
- SF = slope factor [(mg/kg/d)⁻¹]
- I_w = water ingestion rate (2 l/d)

Soil Ingestion HBGLs

The soil ingestion HBGL for each chemical was derived in a manner that produced either an exposure dose or health risk, equivalent to that from ingesting water containing the chemical at the drinking water HBGL. The exposure dose criterion was used for systemic toxicants (cancer-groups C, D, E and ND), and the health risk (excess cancer risk) criterion was used for carcinogens (cancer groups A, B1 and B2). Both cases assumed daily ingestion of equal amounts of soil over a 30-year period. This assumption is based on accepted EPA risk assessment practice.

In the case of systemic toxicants, it was assumed that a quantity of the chemical equal to that in two liters of water at the drinking water HBGL was ingested with soil each day. Assuming this exposure to occur over a 30-year period following birth, an intake of 0.2 g/d was used for six years and 0.1 g/d for the remaining 24 years, resulting in a mean daily intake of 0.12 g/d.

In this document, the soil ingestion HBGL values for systemic toxicants were derived by calculating the concentrations in milligrams per kilogram (mg/kg) that would result in a mean daily intake equivalent to that permitted from drinking water. The following equation was used in the calculations:

$$HBGL_s = \frac{I_w \times HBGL_{DW}}{I_{so}} \times \frac{1000 \text{ g/kg}}{1000 \text{ ug/mg}}$$

Where:

- HBGL_s = health-based ingestion guidance level for soil (mg/kg)
- I_w = water ingestion rate (2 l/d)
- HBGL_{DW} = health-based ingestion guidance level for drinking water (µg/l)
- I_{so} = soil ingestion rate during first 30 years of life (0.12 g/d)

In the case of carcinogens, it was assumed that the lifetime excess cancer risk from a chemical in soil was the result of exposure to soil containing the chemical at the soil ingestion HBGL for the first 30 years of life and exposure to soil containing none of the chemical for the remaining 40 years of life. Based on the ingestion pattern described for systemic toxicants (0.2 g/d for 6 years and 0.1 g/d for remaining years), the mean daily intake during the first 30-year period would be 0.12 g/d.

In this document, the soil ingestion HBGL values for carcinogens were derived by calculating the concentration in milligrams per kilogram (mg/kg) that would result in an upper bound excess lifetime cancer risk of 10⁻⁶. The following equation was used in the calculations:

$$HBGL_s = \frac{AT \times BW \times LRF}{I_{so} \times ED \times SF} \times 1000 \text{ mg/g}$$

Where:

- HBGL_s = health-based ingestion guidance level for soil (mg/kg)
- BW = body weight (70 kg)
- LRF = lifetime risk factor (1 x 10⁻⁶)
- SF = slope factor [(mg/kg/d)⁻¹]
- I_{so} = soil ingestion rate during the first 30 years of life (0.12 g/d)
- AT = 70-year lifetime
- ED = 30-year exposure duration

APPENDIX B
TOXICOLOGICAL DATA FOR LISTED CHEMICALS

CHEMICAL	CAS NUMBER	CANCER GROUP	RfD (mg/kg/d)	SLOPE FACTOR 1/(mg/kg/d)	SAFETY FACTOR	RSC
A						
1. ACENAPHTHYLENE (PAH)	208-96-8	D	0.06	NA	NA	0.20
2. ACEPHATE	30560-19-1	C	0.004	NA	10	0.20
3. ACETONE	67-64-1	D	0.1	NA	NA	0.20
4. ACROLEIN	107-02-8	C	0.157	NA	10	0.20
5. ACRYLAMIDE	79-06-1	B2	NA	4.5	NA	NA
6. ACRYLONITRILE	107-13-1	B1	NA	0.54	NA	NA
7. ALACHLOR	15972-60-8	B2	NA	0.081	NA	NA
8. ALDICARB	116-06-3	E	0.0013	NA	NA	0.20
9. ALDICARB SULFONE	1646-88-4	D	0.0003	NA	NA	0.20
10. ALDICARB SULFOXIDE	1646-87-3	D	0.0013	NA	NA	0.20
11. ALDRIN	309-00-2	B2	NA	17.0	NA	NA
12. AMETRYN	834-12-8	D	0.009	NA	NA	0.20
13. AMMONIUM SULFAMATE	7773-06-0	D	0.2	NA	NA	0.20
14. ANTHRACENE (PAH)	120-12-7	D	0.3	NA	NA	0.20
15. ANTIMONY	7440-36-0	D	0.0004	NA	NA	0.20
16. ARSENIC (INORGANIC)	7440-38-2	A	NA	NA	NA	NA
17. ASULAM	3337-71-1	D	0.05	NA	NA	0.20
18. ATRAZINE	1912-24-9	C	0.005	NA	10	0.20
19. AZINPHOS-METHYL	86-50-0	E	0.0025	NA	NA	0.20
B						
20. BARIUM	7440-39-3	D	NA	NA	NA	NA
21. BENOMYL	17804-35-2	D	0.05	NA	NA	0.20
22. BENTAZON	25057-89-0	D	0.0025	NA	NA	0.20
23. BENZ[a]ANTHRACENE (PAH)	56-55-3	B2	NA	12.5	NA	NA
24. BENZENE	71-43-2	A	NA	0.029	NA	NA
25. BENZIDINE	92-87-5	A	NA	230	NA	NA
26. BENZO[a]PYRENE (PAH)	50-32-8	B2	NA	12.5	NA	NA
27. BENZO[b]FLUORANTHENE (PAH)	205-99-2	B2	NA	12.5	NA	NA
28. BENZO[k]FLUORANTHENE (PAH)	207-08-9	B2	NA	12.5	NA	NA
29. BENZYL ALCOHOL	100-51-6	ND	0.3	NA	NA	0.20
30. BERYLLIUM	7440-41-7	B2	NA	4.3	NA	NA
31. BIS(2-CHLOROETHYL)ETHER	111-44-4	B2	NA	1.1	NA	NA
32. BIS(2-CHLOROISOPROPYL)ETHER	39638-32-9	ND	0.04	NA	NA	0.20
			NA Not Available	ND Not Determined		

APPENDIX B
TOXICOLOGICAL DATA FOR LISTED CHEMICALS

CHEMICAL	CAS NUMBER	CANCER GROUP	Rfd (mg/kg/d)	SLOPE FACTOR 1/(mg/kg/d)	SAFETY FACTOR	RSC
33. BORON	7440-42-8	D	0.09	NA	NA	0.20
34. BROMACIL	314-40-9	C	0.13	NA	10	0.20
35. BROMODICHLOROMETHANE (THM)	75-27-4	B2	NA	0.13	NA	NA
36. BROMOFORM (THM)	75-25-2	B2	NA	0.0079	NA	NA
37. BROMOMETHANE	74-83-9	D	0.0014	NA	NA	0.20
38. BROMOXYNIL	1689-84-5	D	0.02	NA	NA	0.20
39. BUTYL BENZYL PHTHALATE	85-68-7	C	0.16	NA	10	0.20
40. BUTYLATE	2008-41-5	D	0.05	NA	NA	0.20
C						
41. CADMIUM	7440-43-9	D	0.0005	NA	NA	0.20
42. CAPTAN	133-06-2	D	0.13	NA	NA	0.20
43. CARBARYL	63-25-2	D	0.1	NA	NA	0.20
44. CARBOFURAN	1563-66-2	E	0.005	NA	NA	0.20
45. CARBON DISULFIDE	75-15-0	D	0.1	NA	NA	0.20
46. CARBON TETRACHLORIDE	56-23-5	B2	NA	0.13	NA	NA
47. CARBOXIN	5234-68-4	D	0.1	NA	NA	0.20
48. CHLORAMBN	133-90-4	D	0.015	NA	NA	0.20
49. CHLORDANE	57-74-9	B2	NA	1.3	NA	NA
50. CHLORDIENEFORM	6164-98-3	B2	NA	1.17	NA	NA
51. CHLOROBENZENE	108-90-7	D	0.02	NA	NA	0.20
52. CHLOROFORM (THM)	67-66-3	B2	NA	0.0061	NA	NA
53. CHLOROMETHANE	74-87-3	C	0.004	NA	10	0.20
54. 2-CHLOROPHENOL	95-57-8	D	0.005	NA	NA	0.20
55. CHLOROTHALONIL	1897-45-6	B2	NA	0.0029	NA	NA
56. o-CHLOROTOLUENE	95-49-8	D	0.02	NA	NA	0.20
57. CHLOROPYRIFOS	2921-88-2	D	0.003	NA	NA	0.20
58. CHLORSULFURON	64902-72-3	D	0.05	NA	NA	0.20
59. CHROMIUM (TOTAL)	NA	D	NA	NA	NA	NA
60. CHRYSENE (PAH)	218-01-9	B2	NA	12.5	NA	NA
61. COPPER	7440-50-8	D	NA	NA	NA	NA
62. CRESOLS (TOTAL)	NA	D	0.05	NA	NA	0.20
63. CYANAZINE	21725-46-2	D	0.002	NA	NA	0.20
64. CYANIDE	57-12-5	D	0.022	NA	NA	0.20
65. CYROMAZINE	66215-27-8	D	0.0075	NA	NA	0.20

NA Not Available ND Not Determined

APPENDIX B
TOXICOLOGICAL DATA FOR LISTED CHEMICALS

CHEMICAL	CAS NUMBER	CANCER GROUP	RfD (mg/kg/d)	SLOPE FACTOR 1/(mg/kg/d)	SAFETY FACTOR	RSC
D						
66. 2,4-D	94-75-7	D	0.01	NA	NA	0.20
67. DALAPON	75-99-0	D	0.03	NA	NA	0.20
68. DCPA	1861-32-1	D	0.5	NA	NA	0.20
69. DDD	72-54-8	B2	NA	0.24	NA	NA
70. DDE	72-55-9	B2	NA	0.34	NA	NA
71. DDT	50-29-3	B2	NA	0.34	NA	NA
72. DDT/DDD/DDE (TOTAL)	NA	B2	NA	0.34	NA	NA
73. DIAZINON	333-41-5	E	0.0009	NA	NA	0.20
74. DIBENZ[a,h]ANTHRACENE (PAH)	53-70-3	B2	NA	12.5	NA	NA
75. DIBROMOCHLOROMETHANE (THM)	124-48-1	C	0.02	NA	10	0.20
76. 1,2-DIBROMO-3-CHLOROPROPANE (DBCP)	96-12-8	B2	NA	1.17	NA	NA
77. DIBUTYL PHTHALATE	84-74-2	D	0.1	NA	NA	0.20
78. DICAMBA	1918-00-9	D	0.03	NA	NA	0.20
79. DICHLOBENIL	1194-65-6	D	0.0005	NA	NA	0.20
80. 1,2-DICHLOROBENZENE	95-50-1	D	0.089	NA	NA	0.20
81. 1,3-DICHLOROBENZENE	541-73-1	D	0.089	NA	NA	0.20
82. 1,4-DICHLOROBENZENE	106-46-7	C	0.1	NA	10	0.20
83. 3,3'-DICHLOROBENZIDINE	91-94-1	B2	NA	0.451	NA	NA
84. DICHLORO(1-FLUORO)ETHANE	75-71-8	D	0.2	NA	NA	0.20
85. 1,2-DICHLOROETHANE	107-06-2	B2	NA	0.091	NA	NA
86. 1,1-DICHLOROETHYLENE	75-35-4	C	0.009	NA	10	0.20
87. cis-1,2-DICHLOROETHYLENE	156-59-2	D	0.01	NA	NA	0.20
88. trans-1,2-DICHLOROETHYLENE	156-60-5	D	0.02	NA	NA	0.20
89. 1,2-DICHLOROPROPANE	78-87-5	B2	NA	0.068	NA	NA
90. 2,4-DICHLOROPHENOL	120-83-2	D	0.003	NA	NA	0.20
91. 1,3-DICHLOROPROPENE	542-75-6	B2	NA	0.18	NA	NA
92. DICLORAN	99-30-9	E	0.025	NA	NA	0.20
93. DICOVOL	115-32-2	C	ND	0.44	NA	NA
94. DIELDRIIN	60-57-1	B2	NA	16.0	NA	NA
95. DIETHYL PHTHALATE	84-66-2	D	0.8	NA	NA	0.20
96. DI(2-ETHYLHEXYL)ADIPATE	103-23-1	C	0.7	NA	10	0.20
97. DI(2-ETHYLHEXYL)PHTHALATE	117-81-7	B2	NA	0.014	NA	NA

NA Not Available ND Not Determined

APPENDIX B
TOXICOLOGICAL DATA FOR LISTED CHEMICALS

CHEMICAL	CAS NUMBER	CANCER GROUP	RfD (mg/kg/d)	SLOPE FACTOR 1/(mg/kg/d)	SAFETY FACTOR	RSC
98. DIFENZOQUAT	43222-48-6	D	0.08	NA	NA	0.20
99. DIISOPROPYL METHYLPHOSPHONATE	1445-75-6	D	0.08	NA	NA	0.20
100. DIMETHOATE	60-51-5	D	0.0002	NA	NA	0.20
101. 2,4-DINITROPHENOL	51-28-5	ND	0.002	NA	NA	0.20
102. 2,4-DINITROTOLUENE	121-14-2	B2	NA	0.68	NA	NA
103. DINOSEB	88-85-7	D	0.001	NA	NA	0.20
104. 1,4-DIOXANE	123-91-1	B2	NA	0.011	NA	NA
105. DIPHENAMID	957-51-7	D	0.03	NA	NA	0.20
106. 1,2-DIPHENYLHYDRAZINE	122-66-7	B2	NA	0.8	NA	NA
107. DIQUAT DIBROMIDE	85-00-7	D	0.0022	NA	NA	0.20
108. DISULFOTON	298-04-4	E	0.00004	NA	NA	0.20
109. DIURON	330-54-1	D	0.002	NA	NA	0.20
110. DPX-M6316	79277-27-3	ND	0.013	NA	NA	0.20
E						
111. ENDOSULFAN	115-29-7	D	0.00005	NA	NA	0.20
112. ENDOTHALL	145-73-3	D	0.02	NA	NA	0.20
113. ENDRIN	72-20-8	E	0.0003	NA	NA	0.20
114. EPICHLOROHYDRIN	106-89-8	B2	NA	0.0099	NA	NA
115. ETHEPHON	16672-87-0	D	0.005	NA	NA	0.20
116. EPTC	759-94-4	D	0.025	NA	NA	0.20
117. ETHYLBENZENE	100-41-4	D	0.1	NA	NA	0.20
118. ETHYLENE DIBROMIDE (EDB)	106-93-4	B2	NA	85.0	NA	NA
119. ETHYLENE GLYCOL	107-21-1	D	2.0	NA	NA	0.20
120. ETHYLENE THIOUREA	96-45-7	B2	NA	0.036	NA	NA
121. N-ETHYLTOLUENE SULFONAMIDE	26914-52-3	ND	0.0025	NA	NA	0.20
F						
122. FENAMIPIOS	22224-92-6	D	0.00025	NA	NA	0.20
123. FENARIMOL	60168-88-9	E	0.065	NA	NA	0.20
124. FENVALERATE	51630-58-1	ND	0.025	NA	NA	0.20
125. FLUOMETURON	2164-17-2	D	0.013	NA	NA	0.20
126. FLUORANTHENE (PAH)	206-44-0	D	0.04	NA	NA	0.20
127. FLUORENE (PAH)	86-73-7	D	0.04	NA	NA	0.20
128. FLUORIDE	7782-41-4	D	0.06	NA	NA	0.20

NA Not Available ND Not Determined

APPENDIX B
TOXICOLOGICAL DATA FOR LISTED CHEMICALS

CHEMICAL	CAS NUMBER	CANCER GROUP	Rfd (mg/kg/d)	SLOPE FACTOR 1/(mg/kg/d)	SAFETY FACTOR	RSC
129. FLURIDONE	59756-60-4	D	0.08	NA	NA	0.20
130. FLUVALINATE	69409-94-5	D	0.01	NA	NA	0.20
131. FONOFOS	944-22-9	D	0.002	NA	NA	0.20
132. FORMETANATE HYDROCHLORIDE	23422-53-9	E	0.0015	NA	NA	0.20
133. FOSETYL-AL	39148-24-8	C	3.0	NA	10	0.20
G						
134. GLYPHOSATE	1071-83-6	D	0.1	NA	NA	0.20
II						
135. HEPTACHLOR	76-44-8	B2	NA	4.5	NA	NA
136. HEPTACHLOR EPOXIDE	1024-57-3	B2	NA	9.1	NA	NA
137. HEXACHLOROETHANE	67-72-1	C	0.001	NA	10	0.20
138. HEXACHLOROBENZENE	118-74-1	B2	NA	1.6	NA	NA
139. HEXACHLOROBUTADIENE	87-68-3	C	0.002	NA	10	0.20
140. HEXACHLOROCYCLOHEXANE (alpha-)	319-84-6	B2	NA	6.3	NA	NA
141. HEXACHLOROCYCLOHEXANE (beta-)	319-85-7	C	NA	1.8	NA	NA
142. HEXACHLOROCYCLOPENTADIENE	77-47-4	D	0.007	NA	NA	0.20
143. n-HEXANE	110-54-3	D	0.06	NA	NA	0.20
144. HEXAZINONE	51235-04-2	D	0.033	NA	NA	0.20
145. IHX	2691-41-0	D	0.05	NA	NA	0.20
I						
146. IMAZALIL	35554-44-0	D	0.013	NA	NA	0.20
147. IMAZAQUIN	81335-37-7	D	0.25	NA	NA	0.20
148. INDENOPYRENE (PAH)	193-39-5	B2	NA	12.5	NA	NA
149. ISOPHORONE	78-59-1	C	0.2	NA	10	0.20
L						
150. LEAD	7439-92-1	B2	NA	NA	NA	NA
151. LINDANE	58-89-9	C	0.0003	NA	10	0.20
152. LINURON	330-55-2	C	0.002	NA	10	0.20
M						
153. MALATHION	121-75-5	D	0.02	NA	NA	0.20
154. MALEIC HYDRAZIDE	123-33-1	D	0.5	NA	NA	0.20
155. MANCOZEB	8018-01-7	ND	0.03	NA	NA	0.20

NA Not Available ND Not Determined

APPENDIX B
TOXICOLOGICAL DATA FOR LISTED CHEMICALS

CHEMICAL	CAS NUMBER	CANCER GROUP	Rfd (mg/kg/d)	SLOPE FACTOR 1/(mg/kg/d)	SAFETY FACTOR	RSC
156. MANEB	12427-38-2	D	0.005	NA	NA	0.20
157. MANGANESE	7439-96-5	D	0.1	NA	NA	0.20
158. MCPA	94-74-6	D	0.0005	NA	NA	0.20
159. MEPIQUAT CHLORIDE	24307-26-4	D	0.03	NA	NA	0.20
160. MERCURY (INORGANIC)	7439-97-6	D	0.0003	NA	NA	0.20
161. METALAXYL	57837-19-1	D	0.06	NA	NA	0.20
162. METHAMIDOPHOS	10265-92-6	D	0.00005	NA	NA	0.20
163. METHIOCARB	2032-65-7	E	0.00125	NA	NA	0.20
164. METHOMYL	16752-77-5	D	0.025	NA	NA	0.20
165. METHOXYCHLOR	72-43-5	D	0.005	NA	NA	0.20
166. METHYL ETHYL KETONE	78-93-3	D	0.05	NA	NA	0.20
167. METHYL PARATHION	298-00-0	D	0.00025	NA	NA	0.20
168. METHYL TERT BUTYL ETHER (MTBE)	1634-04-4	D	0.005	NA	NA	0.20
169. METHYLENE CHLORIDE	75-09-2	B2	NA	0.0075	NA	NA
170. METOLACHLOR	51218-45-2	C	0.15	NA	10	0.20
171. METRIBUZIN	21087-64-9	D	0.025	NA	NA	0.20
172. METSULFURON-METHYL	74223-64-6	D	0.25	NA	NA	0.20
173. MOLYBDENUM	7439-98-7	D	0.001	NA	NA	0.20
174. MONOCROTOPHOS	6923-22-4	E	0.000045	NA	NA	0.20
175. MORURON	150-68-5	ND	0.0007	NA	NA	0.20
176. MSMA (AS ARSENIC)	2163-80-6	A	NA	NA	NA	NA
177. MYCLOBUTANIL	88671-89-0	ND	0.025	NA	NA	0.20
178. NALED	300-76-5	D	0.002	NA	NA	0.20
179. NAPHTHALENE (PAH)	91-20-3	D	0.004	NA	NA	0.20
180. NAPROPAHIDE	15299-99-7	ND	0.1	NA	NA	0.20
181. NICKEL	7440-02-0	D	0.02	NA	NA	0.20
182. NITRATE	14797-55-8	D	1.6	NA	NA	0.20
183. NITRATE/NITRITE (TOTAL)	NA	D	1.0	NA	NA	0.20
184. NITRITE	14797-65-0	D	0.1	NA	NA	0.20
185. NITROBENZENE	98-95-3	D	0.0005	NA	NA	0.20
186. NITROGUANIDINE	556-88-7	D	0.1	NA	NA	0.20
187. N-NITROSODIPHENYLAMINE	86-30-6	B2	NA	0.0049	NA	NA

NA Not Available ND Not Determined

APPENDIX B
TOXICOLOGICAL DATA FOR LISTED CHEMICALS

CHEMICAL	CAS NUMBER	CANCER GROUP	Rfd (mg/kg/d)	SLOPE FACTOR 1/(mg/kg/d)	SAFETY FACTOR	RSC
188. N-NITROSO-1-n-PROPYLAMINE	621-64-7	B2	NA	7.0	NA	NA
189. N-NITROSO-DIMETHYLAMINE	62-75-9	B2	NA	51.0	NA	NA
190. N-NITROSPYRROLIDINE	930-55-2	B2	NA	2.1	NA	NA
191. NORFLURAZON	27314-13-2	D	0.04	NA	NA	0.20
D						
192. ORYZALIN	19044-88-3	C	0.05	NA	10	0.20
193. OXAMYL	23135-22-0	E	0.025	NA	NA	0.20
194. OXYDEMETON-METHYL	301-12-2	D	0.0005	NA	NA	0.20
P						
195. PARAQUAT	1910-42-5	C	0.0045	NA	10	0.20
196. PARATHION	56-38-2	C	0.006	NA	10	0.20
197. PENDIMETHALIN	40487-42-1	D	0.04	NA	NA	0.20
198. PENTACHLOROBENZENE	608-93-5	D	0.0008	NA	NA	0.20
199. PENTACHLOROPHENOL	87-86-5	B2	NA	0.12	NA	0.20
200. PERMETHRIN	52645-53-1	D	0.05	NA	NA	0.20
201. PHENOL	108-95-2	D	0.6	NA	NA	0.20
202. PHORATE	298-02-2	E	0.0005	NA	NA	0.20
203. PHOSMET	732-11-6	D	0.02	NA	NA	0.20
204. PHOSPHAMIDON	13171-21-6	D	0.00017	NA	NA	0.20
205. PICLORAM	1918-02-1	D	0.07	NA	NA	0.20
206. POLYCHLORINATED BIPHENYLS (PCBs)	1336-36-3	B2	NA	7.7	NA	NA
207. PROFENOFOS	41198-08-7	D	0.00005	NA	NA	0.20
208. PROFLURALIN	26399-36-0	ND	0.006	NA	NA	0.20
209. PROMETON	1610-18-0	D	0.015	NA	NA	0.20
210. PROMETRYN	7287-19-6	D	0.004	NA	NA	0.20
211. PRONAMIDE	23950-58-5	C	0.075	NA	10	0.20
212. PROPACHLOR	1918-16-7	D	0.013	NA	NA	0.20
213. PROPARGITE	2312-35-8	ND	0.02	NA	NA	0.20
214. PROPAGINE	139-40-2	C	0.02	NA	10	0.20
215. PROPHAM	122-42-9	D	0.02	NA	NA	0.20
216. PROPICONAZOLE	60207-90-1	D	0.013	NA	NA	0.20
217. PROPOXUR	114-26-1	C	0.004	NA	10	0.20
218. PYRENE (PAH)	129-00-0	D	0.03	NA	NA	0.20
NA Not Available			ND Not Determined			

APPENDIX B
TOXICOLOGICAL DATA FOR LISTED CHEMICALS

CHEMICAL	CAS NUMBER	CANCER GROUP	RfD (mg/kg/d)	SLOPE FACTOR 1/(mg/kg/d)	SAFETY FACTOR	RSC
R						
219. ROX	121-82-4	C	0.003	NA	10	0.20
S						
220. SELENIUM	7782-49-2	D	NA	NA	NA	NA
221. SETHOXYDIM	74051-80-2	D	0.09	NA	NA	0.20
222. SILVER	7440-22-4	D	NA	NA	NA	0.20
223. SIMAZINE	122-34-9	C	0.002	NA	10	0.20
224. STRONTIUM	7440-24-6	D	2.5	NA	NA	0.20
225. STYRENE	100-42-5	C	0.2	NA	10	0.20
226. SULFATE	14808-79-8	D	NA	NA	NA	NA
227. SULPROFOS	35400-43-2	E	0.0025	NA	NA	0.20
T						
228. 2,4,5-T	93-76-5	D	0.01	NA	NA	0.20
229. 2,3,7,8-TCDD	1746-01-6	B2	NA	150000	NA	NA
230. 2,4,5-TP	93-72-1	D	0.008	NA	NA	0.20
231. TEBUTHIURON	34014-18-1	D	0.07	NA	NA	0.20
232. TERBACIL	5902-51-2	E	0.013	NA	NA	0.20
233. TERBUFOS	13071-79-9	D	0.0001	NA	NA	0.20
234. TERBUTRYN	886-50-0	ND	0.001	NA	NA	0.20
235. 1,2,4,5-TETRACHLOROBENZENE	95-94-3	D	0.0003	NA	NA	0.20
236. 1,1,1,2-TETRACHLOROETHANE	630-20-6	C	0.03	NA	10	0.20
237. 1,1,2,2-TETRACHLOROETHANE	79-34-5	C	NA	0.2	NA	NA
238. TETRACHLOROETHYLENE (PCE)	127-18-4	B2	NA	0.05	NA	NA
239. TETRAETHYL LEAD	78-00-2	D	0.0000001	NA	NA	0.20
240. THALLIUM	7440-28-0	ND	0.00007	NA	NA	0.20
241. THIOPHANATE-METHYL	23564-05-8	D	0.08	NA	NA	0.20
242. THIRAM	137-26-8	D	0.005	NA	NA	0.20
243. TOLUENE	108-88-3	D	0.2	NA	NA	0.20
244. TOXAPHENE	8001-35-2	B2	NA	1.1	NA	NA
245. TRIADIMEFON	43121-43-3	D	0.03	NA	NA	0.20
246. TRICHLORFON	52-68-6	C	0.0125	NA	10	0.20
247. 1,2,4-TRICHLOROBENZENE	120-82-1	D	0.0013	NA	NA	0.20

NA Not Available ND Not Determined

APPENDIX B
TOXICOLOGICAL DATA FOR LISTED CHEMICALS

CHEMICAL	CAS NUMBER	CANCER GROUP	RfD (mg/kg/d)	SLOPE FACTOR 1/(mg/kg/d)	SAFETY FACTOR	RSC
248. 1,1,1-TRICHLOROETHANE (TCA)	71-55-6	D	.09	NA	NA	NA
249. 1,1,2-TRICHLOROETHANE	79-00-5	C	0.004	NA	10	0.20
250. TRICHLOROETHYLENE (TCE)	79-01-6	B2	NA	0.011	NA	NA
251. TRICHLOROFLUOROMETHANE	75-69-4	D	0.3	NA	NA	0.20
252. TRICLOPYR	55335-06-3	E	0.0025	NA	NA	0.20
253. 2,4,5-TRICHLOROPHENOL	95-95-4	D	0.1	NA	NA	0.20
254. 2,4,6-TRICHLOROPHENOL	88-06-2	B2	NA	0.011	NA	NA
255. 1,2,3-TRICHLOROPROPANE	96-18-4	D	0.006	NA	NA	0.20
256. TRICHLOROTRIFLUOROETHANE	76-13-1	D	30.0	NA	NA	0.20
257. TRIFLURALIN	1582-09-8	C	0.0075	NA	10	0.20
258. TRIFORINE	26644-46-2	D	0.025	NA	NA	0.20
259. TRIHALOMETHANES (TOTAL THM)	NA	NA	NA	NA	NA	NA
260. 2,4,6-TRINITROTOLUENE	118-96-7	C	0.0005	NA	10	0.20
U 261. URANIUM	7440-61-1	A	0.003	ND	NA	0.20
V 262. VANADIUM	7440-62-2	D	0.007	NA	NA	0.20
263. VERNOLATE	1929-77-7	ND	0.001	NA	NA	0.20
264. VINCLOZOLIN	50471-44-8	D	0.025	NA	NA	0.20
265. VINYL CHLORIDE	75-01-4	A	NA	1.9	NA	NA
X 266. XYLENES (TOTAL)	1330-20-7	D	2.0	NA	NA	0.20
Z 267. ZINC	7440-66-6	ND	0.2	NA	NA	0.20
268. ZINEB	12122-67-7	D	0.05	NA	NA	0.20

NA Not Available ND Not Determined

APPENDIX C

SELECTED SYNONYMS and ACRONYMS FOR TABULATED CHEMICALS (* indicates trade or brand name)

SYNONYM	NAME LISTED IN TABLE	SYNONYM	NAME LISTED IN TABLE
α-BHC	Hexachlorocyclohexane(α-)	2-Propanone	Acetone
α-HCH	Hexachlorocyclohexane(α-)	2-Propenal	Acrolein
α-Hydroxytoluene	Benzyl alcohol	2-Propenenitrile	Acrylonitrile
β-BHC	Hexachlorocyclohexane(β-)	2-(2,4,5-Trichlorophenoxy) propionic acid	2,4,5-TP
β-HCH	Hexachlorocyclohexane(β-)	2,3,7,8-Tetrachloro- dibenzodioxin	2,3,7,8-TCDD
β-Trichloroethane	1,1,2-Trichloroethane	2,4-DCP	2,4-Dichlorophenol
γ-BHC	Lindane	2,4-Dichlorophenoxyacetic acid	2,4-D
γ-HCH	Lindane	2,4-DNP	2,4-Dinitrophenol
1-Methyl-2,4-dinitrobenzene	2,4-Dinitrotoluene	2,4-DNT	2,4-Dinitrotoluene
1,1-DCE	1,1-Dichloroethylene	2,4,5-TCP	2,4,5-Trichlorophenol
1,1-Dichloroethene	1,1-Dichloroethylene	2,4,5-Trichlorophenoxyacetic acid	2,4,5-T
1,1,1-TCA	1,1,1-Trichloroethane	2,4,6-TCP	2,4,6-Trichlorophenol
1,1,2-TCA	1,1,2-Trichloroethane	3-Cresol	Cresol (Total)
1,1,2-Trichloroethene	Trichloroethylene	3-Hydroxytoluene	Cresol (Total)
1,1,2-Trichloro- 1,2,2-trifluoroethane	Trichlorotrifluoroethane	3-Methylphenol	m-Methylphenol
1,1,1,2-PCA	1,1,1,2-Tetrachloroethane	AAtrax*	Atrazine
1,1,2,2-PCA	1,1,2,2-Tetrachloroethane	Accelerate*	Endothall
1,1,2,2-Tetrachloroethylene	Tetrachloroethylene	Access*	Picloram
1,2-Benzacenaphthene	Fluoranthene	Acephate-met	Methamidophos
1,2-DCA	1,2-Dichloroethane	Acrylaldehyde	Acrolein
1,2-Dibromoethane	Ethylene dibromide	Afalon*	Linuron
1,2,2-Trichloroethene	Trichloroethylene	Alfa-Tox*	Diazinon
1,2,2-Trichloroethane	1,1,2-Trichloroethane	Allisan*	Dicloran
1,2,4-TCB	1,2,4-Trichlorobenzene	Ally*	Metsulfuron-Methyl
1,3-DCP	1,3-Dichloropropene	alpha-BHC	Hexachlorocyclohexane(α-)
1,4-Dioxane	p-Dioxane	alpha-HCH	Hexachlorocyclohexane(α-)
2-Butanone	Methyl ethyl ketone	Amazine*	Simazine
2-Chlorotoluene	o-Chlorotoluene	Ambush*	Permethrin
2-Cresol	Cresols (Total)	Amiben*	Chloramben
2-Hydroxyethanol	Ethylene glycol	Amidophos	Methamidophos
2-Hydroxytoluene	Cresols (Total)	Ammate*	Ammonium Sulfamate
2-Methoxy-2-methyl propane	Methyl tert butyl ether	AMS	Ammonium Sulfamate
2-Methyl-4-phenoxy- acetic acid	MCPA		
2-Methylphenol	o-Methylphenol		

SYNONYM

NAME LISTED IN TABLE

Ansar*	MSMA
Anthon*	Trichlorfon
Apron*	Metaxalyl
Aqua 8*	Parathion
Aqualin*	Acrolein
Aquatate*	Diquat Dibromide
Aquazine*	Simazine
Arasan*	Thiram
Arena*	Alachlor
Asana*	Fenvalerate
Atroban*	Permethrin
Avenge*	Difenoquat
Azodrin*	Monocrotophos
Banish*	Diquat Dibromide
Banrot*	Thiophanate-Methyl
Basagran*	Bentazon
Basudin*	Diazinon
Bayer*	Azinphos-Methyl
Baygon*	Propoxur
Bayleton*	Triadimeton
Benlate*	Benomyl
BBP	Butyl benzyl phthalate
Benzamine	N-Nitrosodiphenylamine
Benz[a]phenanthrene	Chrysene
Benz[e]acephenanthrylene	Benzol[b]fluoranthene
Benzofalanthracene	Benz[a]anthracene
Benzofalphenanthrene	Chrysene
Benzofl[k]fluorene	Fluoranthene
beta-BHC	Hexachlorocyclohexane (β -)
beta-HCH	Hexachlorocyclohexane (β -)
beta-Trichloroethane	1,1,2-Trichloroethane
Bicep*	Atrazine
Bicep*	Metolachlor
Big 10 Dust*	Carbaryl
Biocide*	Acrolein
Bis(2-ethylhexyl)phthalate	Di(2-ethylhexyl)phthalate
Bladex*	Cyanazine
Bloc*	Fenarimol
Bolstar*	Sulprofos
Botran*	Dicloran
Bran L Bait*	Methomyl
Bravo*	Chlorothalonil
Bravo C/M*	Maneb
Bromofume*	Ethylene dibromide
Bronco*	Alachlor
Bullet*	Alachlor
c-1,2-DCE	cis-1,2-Dichloroethylene
Caparol*	Prometryn

SYNONYM

NAME LISTED IN TABLE

Captec*	Captan
Carbolic acid	Phenol
Carbon bisulphide	Carbon disulphide
Carzol*	Formetanate Hydrochloride
Casoran*	Dichlobenil
Castaway*	Diquat Dibromide
Cercobin*	Thiophanate-Methyl
CFC-11	Trichlorofluoromethane
CFC-12	Dichlorodifluoromethane
CFC-113	Trichlorotrifluoroethane
Chemathion	Malathion
Chlorodibromomethane	Dibromochloromethane
Chloroethene	Vinyl chloride
Chloroethylene	Vinyl chloride
Chloromethylloxirane	Epichlorohydrin
Chlorophen*	Pentachlorophenol
Chlorothane*	1,1,1-Trichloroethane
Chlorothene*	1,1,1-Trichloroethane
Cinnamene	Styrene
cis-1,2-DCE	cis-1,2-Dichloroethylene
cis-1,2-Dichloroethene	cis-1,2-Dichloroethylene
cis-1,3-Dichloropropene	1,3-Dichloropropene
cis-1,3-Dichloropropylene	1,3-Dichloropropene
Citation*	Cyromazine
Coastox*	Carbaryl
Comite*	Propargite
Conquest*	Cyanazine
Conquest*	Atrazine
Cotoran*	Fluometuron
Cotton-Pro*	Prometryn
Counter*	Terbufos
Cresol(o-)	Cresols (Total)
Cresol(m-)	Cresols (Total)
Cresylic acid(o-)	Cresols (Total)
Cresylic acid(m-)	Cresols (Total)
Crolean*	Acrolein
Curacron*	Profenofos
Curaterr*	Carbofuran
Cycle*	Metolachlor
Cyclonite	RDX
Cyclotrimethylenetrinitramine	RDX
Cygon*	Dimethoate
Cythion*	Malathion
Dacamine*	2,4-D
Daconil*	Chlorothalonil
Dacthal*	DCPA
DBCP	1,2-Dibromo-3-chloro-propane

SYNONYM

NAME LISTED IN TABLE

DBP	Dibutyl phthalate
DCMU	Diuron
DCNA*	Dicloran
DCP	1,3-Dichloropropene
De-Bug-1*	Carbaryl
DEHP	Di(2-ethylhexyl)phthalate
DEP	Diethyl phthalate
Depend*	Bentazon
Des-I-Cate*	Endothall
Devrinol*	Napropamide
Di(2-chloroethyl)ether	Bis(2-chloroethyl)ether
Dibenzof[a,h]anthracene	Dibenz[a,h]anthracene
Dibenzof[b,j,k]fluorene	Benzo[k]fluoranthene
Dibrom*	Naled
Dibromochloropropane	1,2-Dibromo-3-chloropropane
Dichloran	Dicloran
Dichlorobromomethane	Bromodichloromethane
Dichlorobenzidine	3,3-Dichlorobenzidine
Dichlorodiphenyldi-chloroethane	DDD
Dichlorodiphenyldi-chloroethylene	DDE
Dichlorodiphenyltri-chloroethane	DDT
Dichloromethane	Methylene chloride
Dichlorophenoxyacetic acid	2,4-D
Difluorodichloromethane	Dichlorodifluoromethane
Dimate*	Dimethoate
Dimecron*	Phosphamidon
Dimethogon*	Dimethoate
Dimethyl ketone	Acetone
Dimethylbenzene	Xylene (Total)
Dimethylnitrosoamine	N-Nitrosodimethylamine
Dimethyl tetrachloro-terephthalate	DCPA
Di-n-butyl phthalate	Dibutyl phthalate
Dioxamyl	Oxamyl
Dioxin	2,3,7,8-TCDD
Diphenylnitrosamine	N-Nitrosodiphenylamine
Dipropylnitrosamine	N-Nitrosodi-n-propylamine
Dipterex*	Trichlorfon
Diquat	Diquat Dibromide
Disyston*	Disulfoton
Dithane*	Mancozeb
Dithon*	Methyl Parathion
Dithon 63	Parathion
Ditranil	Dicloran

SYNONYM

NAME LISTED IN TABLE

DMK	Acetone
DMN or DMNA	N-Nitrosodimethylamine
DNP	2,4-Dinitrophenol
DNT	2,4-Dinitrotoluene
DPN or DPNA	N-Nitrosodi-n-propylamine
DPX-T6376	Metsulfuron-Methyl
Dragnet*	Permethrin
Dual*	Metolachlor
Dursban*	Chlorpyrifos
Dyfonate*	Fonofos
Dylox*	Trichlorfon
Ectiban*	Permethrin
Ectrin*	Fenvalerate
EDB	Ethylene dibromide
EDC	1,2-Dichloroethane
Endocide*	Endosulfan
Envy*	2,4-D
Eptam*	EPTC
Eradicane*	EPTC
Ethane tetrachloride	1,1,2,2-Tetrachloroethane
Ethane hexachloride	Hexachloroethane
Ethrel*	Ethephon
Etheryl benzene	Styrene
Ethyl parathion	Parathion
Ethyl dipropylthiocarbamate	EPTC
Ethylene dichloride	1,2-Dichloroethane
Ethylene monochloride	Vinyl chloride
ETU	Ethylene thiourea
Evercide	Fenvalerate
Evital*	Norflurazon
Expar*	Permethrin
Extrazine*	Cyanazine
Extrazine*	Atrazine
Fenoprop	2,4,5-TP
Fluorotrichloromethane	Trichlorofluoromethane
Forturf*	Chlorothalonil
Freon HE*	Trichlorofluoromethane
Freon-MF*	Trichlorofluoromethane
Freon PCA*	Trichlorotrifluoroethane
Freon TF*	Trichlorotrifluoroethane
Freon-11*	Trichlorofluoromethane
Freon-12*	Dichlorodifluoromethane
Freon-113*	Trichlorotrifluoroethane
Fumazone*	1,2-Dibromo-3-chloro-propane
Fundal*	Chlordimeform
Funginex*	Triforine

SYNONYM

NAME LISTED IN TABLE

Fungo*
 Furadan*
 Galecron*
 gamma-HCH
 gamma-BHC
 Gamma-Mean*
 Geraslan*
 Gesagard*
 Gesapun*
 Glean*
 Gramoxone*
 Grandslam*
 Grazon*
 Guthion*
 Hard Hitter*
 Harmony*
 HCE
 Hexachlorocyclohexane(γ -)
 Hexahydro-1,3,5-trinitro-
 1,3,5-triazine
 Hexachloroethylene
 Hydrothol*
 Hydroxybenzene
 Hydroxytoluene(m-)
 Hydroxytoluene(o-)
 Hyvar*
 Image*
 Imidan*
 Indenopyren
 IP Indenol[1,2,3-cd]pyrene
 IPC Prophanol
 Isoacetophorone
 Karmex*
 Kelthane*
 Kerb*
 Krovar*
 Krovar*
 Lannate*
 Lasso*
 Lexone*
 LG-50*
 Lock-on*
 Lorox*
 Lorsban*
 m-Cresol
 m-Cresylic acid
 m-Dichlorobenzene
 m-Hydroxytoluene
 Thiophanate-Methyl
 Carbofuran
 Chlordimeform
 Lindane
 Lindane
 Tebuthiuron
 Prometryn
 Simazine
 Chlorsulfuron
 Paraquat
 Methiocarb
 Picloram
 Azinphos-Methyl
 Permethrin
 DPX-M6316
 Hexachloroethane
 Lindane
 RDX
 Hexachloroethane
 Endothall
 Phenol
 Cresols (Total)
 Cresols (Total)
 Bromacil
 Imazaquin
 Phosmet
 Indenol[1,2,3-cd]pyrene
 Isophorone
 Diuron
 Dicofol
 Pronamide
 Diuron
 Bromacil
 Methomyl
 Alachlor
 Metribuzin
 Diazinon
 Chlorpyrifos
 Linuron
 Chlorpyrifos
 Cresols (Total)
 Cresols (Total)
 1,3-Dichlorobenzene
 Cresols (Total)

SYNONYM

NAME LISTED IN TABLE

Magnacide*
 Malaspray*
 Manex*
 Manex*
 Manzate*
 Marksman*
 Marlate*
 Matadon*
 Mavrik*
 MeCl (or MeCl₂)
 MEK
 Merpan*
 Mesurol*
 Metaspray*
 Metasystox-R*
 Methyl bromide
 Methyl chloride
 Methyl chloroform
 Methyl chlorophenoxyacetic
 acid
 Methyl tribromide
 Methyl trichloride
 Methylbenzene
 Methyltoluene
 Meturon*
 MF-4*
 MH Maleic hydrazide
 Milograd*
 Monitor*
 Monochlorobenzene
 Monochloroethylene
 Monochloromethane
 Monosodium methanearsenate
 Morpafor
 MTBE
 NDMA
 Neguvon*
 Nemacur*
 Nemagon*
 Nemex*
 N,N'-Diphenylhydrazine
 Nova*
 Nudrin*
 o-Chlorophenol
 o-Cresol
 o-Cresylic acid
 o-Dichlorobenzene
 Acrolein
 Malathion
 Maneb
 Mancozeb
 Mancozeb
 Atrazine
 Methoxychlor
 Permethrin
 Fluvalinate
 Methylene chloride
 Methyl ethyl ketone
 Captan
 Methiocarb
 Methyl Parathion
 Oxydemeton-Methyl
 Bromomethane
 Chloromethane
 1,1,1-Trichloroethane
 MCPA
 Bromoform
 Chloroform
 Toluene
 Xylene (Total)
 Fluometuron
 Maneb
 Propazine
 Methamidophos
 Chlorobenzene
 Vinyl chloride
 Chloromethane
 MSMA
 Sulprofos
 Methyl tert butyl ether
 N-Nitrosodimethylamine
 Trichlorfon
 Fenamiphos
 1,2-Dibromo-3-chloro-
 propane
 1,3-Dichloropropene
 1,2-Diphenylhydrazine
 Myclobutanil
 Methomyl
 2-Chlorophenol
 Cresols (Total)
 Cresols (Total)
 1,2-Dichlorobenzene

SYNONYM

o-Hydroxytoluene
 OC-50*
 Octahydro-1,3,5,7-tetra-
 nitro-1,3,5,7-
 tetrazocine
 Omite*
 Orbit*
 Or-Cal*
 Ornalin*
 Ornamite*
 Orthocide*
 p-Diamodiphenyl
 p-Dichlorobenzene
 p,p'-Dichlorodiphenyl-
 dichloroethane
 p,p'-Dichlorodiphenyl-
 dichloroethylene
 p,p'-Dichlorodiphenyl-
 trichloroethane
 Pageant*
 Parawet*
 PCB
 Payze*
 PCE
 PCP
 Pennant 5G*
 Pennacap-M*
 Penncozeb*
 Penoxyalin
 Penta*
 Perc (or Perk)
 Perchloroethane
 Perchloroethylene
 Perchloromethane
 Perclene*
 Permanone*
 Phenylcarbinol
 Phenylmethanol
 Phenyl-ethylene
 Phoskil*
 Phthalophos
 Pillarfulan
 Pinnacle*
 Pix*
 Poast*
 Pounce*
 Pramitol*
 Pre-M 60 DG*

NAME LISTED IN TABLE

Cresols (Total)
 Diazinon
 HMX
 Propargite
 Propiconazole
 Lindane
 Vinclozolin
 Propargite
 Captan
 Benzidine
 1,4-Dichlorobenzene
 DDD
 DDE
 DDT
 Chlorpyrifos
 Parathion
 Polychlorinated biphenyls
 Cyanazine
 Tetrachloroethylene
 Pentachlorophenol
 Metolachlor
 Methyl Parathion
 Mancozeb
 Pendimethalin
 Pentachlorophenol
 Tetrachloroethylene
 Hexachloroethane
 Tetrachloroethylene
 Carbon tetrachloride
 Tetrachloroethylene
 Permethrin
 Benzyl alcohol
 Benzyl alcohol
 Styrene
 Parathion
 Phosmet
 Carbofuran
 DPX-M6316
 Mepiquat chloride
 Sethoxydim
 Permethrin
 Prometon
 Pendimethalin

SYNONYM

Primatrol S*
 Princep*
 Prokil*
 Prolate
 Prolox*
 Prometryne
 Pronone*
 Propylene dichloride
 Propyzamide
 Prowl*
 Prozine*
 Prozine*
 Pydrin*
 Pyraperm*
 Rally*
 Rampart*
 Ramrod*
 Reglone*
 Ridomil*
 Ridomil*
 Ridomil Bravo 81W*
 Ronilan*
 Roundup*
 Rubigan*
 Ryzelan*
 S-Ethyl dipropyl-
 thiocarbamate
 Sarolex*
 Scepter*
 Scram*
 Selecron
 Sencor*
 Sevin*
 Silvex
 Sinbar*
 Sodium Bentazon
 Solicam*
 Sonar*
 Spectracide*
 Spike*
 Stall*
 Stand-Aid*
 Stomp*
 Strike*
 Strobane*
 Subdue*
 Sulficide*

Simazine
 Simazine
 Malathion
 Phosmet
 Trichlorfon
 Prometryn
 Hexazinone
 1,2-Dichloropropane
 Pronamide
 Pendimethalin
 Atrazine
 Pendimethalin
 Fenvalerate
 Permethrin
 Myclobutanil
 Phorate
 Propachlor
 Diquat Dibromide
 Mancozeb
 Metalaxyl
 Chlorothalonil
 Vinclozolin
 Glyphosate
 Fenarimol
 Oryzalin
 EPTC
 Diazinon
 Imazaquin
 Thiram
 Profenofos
 Metribuzin
 Carbaryl
 2,4,5-TP
 Terbacil
 Bentazon
 Norflurazon
 Fluridone
 Diazinon
 Tebuthiuron
 Alachlor
 Disulfoton
 Pendimethalin
 Triadimefon
 Toxaphene
 Metalaxyl
 Fenvalerate

NAME LISTED IN TABLE

SYNONYM

NAME LISTED IN TABLE

Sumicidin*
 Surflan*
 Surpass*
 Sutan*
 Swat*
 sym-Trimethylenetrinitramine
 Systec 1998*
 Systhane*
 t-1,2-DCE
 Tamaron*
 TBME
 TCA
 TCE
 TEL
 Telar*
 Telone*
 Telvar*
 Temik*
 Terraclor*
 Tetrachloroethene
 Tetrachloromethane
 Tetramethylene tetranitramine
 Thifensulfuron methyl
 Thimet*
 Thiodan*
 Thionspray*
 Thiophan*
 Thiosulfan*
 Thioxamyl
 Tilt*
 TNT
 Tolban*
 Toluol
 Topsin*
 Tordon*

Fenvalerate
 Oryzalin
 Vernolate
 Butylate
 Phosphamidon
 RDX
 Thiophanate-Methyl
 Myclobutanil
 trans-1,2-Dichloroethylene
 Methamidophos
 Methyl tert butyl ether
 1,1,1-Trichloroethane
 Trichloroethylene
 Tetraethyl lead
 Chlorsulfuron
 1,3-Dichloropropene
 Monuron
 Aldicarb
 Disulfoton
 Tetrachloroethylene
 Carbon tetrachloride
 HMX
 DPX-M5316
 Phorate
 Endosulfan
 Parathion
 Thiophanate-Methyl
 Endosulfan
 Oxamyl
 Propiconazole
 Trinitrotoluene
 Profuralin
 Toluene
 Thiophanate-Methyl
 Picloram

SYNONYM

NAME LISTED IN TABLE

trans-1,2-DCE
 trans-1,2-Dichloroethene
 trans-1,3-Dichloropropene
 trans-1,3-Dichloropropylene
 Treflan*
 Tri*
 Tri-4*
 Trichloren*
 Trichloroethene
 Trichloromethane
 Trichlorophenoxyacetic acid
 Trichlorophenoxy
 propionic acid
 Tri-clene*
 Triclopyr, butoxyethyl ester
 Trigard*
 Trilim*
 Trimethylcyclohexenone
 Trimethylenetrinitramine
 VC Vinyl chloride
 Vegetrol*
 Velpar*
 Vernam*
 Vinyl benzene
 Vinyl chloride monomer
 Vinylidene chloride
 Vitavax*
 Vydate*
 Watrol*
 Waylay*
 Weedone*
 Weedtrine*
 Xylol
 Yaltox*
 Zorial*

trans-1,2-Dichloroethylene
 trans-1,2-Dichloroethylene
 1,3-Dichloropropene
 1,3-Dichloropropene
 Trifluralin
 Trichloroethylene
 Trifluralin
 Trichloroethylene
 Trichloroethylene
 Chloroform
 2,4,5-T
 2,4,5-TP
 Trichloroethylene
 Triclopyr
 Cyromazine
 Trifluralin
 Isophorone
 RDX
 Diquat Dibromide
 Hexazinone
 Vernolate
 Styrene
 Vinyl chloride
 1,1-Dichloroethylene
 Carboxin
 Oxamyl
 Diquat Dibromide
 Napropamide
 2,4-D
 Diquat Dibromide
 Xylene (Total)
 Carbofuran
 Norflurazon

THIS PAGE INTENTIONALLY LEFT BLANK

APPENDIX I
FIELD NOTES

THIS PAGE INTENTIONALLY LEFT BLANK

971

North American	602 352 - 1420
Polaris	482 - 6193
"	800 - 233 - 9861
Dave Castro	602 302 - 9272
Andy Wallace (Home)	848 - 8503
SWE	861 - 2802
Bolin	924 - 8220
Pete	241 - 9274
Carl Neumann	273 - 3466
Steve	498 - 4661

46 April 95

0650 Arrive @ Base

0655 Arrive @ Capt Pete Balgo's (EO) office

0735 Arrive @ CE meet with Dave Castro (DC) discuss activities. DC had the road cut on 4 April 95

0800 Pick up supplies at Supply, arrive at Pit 1 truck here on site, Ray Charles operator. Start set up.

0815 Start cutting asphalt. Pid calibrated, BG = 0.0 ppm

0830 First slab up, top of surface is gravelly sand, brown. Pid = 4.1

0845 601 asphalt noted almost

one foot down. Layer is approx 1 1/2' thick, black, appears to be a dark brown layer of fine large piece of old asphalt below the layer. Pid = 0

Pit 1
TD = 5.9' 3.6 x 6.8

0-1.3 Concrete asphalt

0.3-1.2 Sand, gravelly, sand is c_g to f_g, ps, brown; gravel is 1/4 to 2,

1.3-1.55, clay, sandy, Sand slightly clayey, darker brown, Pid = 0

1.55-1.9 Asphalt

1.9-5.9 Sand, gravelly, sand is c_g to f_g, ps, brown; gravel is 1/4 to 2,

Blank

1.55-1.9

2 Samples @ 995

07- Pit 1 (1.2-1.5)

07- Pit 1 (2.2-2.4)

1015 Move to Pit 2 between
Building 46 and 35.

1045 07-031 EP collected

1150 Leave for lunch

1305 Back digging.

1330 Dark stain layer, black @
6'

Pit 2

0-4.8 Sand, clayey, brown
moist

4.8-6. Gravel, sandy, brown, 1
gravel in 1st 1/2 sh.


6.0 - Black staining
07-Pit 2 (6.0-6.2)

1340 Start Pit 3

1430 Dug to 6.8', no stain
sample @ 6.0-6.2 (07-Pit 3 (6.0-6.2))

0.0 - 5.0 Sandy, clayey, little ground,
brown

5.0 - 6.8 Gravel, sandy, 1" to 8"



7000 +
1000
= 8000

from "

40

from ✓

2

2

701

12

23'



6/20/95

Arrive 0640 Arrive @ Base

645 Meet with Dave Castro (DC)

650 Send Chad Frost (CF) and Jeff Blunt (JB) to get supplies

700 DC and I walk sites

730 Walk sites with JB and CF

815 OptTech personnel get loaded.

1000 Start unpacking supplies,

1230 Halby Rodriguez (GR) the driller arrive with utility cleaners.

1240 Start cleaning utilities around the Motor Pool area.

145 DC ~~personnel~~ arrive ~~at~~ ~~base~~

equipment.

1345 - Take utility locations on airport property to clear utility. Seven lines present that will need to be cleared by Blue State.

1430 Back at 06-023MW, rig sitting up and waiting on drums.

1530 Safety Brief

1545 Start drilling 06-023MW

1620 PC informs MG that the severity of the rig is interfering with the leveling of an overpass in the hangar. They request that we move to another location.

1705 Rig starts moving

1725 Leave Site

21 June 95

0650 Arrive at site

0658 Drillers arrive, start getting the rig ready,

0715 Safety meeting

0721 Start drilling 01-025MW

0930 Reached 50 b/c, stopping to call DWR
about permits

1010 Permits will be available @ 1300,

1015 Break until 1300, call office,
INSITU, and Blue Staker to
get them to clear utilities & sewer
on airport

1300 Start drilling

1450 T'D @ 911, clearing out hole

1520 Screening going in the hole.

RD = 91

screen = 90-40

10/20 sand = 91 - 34.6

> 20 sands


fine sand = 34.6 - 32.9

bentonit. = 32.9 - 27.9

Drums 501-510

1815 Lock gate, leave site.

Weather, sunny, hot (100°)



22 June 1995

0605 Arrive at site, driller leaving

0615 Meet with DC, get keys
and unlock back gate

0700 JB and CF arrive, start setup
at 06-025 MW

0840 Support truck back

0907 Start 06-026 MW

1725 Screen going in the hole

FD = 92

Screen - 90-40

Case 40 - Surface

10/20 sand 92 - 24.7

fine sand 34.7 - 31.1

drums 511 - 522

1910 Leave site

23 June 1995

0605 Arrive @ site, drillers are putting bentonite in @ 06-026 MW

bentonite 31.1 - 25.9
cement 25.9 - surface

0635 Talk to DC about getting keys to the gate for the weekend

0650 Drillers still putting cement in 06-026 MW.

0715 Talk to security about drilling over the weekend, no problem.

0725 JB and CF arrive

0900 Meet City Gas, City Sewer Telephone, City water at Capital Balza's office City Vesselman will escort us to clean vehicle in air north entrance

0950 Finish leaving site

1005 Start drilling OL-021MW

1650 Screen going in the hole
FD = 92

Screen = 90-40

Case = 40 - surface

10/20 sand = 92-32.1

fine sand = 32.1-30.9

ben tonite = 30.9-24.8

drums = 523-530

1730 MG and CF left site, JB
swill over the seam up.

Weather: Sunny, hot, breezy
in the afternoon 105+, breeze

24 June 1995

0600 Arrive @ site, driller start
cleaning up 06-021MW

0715 Move rig over 06-024MW

0732 JB and CF arrive

0745 Safety Brief

0752 Start drilling

0835 Check depth of 06-021MW

PID = 182

TD = 90.15

1110 Screen going in the hole

TD = 92

screen 90-40

casing 40-surface

16/20 sand 92 - 33.6

fine sand 33.6 - 29.9

hail 29.9 - 25.1

1330 Starting clean up.

1420 Setting up over 06-023MW

1545 40 BLS, stop drilling, start set up
of transducer for infiltration test

1603 40 of pipe filled, test started

1630 Problem with data, restarting test

1715 Leave site.

Weather Sunny, hot, 105+

25 June 1995

0600 Arrive @ site, drillers start
clean up and preparing for drill.

0630 Start drilling

0830 TD @ 92'

0858 screen going in

TD = 92

Screen = 89 - 39

Casing - 39 - surface

10/12 sand - 92 - 32.9

fin. sand 32.9 - 29.1

bentonite 29.1 - 25.0

cement 25.0 - surface

Drums 539 - 545

1050 Cleaning up

1205 Setting up over

1230 Landed

06-022 MW

1330 Drilling

TD on 06-024 MW 90.45
PID = 130

1530 @ 65' b/s, no more drums

1600 Leave site

Weather: Sunny, hot 110+

26 June 95

0650 Arrive @ Capt Balgo's office,
bring him up to speed on the
field program

0706 CF and JB arrive

0800 Drillers arrive

0815 Start drilling to finish 06-022NW

0930 Screen going in the hole

TD = 92

Screen 90 - 40

10/10 sand 92 - 33.0

fine sand - 33.0 - 30.25

bentonite - 24.4 - 30.25

cement - 24.4 surface

drums - 546 - 553

1030 Capt Balgo informs me that
~~it will be~~ Cytting Parker decided
that we will drill and make

the agreement retroactive.

1100 Talk to CP about drilling on the southeast side of the base today. She said to talk to Carl Newman (CN) in Operations.

1105 Talk to CN, he said come over and get a key (97A) and he would have a lock put on. I asked him if it could be done by 1300 and he said yes.

1120 Pick up key at Operations

1300 Meet operations personnel and gate to open it

1315 Key move over

1340 Start drilling 06-020MW

1630 TD @ 91'

1640 screen going in 06-020MW

TD 92

screen 90-40

case 40 - surface

10/20 sand 92 - 34.0

fine sand 34.0 - 30.8

bentonite 30.8 - 25.4

cement 25.4 - surface

1800 leave site

Weather sunny hot, 105+, breeze in
afternoon.

27 June 1995

0530 Call Mich Frey, contractor will
give us the go ahead for optional work
Told M F we may want to put
in some more MW in the motor
pool area. I told him I would
fax him a map.

0540 Called Contractor (Carter)
for verbal go ahead

0709 Operations opens gate
0715 Call Operator to tell them we would
be on site
0730 Drillers arrive

0756 C F and J B arrive

0800 I leave for CE to draw maps

1015 Setting up our OC-016 BM, rebar

1130 Stand drills

1430 Problem with wire-line

1500 Start sampler

06-016BH H6-47.5

" 50-51

TD 55

1530 Cleaning up.

Drums 554-557

Weather: Sunny hot, 105°

28 June 95

0520 Talk to Dan Wally (DW)
about the options on W in the
motor pool area. DW said that
he would try to talk to M.F.

0615 Arrive @ P.B. office call
Operations to inform them that
we are coming

0640 Leave for site T5g, ~~headquarters~~
meeting us.

0645 Arrive at 06-014 NW

0730 Harry Coffman (H.C.) with operations
comes by to measure the distance
from the runway to the reef.
Distance is 188', no problem

Sand to 12'

Grave 12-39

clay sand 39-

0935 TD@ 92'

0950 screen going in
1040

sa TD = 92

screen 90-40

casting 40-0

10/20 sand 42-35

fine sand 35-32.2

bentonite 32.2-5 surface

drums 558-564

1030 DW pages over

1045 Talk to DW, MF was thinking of not drilling the well close to the existing bore and drilling instead at the optimal location. I told DW that it was too late we had

1130 Gary Coffman comes by and recommends we have not our next crew go through the safety course so we will not have to be affected!

1200 Rig moves off of OC-018 MW
for decm.

1205 Back is breaking

1230 Move drums of away from
OC-018 MW.

1300 Drumming and breaking for lunch.

1400 Moving over OC-019 MW.

1500 B Packed from office, going to
call office

161700 Return, rig at 30' bls, (break
hydraulic line).

Sand @ 40' DLJ

Pack @ 45

1800 60' bls, stop for the day.

Weather: Sunny, hot, 105°

29 June 95

0600 Arrive @ Capt Balys's office

0610 Call Operations to tell them
we will be on airport property

0625 Arrive @ rig,

0658 Resume drilling 06-019MW

0805 TD 06-019MW

0823 screen going in the hole
TD = 91

screen 90-40

casing 40-surface

10/20 sand 91-34.9

fine sand 34.9-31.1

benston 31.1-26.3

crusher 26.3-surface

drums 565-572

DATE: 10/15/94

REPORTED BY: [Name]

SALES PERSON: [Name]

SALES AREA: [Area]

SALES TYPE: [Type]

SALES METHOD: [Method]

SALES STATUS: [Status]

SALES DATE: [Date]

SALES TIME: [Time]

SALES LOCATION: [Location]

SALES CONTACT: [Contact]

SALES COMMENTS: [Comments]

SALES TOTAL: [Total]

SALES TAX: [Tax]

SALES NET: [Net]

SALES GROSS: [Gross]

SALES PROFIT: [Profit]

SALES LOSS: [Loss]

SALES BREAKDOWN: [Breakdown]

SALES SUMMARY: [Summary]

SALES TOTAL: [Total]

SALES TAX: [Tax]

SALES NET: [Net]

SALES GROSS: [Gross]

SALES PROFIT: [Profit]

SALES LOSS: [Loss]

SALES BREAKDOWN: [Breakdown]

SALES SUMMARY: [Summary]

SALES TOTAL: [Total]

SALES TAX: [Tax]

SALES NET: [Net]

SALES GROSS: [Gross]

SALES PROFIT: [Profit]

SALES LOSS: [Loss]

SALES BREAKDOWN: [Breakdown]

SALES SUMMARY: [Summary]

ALL INFORMATION CONTAINED
HEREIN IS UNCLASSIFIED
DATE 10/15/94 BY [Name]

Jeffrey C. Blynt
Site Safety Officer
Operational Technologies
4100 NW Loop 910, Suite 231
(210) 731-0000

Sky Harbor
1315-227

This is the best way to
be checked and by the
[Name]

CONTENTS

REFERENCE

HAZCO (800) 332-0135
 Dr. Fisher (800) 634-7320
 (210) 615-2020
 Hodel (602) 957-1910
 Miller (602) 352-1420
 Burlington (210) 402-1212
 Mike Giles (615) 481-8938

DATE

11/10-8/10
 11/10-8/10

Sky Harbor

Embassy Suites West
 2333 East Thomas Rd
 Phoenix, AZ 85016
 (602) 957-1910


Ship Equipment Co.

Optech c/a CPT Pete Bahr
 161st Air Refueling Group
 2001 South 32nd Street
 Phoenix, AZ 85034

Driller Address

North American Drilling & Env. Serv.
 2631 North 33rd Ave.
 Phoenix, AZ 85009
 (602) 352-1420

Burlington Air Express will pick
 up equipment for delivery
 to Sky Harbor Airport. (the
 office there).



D

7 June '82

(2)

20 June 98

S. H. W. bar.

0640 Arrived on base.

Met Env. + Base personnel.
Procured + set up equipment.
Weather: Hot (high of 104°F) -

no clouds, no chance on
precipitation. No wind.
130 set up equipment, first
aid kit, fire horn, fire extinguisher
near first point.

220 TSGT Wesselman starts
that heat stress Index
is 75 - no action reqd.
(Flag near flight line will
be raised if heat index
above 85. (10-50 ~~work~~
work)

1230 hrs - Calibrate PPD+LEL

(see calibration logs,

1420 signing safety plan

Compliance agreement

Health + Safety briefing

as per the back of this

book. (1710)

1545 Drilling operations

(2)

20 June 98

S. H.

1315-227

commence. Initial ITH

reading - 0.0 ppm. Initial

LEL = 0% LEL. $O_2 = 21.2\%$

PPD/LEL readings will

be taken every 10 minutes,

with deviations from the

background noted.

Note: Miller did not have

safety vests. They borrowed

some of ours. They will have

them tomorrow.

1600 brief bursts of wind

now to the west. No

heat flag up. Heat

stress index is still < 85.

6/21/95

S.H.
0550 Calibrated PID/LEL

0645 arrived on site.

0720 Conducted Health & Safety briefing. Heat stress index 75 (level 1). Temp. 80° (High).

Today will be 102°. No flag flying. Light breeze to North. Set up

South of Rig. Initial PID/LEL readings negative. (Topics covered in Health & Safety briefing are given on the last page of this field book.)

0805 06-0025 MW - PID reading occasionally hits 1-2 ppm - probably from exhaust from truck / drill - soil cuttings give off no organics (0.0 ppm). 0830 Similar PID read / LEL still negative. Rig is giving off a lot of

Sdy Harbor
1315-225

6/21/95

burned oil (puffs of smoke) when hammer strikes. This probably accounts for the low levels detected (along w/ exhaust from the truck and the generator). Monitoring more frequently now since Mike Giles stated that we are now at the depth of the suspected contamination plume.

0838 Weather is still mild. Temp low for w/ mild breeze blowing to the north. No real heat injury threat at this time.

0900 Labeling drums using pre-printed Optech Unclassified Waste Labels. (See #18). Also numbering drums with a paint pencil. Starting with number 501.

notes

(6)

Sky Harbor
1315-227

21 June 1995

0800 Chad has gone (lost a few minutes ago) on a supply run.
0903 Pulling up pipe - we have hit soft and do not yet have a permit to drill into the groundwater.
0906 strike the last paragraph - we're not quite there yet.
1030 Break till 1800 - waiting for permits. Getting supplies + going to lunch.
1300 Arrive on site
1310 Begin drilling. Mike Giles not on site. Gabby stated that Mike told him to start at 1300 hrs.
1315 Chad has an upset stomach. Condition is not related to drilling (he has had it previously over the past couple of months). Says he feels better now than an hour ago. He has not been going in the

(7)
Sky Harbor
1315-227

21 June 95

exclusion zone and has simply been observing for training purposes since there is no reason to be done with. We start taking split grain samples. He will keep me apprised of the situation. PPD FLEL readings are negative at well, breathing zone, and in cuttings. No heat warning flags are flying.
1317 Soil is coarse sand w/ some small rocks. Dark-brown reddish in color. No odor.
1320 Temp 74 (rad) + no wind.
1321 Mike Returns. Told him about Chad.
1334 We hit ground water - PPD readings + FLEL readings still negative.
1445 Chad feeling better. Jim making since he drinks water + cools down in tank.

8

Sky Harbor 1315-227 21 June 1995.

occasionally in case problems are heat related.

1500 Calibrated 2nd PID (NO.
5804-35403-250) + took

original out of svc. - Heat

seems to be draining the

battery + affecting the

readout - hard to read.

1630 Supply Run

S. H. 1315-227 21 June 95

0550 Calibrated both PIDs + LEL.

PID 35403-250 will be re-done

in the field (read 20.3 ppm).

0710 Re-calibrated PID - mentioned above.

0725 Temp 74°. Expected to reach

1040 today. Clear + Sunny.

Light breeze to ~~start~~ start.

0735 Rigs moving into place

for drilling MW 06-026.

0740 Ambient PID + LEL readings

are negative.

0900 - Conducted health +

safety briefing.

0910 Taking PID readings

at all SP/ST spans as they

are brought up + opened.

Positive readings will be

recorded.

1100 Temp 15° - no recovery

at 561/4 no PID/LEL

readings.

1130 Temp = 95° (radio)

1430 Temp = 101° (radio)

1535 Temp = 120° (thermometer)?

⑩
23 June 95

8H:

1315-227

0715 Calibrated PID/LEL.

0720 Conducted Safety + Health

Briefing.

0940. Drillers move into position (POL Area) after decon procedures.

0955 Drilling commences (06-02/MW)

1203 Noted POL odors. PID reading

in cuttings drum went to

10.2 ppm. BZ was 0.0 ppm.

1600 After 2⁺ hour break, (Lunch +

breakdown), soil PID reads 11 ppm.

BZ 150.0 ppm LEL 0%

1610 PID readings again went

to zero.

111
24 June 95

5H:

1315-227

0750 Begin drilling 06-024 MW

1000 PID reading ranging from

8.2 to 38.5 in soil in

drums. BZ measurements

were negative.

1005 HOS briefing was

but not recorded.

1040 PID reading in soil

again negative.

1530 Depart site.

Concluded at 230

Shy Harbor

1315-2227

0530 Calibrated PPT & LEL.

0600 Arrived on site

0700 Conducted H₂S bn'gng -

same crew, same format.

0900 Radio states temps will

go to ~105° today w/ little

or no wind (eg same as

yesterday).

1530 Temp is 107, but it's a

dry heat. Drinking more fluids.

No heat + bugs flying.

1530 Some PPT readings in drums

(soil), but none in BZ.

[Signature]

25 June '85

SH

1315-2227

0800 PPT (11.2) + LEL calibrated.

0800 Drilling commences (SHH initiated 0750).

0817 PPT readings up to 10ppm

in soil in drums. BZ PPT

+ LEL readings are

negative.

0830 Temp at 82, expected

to go to 104. No wind at this

time.

0850 An approx 80ft - high PPT

reading on drummed soil (up

to 166 ppm). BZ fluctuated

from 0.10 to 5.2 (briefly). LEL

negative.

0900 New soil readings at 1.0 ppm.

BZ is negative.

1400 Temp is 105° finishing 06-ozonem.

[Signature]

(18)

27 June 95

SH

1315-2227

0700 PTD/LEL Calibration


0900 SH briefing

1120 drilling borehole in tol yard.

(Temp to go to 107° today)

1600 Boring done

1820 Deposed site



(19)


28 June '95

SH

1315-2227

0600 a.m. at LEL.

0630 SH briefing, including
on'ing on working along
the flight line.




5th

1315-227

0520 calibrated P.D. + L.E.

0640 drilling last well.


1300 Clean-up.



(12)
in 9 Dec 85

1

FORMULAE FOR SOLVING RIGHT TRIANGLES



$$\sin A = \frac{a}{c} = \cos B \quad \cot A = \frac{b}{a} = \tan B$$

$$\cos A = \frac{b}{c} = \sin B \quad \sec A = \frac{c}{b} = \operatorname{cosec} B$$

$$\tan A = \frac{a}{b} = \cot B \quad \operatorname{cosec} A = \frac{c}{a} = \sec B$$

Given Required

Solution

A, c	B, a, b	$B = 90^\circ - A, a = c \sin A, b = c \cos A.$
A, b	B, a, c	$B = 90^\circ - A, a = b \tan A, C = \frac{b}{\cos A}.$
A, a	B, b, c	$B = 90^\circ - A, b = a \cot A, C = \frac{a}{\sin A}.$
a, c	A, B, b	$\sin A = \frac{a}{c}, \cos B = \frac{a}{c}, b = \sqrt{(c+a)(c-a)}$
a, b	A, B, c	$\tan A = \frac{a}{b}, \cot B = \frac{a}{b}, c = \sqrt{a^2 + b^2}$

FORMULAE FOR SOLVING OBLIQUE TRIANGLES

Given Required

Solution

A, a, b	B, c	$\sin B = \frac{b \sin A}{a}, c = \frac{a \sin C}{\sin A}$
A, B, a	b	$b = \frac{a \sin B}{\sin A}$
a, b, C	A, c	$A + B = 180^\circ - C, C = \frac{a \sin C}{\sin A}$
a, b, c	Area	side $\frac{a+b+c}{2}$, area $= \sqrt{s(s-a)(s-b)(s-c)}$
A, b, c	Area	area $= \frac{bc \sin A}{2}$
A, B, C, a	Area	area $= \frac{a^2 \sin B \sin C}{2 \sin A}$

SKY Harbor - AUG. (1)

1315 - 227

8/17/95 Arrived @ Phoenix Airport
@ 1845 Phoenix Time.
Checked in To Hotel @ (1930)

NOTE: All Equipment to arrive in
Phoenix on 8/8/95 @ 0800

8/4/73

(2)

0545) Spoke with MG about taking
← ~~HA~~, EB, FB, F-Dup from 06-024 MW
i Placing voc's in Ziploc Bag.
0630 Met Ross III for Breakfast

0730 - Arrived @ SKY Harbor ANIC.
Spoke with Skue out of Capt Balza's
office i Discussed out Plan for
the Day

0745 - I phoned Faye Piroi to
coordinate split sampling of 06 018 MW
she said she would not require a split.

0845 - All Equipt Arrives via Burlington
Air Express. i DID i Interface via
Fed Ex.

0900 -> Went through all equipment
1000 - to make sure everything is functioning.
Calibrated Hydac i PID

1015 - Ross i Myself went over site
Safety Plan and importance of watching
each other throughout duration of

PC.

8/8/95

(3)

1035) Field Activities commence on Base.

06-023 MW. (Strunge color this time) sewer
PID reading 514 / No PSH

DTW - 57.85

TD - 88.31

water Ht' 30.44 X .65 = 19.80 F 1 vol

1 vol

2 vol

3 vol

PH - 7.85

7.87

7.89

cond - 10.52

10.66

10.72

Temp - 80.5°

80.3°

81°

Water sandy @ First Becoming Clear/very
gray water through out purge -
1155) - stopped purge (75 Gals purged)

Drum numbers # 9506-632 ; 9506-633

1220) Sample Time (Teflon Bailor used)

NDTW - 58.03

1 liter

Photo

PH 7.89

3 vials

Taken

cond 10.69

Temp 82.9°

RC.

8/8/95 (4)

1315) Set up to 06-022 MW

DTW - 56.15
TD - 89.79
PID - 160 ppm
(Sweet + add odor)

Water Height - $33.64 \times .65 = 21.87 = 10.1$

PH	8.00	2 vol	3 vol
cond	14.09	8.02	7.98
Temp	80.5°	13.95	13.97
		81.2°	81.2°

Purged completed @ 1435 (75 Gals)
of slightly cloudy H₂O. PID @ end 43 ppm

Drum numbers # 9506 - 634 ? 9506 - 635

NDTW - 56.72

PH 7.98

cond. 13.85

Temp. 83.3

Sampled @ 1450

(Teflon Boiler used)
1 liter
3 vials
~~Photo~~ Photoed

NOTE: vials placed in Zip-Loc Bags.

Departed for Decon

5

1515) St-4p well 06-025 MW

DTW - 57.09

TD - 88.57

PID / 7 ppm

Water Height - 31.48' X.45 = 20.47 Gal = 1.01

1530) Start Purge

1 vol

PH

8.05

cond

9.05

Temp

82.5°

2 vol

8.04

8.98

82.4°

3 vol

8.03

8.95

82.7°

Clear water Turning Slightly Cloudy
Slight sewer odor

Stopped - purge @ 1645 (70 total Gals)

Took Sampling Measurements

NDTW - 57.82

Sample Time - 1700

PH - 8.03

cond - 8.93

Temp. 84.6°

1 liter } Picture
3 vials } Taken

Broke Down For De-Con
Preparation For Shipment.

RC

6

8/8/95

1750) Samples repacked & properly wrapped
& stored with plenty of ICE.

Sent out via Fed Ex # 5397592211

1830) Departed for Hotel.

Re.

8/9/45

(7)

0600) Arrived @ ANG. Met with Steve & Craig @ Capt Balzas office.
Discussed our schedule & how we would need three escort for 018 & 019 near Flight Line / De-Coned Egypt.

0700) Calibrated PID & Hydac Rm. Went over Safety Topics for Today. Craig Plenty of Fluids & Shade is must.

0730) Set up @ 06-018 MW (PID-ND)

DTW - 57.58'

TD - 89.86'

Water Height - 32.28' X .65 = 20.98 = 10.1'

10.1'

Pit

7.95

Cond

7.02

Temp

82.3°

Water slightly silty / to clear

Purge-stopped @ 0630 with 70 Gals purged

Drum Numbers # 9506-638, 9506-639

Prepared for Sampling

3.00'

7.95

7.03

82.1°

(8)

8/9/95

(Took Measurements For Sampling)

NDTW - 57.83'

PH - 7.93

Cond - 7.05

Temp - 83.4°

(0845) Started Sampling.

(0905)

Prepared For Decon - Pump: Hose

1 liter
3 vials
Picture
Taken

next page.

RL

9

8/9/95

0930) Set-up Around well 06-019 MW
Took Measurements FID / ND

DTW - 61.09

TD - 93.39

Water Height - 32.21 x .65 = 20.94 = 10.1

1001

PH - 8.26

Cond - 6.75

Temp - 81.4

2001

8.26

6.72

81.8

3001

8.28

6.71

81.3

(1000) - Ray Departs to pickup Truck w/ Lift Gate.)

Clear H₂O shipped purge @ 1045
70 Gals purged.

Drums Labeled 9506-640 & 9506-641

Prepared to Sample Teflon Barker

NDTW - 61.17

PH - 8.26

Cond - 6.60

Temp. 80.8

Simple Time 11:00

1 liter

3 vials

{ picture
Taken }

1:30

De-convol

RC.

18

1145) Setup Arand

06-021 MW

Took Measurements / PID 38.7 ppm

initially

ATP - 58.03

DTW - 58.05

TD - 89.73

31.68 water Ht. $1.65 = 20.60 = 1.001$

Observed well purge from away from times

1 vol

3 vol

PH

7.82

cond

8.65

Temp

79.9°

80.1°

8.67

80.9°

cloudy turning a/most clear obvious odor

Stopped purge @ 1245 w/70 Gals purged

Drum #

{ 9506-642 }
{ 9506-643 }

Prepared to Sample

NDTW - 58.33

(Screen only)

PH - 7.84

cond - 8.80

Temp - 80.7°

(Sample Time 1310)

1 liter

3 vials

picture

Taken

De-Cred Equip.

RC.

8/9/95

(11)

De-aired Egypt.

Took Break - From Heat

Ray moved yesterday's Generated Drums

1435 - Ross: I. Set-up as well 106-026 ml

Took measurements

PID - 183 ppm

odd odor solvent like.

DTW - 57.27

TD - 87.48

Water H₂O = 30.21 x .65 = 19.64 = 1001

1001

2001

pH -

8.82

Cond -

6.94

Temp -

80.7°

81.3°

81.4°

RC.

Purge - Terminated @ 1545 w/70 Gals
clear to slight/y cloudy H₂O

Drums #rd (9506-644; 9506-645)

Prepared for Sampling: (1350)

NDTW 57.33

pH 8.81

Cond 6.95

Temp. 80.4°

1 liter taken

3 vials photoread

Back

Don

Drum

(12)

1630 (Completed Cleaning all our gear)

1700 (Ross prepares Ice-chest w/ samples
Ray moves all Drums Generated Today)

1735 (Samples ready to ship)

All equip't put away For tomorrow
Drums in Proper Area

1800 (Dropped off Samples @ Fed Ex.
via bill # 539759222)

1830 Arrived @ Hotel

1900 Checked messages / From MG.
discussing 72 hr. Turn-around required
on Samples.

RC.

8/10/95

(B)

0600 / Phoned Karen @ SPL making
sure she knew about 72 hr.
Turnaround requested on Samples

0640 / Arrived @ AUC / Capt Balza's
office closed for Day. Gathered
all our Gear.

0700 / Ross & Myself Tail Gate SatHy meeting
Calibrated Egypt.

0730 Set-up around [06-024 MW]
Took Measurements / PID 93 ppm

~~PH~~

DTW - 57.74

TD - 90.24

Water HH - 32.50

Y. 65 = 21.42 = 1 vol

1 vol

PH -

7.65

and -

8.85

Temp -

80.4°

very clear

142° obvious odor

Purge stopped @

0830 preparation for

Sample:

NDTW - 57.55

1 liter } obtained
3 weeks }

PH - 7.70

1 liter } obtained
3 weeks }

1 liter } obtained
3 weeks }

PC.

1330) Arrived Back @ AUG.

Prepared all our Equipt
For Shipment to SAT.

3:30 Completed Water Simple packing

1600 Shipped Every thing out

1630 Filled Rental Truck & Prepared
For our Flight out @ 1730

2130 Arrived @ SAT.

NOTE: The only odd occurrence
of anything significant was a couple
of wells had more odor than before
showing up on PID. 06-023 MW
especially.


Tay Caldwell

PC.


DISTANCES FROM SIDE STAKES FOR CROSS-SECTIONING

Roadway of any Width. Side Slopes 1½ to 1.

In the figure below: opposite 7 under "Cut or Fill" and under .3 read 11.0, the distance out from the side stake at left. Also, opposite 11 under "Cut or Fill" and under .1 read 16.7, the distance out from the side stake at right.



Cut or Fill	Distance out from Side or Shoulder Stake									
	0	.1	.2	.3	.4	.5	.6	.7	.8	.9
0.0	0.0	0.2	0.3	0.5	0.6	0.8	0.9	1.1	1.2	1.4
1.0	1.5	1.7	1.8	2.0	2.1	2.3	2.4	2.6	2.7	2.9
2.0	3.0	3.2	3.3	3.5	3.6	3.8	3.9	4.1	4.2	4.4
3.0	4.5	4.7	4.8	5.0	5.1	5.3	5.4	5.6	5.7	5.9
4.0	6.0	6.2	6.3	6.5	6.6	6.8	6.9	7.1	7.2	7.4
5.0	7.5	7.7	7.8	8.0	8.1	8.3	8.4	8.6	8.7	8.9
6.0	9.0	9.2	9.3	9.5	9.6	9.8	9.9	10.1	10.2	10.4
7.0	10.5	10.7	10.8	11.0	11.1	11.3	11.4	11.6	11.7	11.9
8.0	12.0	12.2	12.3	12.5	12.6	12.8	12.9	13.1	13.2	13.4
9.0	13.5	13.7	13.8	14.0	14.1	14.3	14.4	14.6	14.7	14.9
10.0	15.0	15.2	15.3	15.5	15.6	15.8	15.9	16.1	16.2	16.4
11.0	16.5	16.7	16.8	17.0	17.1	17.3	17.4	17.6	17.7	17.9
12.0	18.0	18.2	18.3	18.5	18.6	18.8	18.9	19.1	19.2	19.4
13.0	19.5	19.7	19.8	20.0	20.1	20.3	20.4	20.6	20.7	20.9
14.0	21.0	21.2	21.3	21.5	21.6	21.8	21.9	22.1	22.2	22.4
15.0	22.5	22.7	22.8	23.0	23.1	23.3	23.4	23.6	23.7	23.9
16.0	24.0	24.2	24.3	24.5	24.6	24.8	24.9	25.1	25.2	25.4
17.0	25.5	25.7	25.8	26.0	26.1	26.3	26.4	26.6	26.7	26.9
18.0	27.0	27.2	27.3	27.5	27.6	27.8	27.9	28.1	28.2	28.4
19.0	28.5	28.7	28.8	29.0	29.1	29.3	29.4	29.6	29.7	29.9
20.0	30.0	30.2	30.3	30.5	30.6	30.8	30.9	31.1	31.2	31.4
21.0	31.5	31.7	31.8	32.0	32.1	32.3	32.4	32.6	32.7	32.9
22.0	33.0	33.2	33.3	33.5	33.6	33.8	33.9	34.1	34.2	34.4
23.0	34.5	34.7	34.8	35.0	35.1	35.3	35.4	35.6	35.7	35.9
24.0	36.0	36.2	36.3	36.5	36.6	36.8	36.9	37.1	37.2	37.4
25.0	37.5	37.7	37.8	38.0	38.1	38.3	38.4	38.6	38.7	38.9
26.0	39.0	39.2	39.3	39.5	39.6	39.8	39.9	40.1	40.2	40.4
27.0	40.5	40.7	40.8	41.0	41.1	41.3	41.4	41.6	41.7	41.9
28.0	42.0	42.2	42.3	42.5	42.6	42.8	42.9	43.1	43.2	43.4
29.0	43.5	43.7	43.8	44.0	44.1	44.3	44.4	44.6	44.7	44.9
30.0	45.0	45.2	45.3	45.5	45.6	45.8	45.9	46.1	46.2	46.4
31.0	46.5	46.7	46.8	47.0	47.1	47.3	47.4	47.6	47.7	47.9
32.0	48.0	48.2	48.3	48.5	48.6	48.8	48.9	49.1	49.2	49.4
33.0	49.5	49.7	49.8	50.0	50.1	50.3	50.4	50.6	50.7	50.9
34.0	51.0	51.2	51.3	51.5	51.6	51.8	51.9	52.1	52.2	52.4
35.0	52.5	52.7	52.8	53.0	53.1	53.3	53.4	53.6	53.7	53.9
36.0	54.0	54.2	54.3	54.5	54.6	54.8	54.9	55.1	55.2	55.4
37.0	55.5	55.7	55.8	56.0	56.1	56.3	56.4	56.6	56.7	56.9
38.0	57.0	57.2	57.3	57.5	57.6	57.8	57.9	58.1	58.2	58.4



Name Operational Technologies Corp.

Address 4100 NW Loop 410

Phone 210 (731-0000)

Project SKY Harbor AUG

1315-227

G.W. Event 07/09/85 thru 07/15/85

Capt. Pedro Balza (Coordinator)

"Rite in the Rain"—a unique all-weather writing surface created to shed water and to enhance the written image. Makes it possible to write sharp, legible field data in any kind of weather.

a product of

J.L. DARLING CORPORATION
TACOMA WA 98421-3696 USA

7/10/95

(3)

1300 Arranged Equipment and materials
for Tomorrow's activities.
Capt. Balza Let us work out
of His storage room for Haz-Waste.

1400 Spoke with Mike Giles who faxed
IRP Log of Drums accumulated.
1450 Meet with Capt. Balza and discussed
preliminary schedule of Field
activities

1500 Staged drums along every well
we would be working on Tomorrow
our schedule is to work on all
new wells circled on Site Plan
Provided by MG.

1600 Discussed with Pete our needs
as far as his personnel we would
be requiring as escort.
1700 Departed For Hotel.

Ross ! Myself (10 hrs)

(2.0) hr

Skid Page

Page C.

7/10/95

7/11/95

(4)

0630

Calibrated PID, CEL, & O₂ meters.
Calibrated Hydric PH & Conductivity
meters For Use on Today's activities

0700

Safety Meeting (Ross & Myself discussion
Heat stress / Heat Exhaustion / Intake
of Fluids, Protective Equip. What to
do in the event of emergency.

0730

Set-up around Well # 06-018 MW
Flush mount well 4" PVC with
Compression Cap / PID reading = ND
(Good condition)
DTW - 55.65
BOH - 88.94 (No Product)

0800

Wt. Height - 33.09 x .65 = 21.51 = 1 vol.
(70 tot. (Gals) Developed / Last well
volume Clear, Some Sediment no odor.
Equip. OED system / 100' Hose / Pump / Face / Probe
2 vol. 3 vol.

PH. 7.73 7.70 7.71

x 100 Cond. 9.090 7.120 9.095

Temp 81.6° 81.2° 81.7°

0930 De-coned Equip.

1000

Set-up around Well # 06-019 MW
Stick up well 4" PVC with Compression
Cap. PID reading. ND

Skip Page 7/10/95 RC.

7/11/95

5

1015

DTW - 59.31

BOH - 93.36

WT Height - 34.05 x .65

22.3 Gals = 1 Volume

(75 total Gals) Developed No Product

No odor Same Sediment

PH = $\frac{1.001}{7.31}$ $\frac{2.001}{7.26}$ $\frac{3.001}{7.34}$

x100 Cond = 9.65 9.63 9.67

Temp = 82.3° 82.9° 83.1°

Well developed to Clear H2"

1115 Completed

1120 Re-Coiled Equipment

1145 Set-up around Well # 06-21 MW

1150.

Flush mount well 4" PVC Compression

Cap (No Lock) (PID) reading 404 ppm

Strong Fresh Fuel Odor (We will

stay away from Well during Pumping.

DTW - 55.95' WT. Height - 33.88

BOH - 89.83' X .65 = 22.02 = 101

(Inter Face) DTP - 55.64' (75 actual Gals removed

till Flow Clear

PH 1.001 2.001 3.001

Cond 6.88 6.85 6.87

Temp 9.55 9.64 9.65

x 100 82.20 82.16 82.20

Skip Page RC.

7/11/95

(6)

De-cored Equip. RMIII.

RC. recalibrates PID & Hydros

Set-up around MW 06-23 MW

Flush Mount well 4" PVC casing

Slight Hydrocarbon odor when we

opened well / PID = ND (interesting)

DTW = 53.95 (No PSH)

BoH = 89.82

WT height 35.87 x .65 23.52 = 10.1

Development starts / Good Flow

very little sediment H₂O Fuel Smell

Soil (80 Actual Cals removed)

PH 6.69 6.67 6.69

Cond 12.90 13.09 12.99

Temp 82° 82.5° 82.1°

Complete Development of Well

De-cored Equip.

Set-up around Well # 06-23 MW

Flush mount well 4" PVC casing

PID reading - ND No PSH

DTW 55.60

BoH 88.06

water Ht. 32.41 x .65 = 21.10 10.1

H₂O very silty No odor / cleaned

1300

1305

1315

1330

1345

1350


(x 100)

1455

1505

1515

1525



7

7/11/95

cont

(1 val) (2 val) (3 val)
PH - 7.10 7.09 7.09

Cond 12.09 12.13 12.09
Temp: 83.1 83.6 83.6°

Completed Development

Decored Equip

Set-up around Well # 06-24 MW

Flush maint well 4" PVC casing
with compression Cap. PID reading/NO
although there is a diesel like odor

DTW - 55.62'

BoH - 90.25'

water HT' 34.63' x .65 = 22.51 is 1 val
1 val 2 val 3 val
PH 7.10 7.11 7.13

Cond

Temp

Water to Clear Development

(85 actual Gals removed)

Decored Equip

Set-up around Well # 06-20 MW

Stick-up well / compression cap

No odor from well (PID reading non-detect)

DTW - 55.53

BoH - 92.37

water HT' 36.84 x .45 = 23.95 = 1 val

7/11/95
No Print PC

7/11/70

(8)

(1 vol) (2 vol) (3 vol)

Time Taken

7:45

7:46

7:43

X 100

Cond - 7.34

7:42

7:39

1940

Temp - 80.7° 81.1° 81.6°

1945

(75 Actual Gals Developed)

1950 De cored Equipt.

2000

Set-up around

Well # 06-25 MW

Flush mount well 4" dia

casing Compression Cap. Master Lock
very good construction (no air) (PID NID)

2010

DW - 55.17'

BOH - 88.56'

Water Ht' 33.39' x .65 = 21.71 Gals 1 vol

A lot of Sediment & filter caked

up very well

3 vol

TH

7:24

7:29

7:24

Time Taken

X 100 Cond

9.72

9.68

9.90

2048

Temp

82.2°

81.1°

82.0°

2100

Sealed Drums Decoded & Stored


Equipment

NOTE:

End of Tschys activities, Very Hot
throughout the Day Plenty of Fluids

Ingested, Capt Balen aware of air
late activity.

13



7/11/95

(9)

Periodic Breaks were taken -
through out the day usually
while the pump was running
where each of us ~~could take~~
cover from the sun, these
Breaks allowed us to ~~work~~
these type of hrs. and stay healthy
(Spoke with Mike Giles) this
evening informed him of hard
work. MG. very supportive obtained
Phone #5 how to reach him through-out
work week.

and

Ray.

2 of 3 new wells installed were
developed today.

SHIP PILES

BC

7/14/95

7/12/95

(10)

Arrived @ Base 0500 Calibrated PID!

0530 Set up around Well # 06-26MN Hydraulic

After De Caring Pump & hoses

0545 Tail Gate meeting Ross & myself

We agreed to Eat while we wait

today Plenty of Ice, Water

& Confide on Hand to all times

0600 DTW - 55.26' PID/ND

BoH - 87.40' NO / Product encountered

Water HT - 32.14' 1.45' = 20.84' = 10.1

Water Dark Brown / Vary Silty

Clearing HP well

PH 7.22 7.24 7.25

Cond 10.24 10.21 10.18

Temp 78.0° 77.9° 77.8°

0755 Completed Development of well

75 Gals of H₂O Developed.

0810 Degassed all equipment (Problem w/ pump setting)

0815 I commenced moving Drums (logical)

accumulated during Development

after I set Ross up around →

Well # 06-016 MW

0830 DTW - 59.51 PID / van Detect

BoH - 92.14

Water 2

Cond = 10.1

11

7/12/95

Water slightly salty/clear
 2.051
 pH 6.80 6.83 6.81

Cond. 6.75 6.80 6.77

Temp. 80.5 80.9 81.1

(170 Gals of Toilet water removed.)

0925

MW developed very well
 We will let this well in all wells
 purged today set fill tomorrow
 For sampling so we can have a bulk
 shipment.

1035

Setup 1-gal. Decan. St. filter
 (Pump keeps picking up little rocks & pebbles)
 Completed Decan (Not Good)

1045

1050

Setup around

Well #06-025 MW

It was decided that we would

Take our Duplicate Sample, Field
 Blank & Egypt Blank During our
 Sampling Round Tomorrow. From this well

1000

DTW - 54.22

PID (Non Detect)

Boat - 90.27

In. to face pmb. no P3H

Water Ht'

34.05 x .65 = 22.13 = 100'

P.H.

7.02 7.00 6.99

Temp.

81.5 82.0 81.7

Cond.

7.10 7.20 7.15

X100

Skip Pipe RC.

SKIP PAGE 22 7/11/95

7/12/95 (12)

- 1245 Developed problem with pump
Ross & I Disassembled pump to find
PVC cuttings Jammed in bases
Ross cleaned out. (Phone calls)
- 1300 Met with Capt Balza and informed
him of our status.
- 1400 Moved Drums (6)
- 1455 Spoke with John Morris about
our status. Will need to find
Copies C.O.C.'s when Samples
Taken John to Fax Copy of
Permit to Info. Work Plan.
- 1530 Back
- 1630 Discussion on what needed to
get done. Plenty of Drums to
be moved. Work.
- 1840 Moved Drums with Lift Gt/Kablos
Checked & Drum tops marked also
using Paint Marker.
- 1900 Broke down for the Degr equipment
check & fueled
- 1930 Departed (AUG)

13

7/13/95

0530am Arrived @ Avis / Went Directly
to Storage To Set up sample
Kits bottles labels etc. Ross
Handling It.

0630 Met with Pete Balza Discussed
our Sampling Program Today

0730 Ross had most of our Sample Bottles
Labeled Appropriately.

0800 Met Faye Troise Site of Az.
she ^{wanted} split samples VOC containers
2 van vials for ~~her~~

0815 Well # 06-18 MW (PID ND)

NDTW - 56.02

PH - 7.65

Y 100 Chl - 8985

Temp - 74.5°

Condition water / Clear / Photo Taken

Samples Split with Faye

0855 Completed Sampling Faye Departed

Sgt. Zinkler (skew) was with us also

0910 Prepared to Sample

Well # 06-19 MW

skip Page
R.

(14)

7/13/95

cont

0915 NDTW 59.41' PID reading ND
PH 7.40
Cond 9.55
Temp 17.7°
Condition of Water / Pretty Clear / No snow
or odor

0930 Sampled Well 1 liter 3 new photos
Taken Samples on Ice
0940 Decanned Bailer in Interface Probe
0955 Set up Around well 06-21 MW
Sample Kit Ready

1000 NDTW 56.1
PH 6.95
Cond 12.38

Temp 7.7°
Condition of Water / Clear
1015 Sample well 2 liter 3 new
Photo taken

1030 Samples Chilled / Well secured
1040 Decanned Bailer in Interface
1050 Set up around Well # 06-22 MW Kit
Ready
1055 NDTW 54.06 PID - 2 ppm
PH 6.76

Cond 12.90
Temp 7.4°
1 liter seen

Strip Page PC 7/13/95

Ship Page RC. 7-13-95

7/13/95

(15)

Sampled Well / collected 1 liter 3 way

Photo Taken

Decanned Bailor, Inter-face

Set-up around Well # 06-23 MW

NDTW - 55.73 PID - ND

PH - 7.05

COND - 2.20

condition of water / Clear / a touch of Silt
when checked with Bailor.

I took inter face probe & Sample

Steve (scr) Kit for 06-005 MW

Ross / 1200 Gathered Samples for MW-06-23

Set-up around 06-016 - MW

(Measure) NDTW

PH

COND

Temp

59.60 7.02 6.99 80.9

Ray 1205

Set-up around 06-005 MW

Took Measurements

Inter face - PID - ND

Wells next

NDTW

PH

COND

Temp

to each other

56.29

7.25

7.60

79.7

Ross takes Instruments for his well

We have to break up/wire next to

(Ray)

each other

1220 Sample Well 06-005 Duplicate

i Actual Sample

FER i TR were prepared here

7/13/95

NOTE: The reason we had to rush ~~back to the site~~ to complete 06-016 is 06-005 were to stay close to 24 hr. purge time as possible.

12. Made some Calls to office

* Ray runs Mike with Surveyors around new wells & Discussed who he needed Get with for access. Since things had changed

(16)

7/13/95

(1240)

Ross & I tried Set-up around Well # 06-24 MW Measurements Taken

NOTE: Steve & Ross are using Truck of AUG. I am carrying the Pump & some Kits. 2 vehicles in use. Ross to complete sampling of new wells I'll Go Back; Forth while I continue to Purge on

MW-024	NDTW	PH	COND	Temp
55.39	7.05	7.40	81.1°	Avg.
1255	Samples Taken			
1305	↑ 1.1 liter 300-45			
1315	Ray Set up (Well 06-017 MW) to Purge			
	Ross sets up @ 06-020 MW			

(06-017 MW) - DTW - 58.45 (PID - ND)

1320	BoH - 92.34	22 Gals 1001
	Water Height - 33.89	3.001
	Moderate Purge	7.24
	PH - 7.24	9.35
	Cond. 10.35	9.07

7/13/95

(17)

Water clear no 70 Gals purged
1420 Complete Purge / Ross to follow? Samples
1315 Ross Takes Measurements: Samples
[06-020 MW]

PID ND

NDTW 55-50

PH 7.52

Cond 7.39

Temp 81.4°

1400 condition / Clear H2O / completes

Sampling

1410 Ross Sets up around Well 0625M

For Sampling / Measurements taken

NDTW 55-07 7.30 9.75 90.9°

1420 Sampling Complete

1430 Ray Decans Eguipt.

1445 Setup to Purge [MWS=01]

1450 Measurements Taken

DTW- 57.29 PID ND

BoH- 99.78

Height- 42.49 27.42 Gals = 1 vol

PH 7.94 2 vol 3 vol 7.95

Cond 63.04 62.90 63.00

Temp 81.1° 81.1° 82.2°

Water Slightly Silty very clear

1555 85 Gals Purged

PC

(18)

7/13/95

(1415) Ross Beck

1435

Takes Measurements of

MW 06-26-11W

NDTW-55.50 PID/ND

BMA- 7.20

Cond 10.05

Temp 81.9°

1500 Take Samples & Chilled

1500

Ross Picked up more for

Brought me back Ford

1530

Returned & Met me to

MW-5 at Watched pump

till I was done

1555

Purge Finished

1600

Decanted Eguipt

1620

Completed DeCon

1630

I set-up equipment

around

[MWS-02]

Ross

went to Set up

to sample

[06-017 MW]

faking

Interfere after I get

RC

SKIP Page 2 PC.

7/13/95

(19)

Well # MWS-02

DTW - 55.37 PID / ND

BOH - 100.03

Water HT' - 44.68 x .65

27.03 1401

1001 2001 3001

PH 7.47

Cond 8.67 8.73 8.70

Temp 81.3 82.4 82.5

Water slightly silty / Purging well is clear.

his unit 17/40 90 Gals purged

Sampled MW 06-017 MW

1640 Ross to Cont. Sampling up to my Purged well.

NDTW 56.94

PH 7.29 PID / ND

Cond 9.35

Temp 82.7° Photo / Taken

1 liter 300ms Cathode

1650 Ross Sets up to Sample

MWS-01

RC. Skit Page.

30

7/13/95

Well MWS-01

1655

NDTW 57.01 PID/ND

PH 7.93

Cond 63.07

Temp. 83.1°

1 liter 3 vials / Samples Clear

1720 Ross meets me @ my well (02)

Got his 1 liter 3 vials

Helped me finish Purge

~~1 liter~~

1730

Pump removed & Placed in Truck

I moved drums while Ross

Prepared to Sample Well I

Just Completed Farging

MWS-02

1740

NDTW 58.22 PID/ND

PH 7.49

Cond 8.80

Temp 82.3°

1 liter 3 vials

1755

Ross

Broke down for Day

(1800)

7/13/95 (21)

1845 Samples Sealed: Shipped

1900 Returned to Ave. / Ross had
equipment cleaned & stored
1930 Departed Ave.

(13 hrs.) End of
Billable
Time.

NOTE: Evening Calls MG & Jim
Mike Trying to help me
Get flight to HRE if we
Completed our Tasks soon enough.

2045 Ross & I Labk Kits
For Tomorrow's activities.
Made arrangements with (Hoy) and Air
Remaining Wells will be if needed
Purged & Sampled right after
Stabilization Tomorrow

NOTE: Slow Purge is very effective
Pump Can almost Pump 2 Gals

0500 Purchased Ice plenty 12th Grade
 0530 Calibrated Instruments PID

0600 Hydac Discussed (S.K. Sathy)
 Met with Capt. Balza Filled
 Him in on our Plan to Finish
 Today No Matter how Late.

(We told him As many wells
 as we can sample will be delivered @ 1800
 to Airport & the rest will
 be shipped over the Counter Later
 in evening He said Good Luck.

0645 Ross & myself agreed IT will
 be tough well stays cool as
 Possible & Fast while we work
 (Rach Coach) Gathered Gear.

0700 Set up around [Well MWS-04]
 PID 245 ppm
 DTP - Sheen not measurable

DTW - 56.68

Bolt - 99.83

Water HT - 43.15 $\times .65 = 28.05 = 1001$
 1001 2001 3001
 7.43 7.47 7.45

PH

0100 Cond 12.57 12.40 12.42

Temp 76.9 76.4 76.5

Stone Powder 76.9 76.4 76.5

Water 76.9 76.4 76.5

7/14/95

(23)

0815

Completed Purge (I Reported
Bottles & was ready / Ross to Sample)

0820

PID - 114 ppm

NDTW 58.73

PSH ND - shen very light

PH 7.45

(EB: FB: DP here)

100X

Cond 12.38

1 liter chilled

Temp 81.5°

3 vials

0830

Steve Picks up Ross & Proceeds
to 06-015 Where I went to
Set-up (2 vehicles again today)

0845

Well # 06-015

PID 20 ppm

DTW 60.04'

Ross takes measurements

TD 92.25'

I move drums from
Previous well this night

Water HT' 32.19'

X-45 = 20.92 100'

PH 7.44

7.54

7.67

Cond 9.34

9.07

9.15

Temp 83.7

83.5

84.1

1000

Completed Purge Reported For Decon

Ross Set up for Samples

NDTW 61.80'

PH 7.66

Cond 9.20

Temp 84.1°

1 liter 3 vials (chilled)

RC

7/14/95

(24)

1020 Set up around "Well" 06-013 MW
Ross moves to this well w/ STEVE

1030 DTW 57.87 PID - 22 ppm
B&H 92.20
Height 34.33 X .65 = 22.3 = 10.1
{ Ross watches Rimp / Ray moves
1001 2401 3001 } Drums from
PH 7.88 7.82 7.80 } Proventus-well

Cond 10.25 10.73 10.71
Temp 84.0 83.6 82.2 (Par. MC)
(1049) (Ray Samples 96-004 MW with Baling)
Water Dirty / Grey / Cloudy / Leaky
Clearing up real well / Ray Departs
Purging complete / For Decon

1140 Ross Samples Well } Slight
NDTW 58.04 PID 4 ppm } Smell
PH 7.98
Cond 10.66
Temp 83.4
Water Clear / Photo Taken
(1 liter 300ms) chilled

1150 Ray Sets up @ Next well
06-012 MW

1155 Ross drives up.

PL

177 1977 93

(25)

1200 Well # 06-012 MW

PTW - 58.85 PID / ND

TD - 93.03

water HT - 34.18 x .65 = 22.22 = 16.01

1210 (Ross watches Pump) Ray moves Paces Dams

PH 7.9 8.13 7.8

Cond 8.1 8.0 8.17

Temp 80.8 81.1° 81.4°

1230 Ray meets Ross back to well

Kit ready, water was clear

Ross said it was dirty @ first

1255 Filter completed 75 Gls purged

Ross Realized for Sampling

Ray Breaks down eqipt. Moves

to Devon.

1305 Sampling Begins Well # 06-012 MW

NDTW - 60.01

PH - 7.75

Cond - 8.48

Temp 83.1°

Sample Clear / 1 liter 3 vials / chilled

Photo Taken

Dams Sealed; #1

1315

Ray Sets up @ 06-003 MW

Ross & Steve drive. Ray mea

RC.

(26)

7/14/95

1325 Well # 06-003 MW

DTW - 59.25 PID / ND

BoH - 93.19

WT Hight 33.94 X .65 = 22.06 = 1 vol

1335 Ray returns with Lunch (Ranch ranch)

1 vol 2 vol 3 vol

PH 7.90 7.83 7.87

Cond 8.40 8.43 8.39

Temp 89.9 93.7 83.6

1420 (75 Gals purged)
Purging Complete

Ray Takes
Equip to Down

Ross prepares for Sampling Steve
wants to assist / Its going well

1430 06-003 MW

NDTW 60.27 PID / ND

PH 7.85 H2° very clear

Cond 8.50 Photo Taken

Temp. 94.4°

1440 Ray moves to MW3-02 ; Ross

to Follow w/ Steve

1445 Well # MW3-02

DTW - 55.50 PID / ND

BoH - 99.71

WT Hight - 44.21 X .65 = 28.84

(27)

7/14/95

1450 Commenced Runged / Ray Gums
to ship out Boxes for Joe Byrd.
This is the 1st well on Airport
side All Drums are gone except
these last Two Drums.

1001 2001 3001

PH 7.65 7.70 7.63

Cond 10.90 10.78 10.75

Temp 83.7° 83.5° 83.1°

1535 (Purge complete) (86 Gals purged)

1540 Ray Returns / Ross & Steve almost
Done Sample Jars Prepared & To
Sample / Drums Labeled

1550 MW 3-02 PID / ND

NDTW 56.33

PH 7.68 H2° clear no odor

Cond 10.79 1 liter 3 x 5

Temp. 84.3° chilled

(1600) Ross completes Sampling &
Starts to Pick Samples

I prepared C.O.C.S.

(1640) Ray moves Last Drums

R.

7/14/95

(28)

(1700) Ray Departs to Store for
More Ice & Complete Shipment
Two Ice Chests There are two
wells left / these will be shipped
Via Continental Quick Pick.

(1715) → Ross sets up around
MWS-03

Well MWS-03

DTG 55.98

PID ND

Bot 99.015

Wick HT' 43.03 X. 045 = 28 Gals = 1001

Well very dirty / really needs to
have a man hole on it lots of
Gravel has to fall in well.

(1720) Begin Pump / Pump got clogged
a couple of times but Ross
handled it.

1 vol 2 vol 3 vol

PH - 7.45 7.47 7.47

Cond - 8.72 8.65 8.77

Temp - 83.0 82.4 82.7

28 Gals

RC.

7/14/95

29

1830 Ray ships out remainder of Ice Chests also a total of 9 Ice Chest
Upon my arrival Ross was preparing to Sample Well.

1830 MWS-03

NDTW - 56.77 PID ND

PIH - 7.46

Cond - 8.46

Temp - 83.9°

8 liter 3 vials chilled

One Ice Chest Left for Shipment.

1845 Ray Takes Egypt to De Con Area Ross Picks Samples

1905 We set up @ Well MWS-01

Took measurements PID/ND

DTW - 57.12

TD - 99.81

Water @ 42.69 x .065 = 27.75 = 1001

1001 2001 3001

PIH - 7.75 7.78 7.81

X 120 Cond - 8.22 8.17 8.19
Temp - 83.0 83.0 83.0

(30)

7/14/95

I went to Drums containing
Cutting for 06-016 MW's Tank
a composite of soil for Mike Giles.
Water very clear but it's getting

2000

Dark in Evening

During this time Ross prepared

EB's Field Blank.

2020 Purge Complete / Drums Labeled & sent

2030 Prepared for Sampling.

MWS-01

P10 NID

NDTW 58.03

PH

7.79⁺

EB's Field Blank

Cond.

4.27

EB's Duplicate Sample

Temp.

82.9°

Taken here.

(Time Measurement) Went well

Departed Base for Hotel

2100

2130

Spike with Mike Giles & How I
had set up Shipment of Samples

MWS-03, MWS-01 & extras

1 soil Sample 06-016 & Get them

Del. by 1000 Am

2200

Sampled Samples

Completed

(31)

7/15/95

~~Arrived at ANC~~ PC

0600 Arrived at ANC Met with
Pete Balza Cave him Keys!
JRP Diver Log, Sheets

0700 Packed up remaining gear
Loaded on Truck

0800 Del Freight to Burlington
End Day!
Check out of Hotel

0900 Went to Airport

1000 Called Lab rec'd samples
At 1000 D. Brown

Arrived @ my Dost. 1545 HRL.

7hrs

PC.